

TURNER BIANCA	Brands	Pre-Production Review			
Brand:	CATHERINE LANSFIELD				
Design Name:	BAMFORD GINGHMA CHECK				
BDS:	61204				
Season:	SS26				
Category:	CL ADULT BEDDING				
Factory:	LUCKY				
Products:	DUVET SETS	DUVET SETS	DUVET SETS	DUVET SETS	
Country of Origin	PAKISTAN	PAKISTAN	PAKISTAN	PAKISTAN	
Agreed Pack Fold Image					
Packaging Type Required	CL LOFT	CL LOFT	CL LOFT	CL LOFT	
Colour	NAVY	NATURAL	GREEN	RED	
FACTORY DESIGN QUALITY FRONT	52% POLYESTER 48% COTTON	52% POLYESTER 48% COTTON	52% POLYESTER 48% COTTON	52% POLYESTER 48% COTTON	
FACTORY DESIGN QUALITY REVERSE	52% POLYESTER 48% COTTON	52% POLYESTER 48% COTTON	52% POLYESTER 48% COTTON	52% POLYESTER 48% COTTON	
FACTORY DESIGN QUALITY TRIMS					
TC OR WEIGHT	76X62 30X30	76X62 30X30	76X62 30X30	76X62 30X30	
PRINT TECHNIQUE	PRINTED	PRINTED	PRINTED	PRINTED	
FACE PRINT TYPE	ROTARY	ROTARY	ROTARY	ROTARY	
REVERSE	ROTARY	ROTARY	ROTARY	ROTARY	
PILLOWCASE	ROTARY	ROTARY	ROTARY	ROTARY	
CURTAIN HEADER	NA	NA	NA	NA	
FASTENING	CL BUTTONS	CL BUTTONS	CL BUTTONS	CL BUTTONS	
Fill Weight					
Sizes Selected	S D K SK	S D K SK	S D K SK	S D K SK	
Finishes Face					
Finishes Reverse / Lining					
Technique					
Any compromise on physical performance?					
Is the fabric directional?					
Any batch consistency challenges?					
Any speciality - glitter, pearl, foil?					
Does the speciality print perform to 25 washes?					
Proposed: Care Symbols Wash Instructions Logo's Proposed	 <p>BLEACH,1 DOT TUMBLE DRY,2 DOT IRON,DO NOT DRY CLEAN ADDITIONAL COMMENTS:WASH BEFORE USE,WASH DEEP COLOURS SEPARATELY,DO NOT BLEACH OR DRY CLEAN,TUMBLE DRY ON A LOW HEAT SETTING,IRON ON REVERSE ONLY,KEEP AWAY FROM FIRE</p>				
Any additional disclaimers required?					
Red Seals required?					
User Trials required?					
Styling Details Additional Styling Details (e.g. width / colour / Quilted etc)					
Cutting (Random / Precision etc)					
Trims Embellishment					
Opening / Fastening	BUTTONS				
Fastening Colour - dyed to match?					
Amendments Requested					
Any other comments from the factory					
Any other comments					
Approved Buying Sample Image or CAD layout					

FABRIC SPECIFICATIONS TO BE COMPLETED

**TURNER
BIANCA**

PLEASE COMPLETE THIS DOCUMENT FOR WOVEN, KNITTED & TERRY CONSTRUCTIONS:

TURNER BIANCA FABRIC SPECIFICATION

PRODUCT DETAILS					
DATE	31/08/2021		FIBRE COMPOSITION - GRIEGE	PC 52:48	
BDS NUMBER			FIBRE COMPOSITION - FINISHED	PC 52:48	
PRODUCT SUPPLIER	LUCKY TEXTILE MILLS		FABRIC DESCRIPTION		
FABRIC SUPPLIER	LUCKY TEXTILE MILLS		FABRIC QUALITY	PC(52:48) 30/30 76X62 1/1	
FABRIC COUNTRY OF ORIGIN	PAKISTAN				
FIBER COUNTRY OF ORIGIN	PAKISTAN				

FABRIC CONSTRUCTION DETAILS					
GREIGE SOURCE			DYER/FINISHER	Lucky Textile Mills Limited	
FINISHING ROUTE	Single/Desize → Bleach → Set for Print → Print → Cure → Finish				
DYE CLASS	Pigment	ANY PROMOTIONAL CLAIM			
FOR KNITTED FABRICS.					
GAUGE	YARN COUNT	TYPE OF SPINNING (OE/Ring, Carded/Combed/Compact..)			
WIDTH (cm)	WEIGHT (gsm)	COURSES	WALES		
FOR WOVEN FABRICS.					
WIDTH (cm)	WEIGHT (gsm)	WEFT-YARN COUNT	30	WARP-YARN COUNT	30
ENDS - GRIEGE	76	PICKS - GRIEGE	62	Twist of WEFT	18-19 TPI
ENDS - FINISHED	76	PICKS - FINISHED	61	Twist of WARP	18-19 TPI
FOR TOWELLING.					
WIDTH (cm)	WEFT YARN COUNT	WARP YARN COUNT	PILE YARN COUNT		
WEIGHT (gsm)	Twist of WEFT	Twist of WARP	Twist of PILE		
ENDS	PICKS	TERRY RATIO	LOOP LENGTH (mm)		
TYPE OF SPINNING (OE/Ring, Carded/Combed/Compact..)					

PLEASE REQUEST COMPLETION OF THIS DOCUMENT FOR BATH MATS & RUGS:

	SPECIFICATION
PILE	
BASE	
COTTON DYES	
POLYESTER THREAD	
PIPING	
YARN TWIST	
FABRIC WEIGHT	
FABRIC STRUCTURE	
STAPLE LENGTH mm	
DYE CLASS USED	
FINISH USED	
PIECE WEIGHT	
PILE YARN COUNT	
PICKS (SPI)	
GAUGE (REED)	
PILE HEIGHT	
QUALITY OF YARN IN PILE	
QUALITY OF YARN IN CANVAS	

**TURNER
BIANCA**

Brands

Brand	CATHERINE LANSFIELD	Technologist	ALEX ARMSTRONG
Design Name	BAMFORD GINGHMA CHECK	Product Exec	SALLY ROBERTS
BDS	61204	Designer	KATE ANDERSON
Factory	LUCKY	Date	

GENERAL COMMENTS/ OBSERVATIONS/ APPROVALS

24/07
ALL COLOURS APPROVED
FRONT AND REVERSE LABELED UP WRONG WAY AROUND

Please see below feedback on strike offs.

Please note the strike offs were labelled up incorrect. It should be the smaller gingham on the front and larger scale gingham on the reverse.

Gingham red - approved front and reverse

Natural - front and reverse option A approved

Green - front and reverse option A approved

Navy - front and reverse approved

TB TECHNICAL / COMMERCIAL / DESIGN COMMENTS

APPROVED | **REJECTED**

Severity / Probability	Slight Harm 1	Harm 2	Serious Harm 3
Highly Unlikely 1	1	2	3
Unlikely 2	2	4	6
Likely 3	3	6	9
Highly Likely 4	4	8	12

Injury Scenarios	Probability	Severity	Comments

Buying Sample Log

BUYING SAMPLE - Images / Observations/ Comments/ Actions


From: Kate Anderson <kate@turnerbianca.com>
Sent: 24 July 2025, 14:46
To: Sarah Selinger <sarah@turnerbianca.com>; 'Sally Roberts' <sally@turnerbianca.com>; 'Alex Maffei' <alex@turnerbianca.com>; 'Catherine Lansfield' <catherine@turnerbianca.com>; 'Ashley Ayle' <ashley@turnerbianca.com>
Cc: 'Tara Haral (Working)' <tara@turnerbianca.com>
Subject: Re: Bamford Gingham - Red Layers

Hi Sarah,

I forgot to mention the little dots in the navy strike off, please could you ensure these are not visible in bulk. Image attached.

Thanks

Kate



**TURNER
BIANCA**

Brands

Test Report Results

Testing Required	Requirements	Reference	Accredited Testing House	Colour / Item Tested	Test Report Number	Date of report	*Results / Grade	Comments
BS EN ISO 105 E01	Colourfastness to water - Requirement: Change 4 staining 4							
BS EN ISO 105 X12	Colourfastness to Rubbing (Wet & Dry) - Requirement: Dry 4, Wet 4							
BS EN ISO 105 B02	Colourfastness to Light - Requirement: Standard 4							
BS EN ISO 105 C06	Colourfastness to washing - Requirement change 4 staining 4							
1007/2011/EU	Fibre composition							
EN ISO 6330:2012	Dimensional Stability to Washing- Requirement +/- 3% for synthetic blends & +/-5% for cotton							
EN ISO 6330:2012	Appearance after Machine Washing (1 wash as per care label) - Requirement +/-3% and general appearance graded as satisfactory .							
EN ISO 13934-2	Tensile Strength - Requirement 25KG							
EN ISO 13937-1	Tear Strength - Requirement 1000cN							
EN ISO 13935-2	Seam strength - Requirement: >120N							
EN ISO 13936-1	Seam Slippage - Requirement: 6mm Seam opening 12KG Load							
EN ISO 12945-2	Pilling Resistance - Requirement 2,000 revs, Grade 4							

**TURNER
BIANCA**

Brands

Brand	CATHERINE LANSFIELD	Technologist	ALEX ARMSTRONG
Design Name	BAMFORD GINGHAM CHECK	Product Exec	SALLY ROBERTS
BOS	61204	Designer	ALEX ARMSTRONG
Factory	LUCKY	Date	

GENERAL COMMENTS/ OBSERVATIONS/ APPROVALS

13.10.25 - size and make up approved
waeth slight bowing on pillowcase

TB TECHNICAL / COMMERCIAL / DESIGN COMMENTS

APPROVED REJECTED

PACKAGING CHECKLIST	
Product Exec	
Technologist	
CHECKS	COMMENTS
Insert wording and spelling matches approved soft copy	YES
Insert matches colour standard	YES
Photography matches product	YES
Pack Size	37 X 27
Fold Correct	YES
Fibre composition stated in FOP or BOP	YES
Fibre composition stated on care label	YES
Stated fibre composition is correct	YES
Care icons correct on BOP	YES
Care icons correct on care label	YES
Positioning of labels	YES
Child safety warning correct, clear and colour fast	YES
Correct text use of 3rd party logo's	YES
Correct TB logo's	YES
Correct 3rd party logo's	YES

GOLD SEAL LOG

GOLD SEAL - Images / Observations/ Comments/ Actions

The Gold Seal Log section contains several photographs of the product packaging. At the top left, there are two images of the product box standing upright, showing the front and back views. To their right is a top-down view of the box. Below these are two more images of the box standing upright, showing the front and back views from a slightly different angle. In the center, there is a top-down view of the box with the 'left' label clearly visible. At the bottom left, there is a close-up of the product box with a blue and white checkered pattern. At the bottom right, there is a close-up of the product box with a red and white checkered pattern.

