

GTRACING

ASSEMBLY INSTRUCTIONS



READ THIS MANUAL

Do not use this product until you read and understand the instructions in this manual.

KEEP THIS MANUAL FOR FUTURE REFERENCE.



Installation QR code



This manual is intended for installation and use. The pattern should be subject to the product you receive.

Version 24.08.16

GTRACING

E-mail: info@gtracingchair.com


www.gtracing.com

If you have any questions about the product, please contact us through the contact information on the left. We will try our best to solve your problem within 24H (except weekends and holidays).

01 Accessory Details

Please check and ensure all the things are in the package.
You can contact us for help if something is not included.


1. Main Parts



a _____ x1
Back




b _____ x1
Seat



c _____ x1
Mechanism



d _____ x1
Gas Lift Cover




e _____ x1
Headrest




f _____ x1
Angle Adjustor



g _____ x5
Caster



h _____ x1
Footrest



j _____ x1
Base




k _____ x1
Lumbar Pillow




l _____ x1
Gas Lift


Expand the connector
as shown.



m _____ x1
Connector



n x4
Dust Cover



i x2
Armrest



x1
Wrench



x2
Footrest Rail

2. Screws and Other Parts

- ◆ Please check and ensure all the things are in the package.
Please contact us if something is not included. We will reply within 24 hours and try our best to solve it.

 **o** M5*8 **5pcs**

 **p** M8*20 **4pcs**

 **q** M8*25 **16pcs**

 **r** M6*35 **4pcs**

 **s** CAP **4pcs**

 **t** M8*25 **4pcs**


 **u** M6*20 **5pcs**

 **v** M6*20 **4pcs**

02 Chair Installation



Please keep the original box in case you might need to return or replace the product.

1 Install the base.





Attention


Snap on the ground to align the screw holes.



2 Insert the casters. Install the gas lift and insert the gas lift cover.



3 **i3** is pre-installed on **i2**, check if the installation direction is as shown below.







⚠ Points to note

Point 1: **i3** The direction of the notch as shown in the diagram.





Point 2: **i2** Buttons facing outward as shown in the image.

4 Install **i4** into **i3** with screws **t**.



Please install as shown in the diagram and note the direction of the buttons.


5 Install the mechanism, armrests and footrest rails.





Attention

DO NOT tighten all the screws completely until they are fixed in the correct position.

6 Place seat on the gas lift.



7 Install **f** & **m** on the seat and back.





! Attention



DO NOT tighten all the screws completely until they are fixed in the correct position.

Installation of angle adjustor and connector


1 First install **f** & **m** on the seat.




2 Then install **f** & **m** on the back.




8 Put M5*8 screws through the holes of **R1** & **R2** and tighten them, and then put the caps on.




R




R




9 Install L1 & L2 with M5*8 screws, and then put the caps on.




L




L



10 Attach the headrest.



* Length-adjustable belt



Method 1

Front




Back




Method 2

Front





Back





The belt can be adjusted up or down as needed.

11 Attach the lumbar pillow.



12 Install part of the armrests.





Install **i1** in the direction shown by the arrow on **i1**.



⚠ TIPS

Lift the armrests and seat to the highest position for installation.

13 Insert the footrest into the footrest rails.




⚠ Attention
Please refer to the diagram for the front and back sides and proceed with caution during installation.

03 Functions Display


Please read the function introduction carefully.

A




Lift up the button on the side of the armrest to adjust the height, raise or lower to the desired position.

B



Tilt angle adjustor

Lift the tilt angle adjustor to recline and release it to any desired position. Lean on back when resetting back to its normal position to prevent hurts from excessive rebound strength of the chair.

C

Pull upward on lever to achieve height adjustment.

04 Warning

GTRACING products are designed with safety in mind. However, improper use of any electrical product can potentially result in fire hazards or electrical accidents, which can be extremely dangerous. To prevent such incidents, please adhere to the following guidelines:

- 1) Keep the speaker away from heat sources such as radiators, heaters, and other heat-generating devices (including amplifiers).
- 2) Avoid using the speaker in areas with moisture or humidity. Do not use the speaker near sinks, bathrooms, kitchen sinks, laundry sinks, damp basements, or swimming pools.

3) When cleaning, do not use wax, benzene, insecticide liquids, or air fresheners. Please use a damp cloth for cleaning.

Please use the chair properly to prevent any potential safety accidents.



Sit in the center of the chair with your back to the backrest.



DO NOT sit at the front edge of the chair.



DO NOT stand on the chair.



DO NOT turn the chair around when a person is sitting in it.



DO NOT push down on the backrest when a person is reclined



DO NOT place only your back on the chair



DO NOT use the chair with more than one person.

SAFETY INFORMATION

- Use this chair for seating only one person at a time.
- ☒ DO NOT stand on the chair, DO NOT use the chair as stepladder.
- ☒ DO NOT use the chair unless all screws are firmly secured.
- ☒ Avoid contact with sharp objects to prevent puncturing the fabric.
- ☒ Every 6 months, check all screws to ensure they are all tight.
- ☒ To clean, spot clean only needs a damp towel and mild cleaner, first test on a small obscure area of fabric.

Dear Customer,

Thank you for choosing us.

GTRACING has been implementing its brand and design concept “BE COOL BE FREE”, and we are dedicated to enriching gaming and shopping experience for customers. For safe use, please read this manual before installation, and keep it for after use. Please feel free to email us if you have any concerns about our products. We'll reply within 24 hours.

The following are the things you need to pay attention to so that we can provide you with services when you encounter problems during the installation and use of the product:

- When the product is damaged due to courier problems, please contact our customer service in time for verification.
- We will rectify the issue as soon as possible;
- We give 1-year quality assurance.

We offer product explanations, installation instructions, product maintenance and maintenance methods.

If you feel satisfied with our product and service,

- Please set our store as your favorites;
- Please recommend our products to your friends;
- Please leave us your purchase experience in our store or product page.

Feedback or reviews from you will greatly help us offer better services to players around the world.

Best regards!

* ATTENTION! During installation, DO NOT tighten the screws completely until all the screws are fixed in the correct position.

✉ E-mail: info@gtracingchair.com

🌐 Web: www.gtracing.com



If you have any questions about the product, please contact us through the contact information on the left. We will strive to resolve your problem within 24 hours on business days.