


ASSEMBLY INSTRUCTIONS

Express Delivery Cabinet

W2660P503065 (E20711024)




Thank you for shopping from us!


In order to enable you to better install or use this product, please carefully review the precautions and detailed functional operation instructions provided in this manual before using this product formally.

Hope you have a positive experience with it!


Parts List




Ⓐ1pc




Ⓑ1pc




Ⓒ1pc




Ⓓ1pc




Ⓔ1pc




Ⓕ1pc




Ⓖ1pc




Ⓕ1pc



Ⓖ1pc



Ⓙ2pc




Ⓚ1pc



Ⓛ1pc




Ⓜ1pc



Ⓝ1pc



⓪13pc



Ⓟ2pc



Ⓠ4pc



Ⓡ2pc




Ⓢ2pc




Ⓣ1pc




Ⓤ2pc



Ⓡ4pc



Installation Steps




Checking


Before starting the installation process, please check that all parts are present and undamaged.

Ensure that the parts and quantities in the package correspond with the Part List. If there are any mistakes or missing parts, kindly contact us through the purchase platform for assistance.


STEP 1




Connect the left panel B, right panel C, and back panel A with screws O.




STEP 2




Place the front frame on the inside of left side panel B and right side panel C.




STEP 3




Fold down the cabinet and connect the bottom plate F to the left side plate B, right side plate C, and back plate A. Connect the bottom plate F and back panel A with screws.




STEP 4




Connect the top plate G and cabinet with screws O.



STEP 5




Connect the front baffle K to the left baffle L and the right baffle M to the panel K. Connect the connecting piece J to the left fixed plate L and right fixed plate K of the back pull plate I with screws P, screws R, and nuts Q. Use tools to fold the process connector into a 90 ° angle.




STEP 6


Install the tipping box into the hole between the left side panel B and the right side panel C.




STEP 7






Insert the door for the envelope into the holes on the upper part of the left panel B and right panel C.



STEP 8




Insert the metal pillar S and washer T into the hole on the front frame, slide the door down onto the pillar, and then press the spring door shaft to enter the door shaft hole.







The number of washer used can be adjusted according to the actual situation.


STEP 9



Drill holes on the ground using a tool hammer to thread the expansion wire through the holes on the bottom plate of the cabinet and connect it to the holes on the ground.



STEP 10



Security/ Notice

To ensure safe installation and use of this product, please follow these security notices:

- During initial assembly, fasten screws loosely and avoid firmly tightening them until the item is fully assembled.
- Some parts of the product may be heavy and have sharp edges. Please handle with care.
- Stop using this item immediately if any parts are missing, broken, damaged, or worn, until repairs are made or factory replacement parts are installed.
- Reconfirm that all bolts, screws, and knobs are securely fastened every 90 days.
- Avoid using this item in a way inconsistent with the manufacturer's instructions, as this could void the product warranty.