

CARE AND MAINTENANCE










Spot clean using a mild water-free solvent. Only a professional cleaner should undertake a complete overall cleaning.

The use of steam or water-based cleaners may cause excessive shrinking or staining.


NOTICE

- * Prior to assembly, ensure that all parts are accounted for.
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly.
- * This item may require periodic tightening
- * Do not overtighten bolts.

Part List And Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
A	Backrest		2
B	Right arm		2
C	Left arm		1
D	Seat deck		1
E	Table top		1
F	Table leg		
G	Bolt and washer	 M6*15	12X
H	Bolt and washer	 M6*40	12X
I	Allen Key		1X

I Item Weight
Capacities
1SEATER:220LBS
TABLE:110LBS



PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 45 minutes.


Tools Required for Assembly (included): Allen Key

Chair Assemble


Gradually tighten bolts in a star pattern: tighten one bolt and then the one opposite from it until all bolts are tightened.

1-4. Assemble the chair leg (B+C) to the backrest (A), using bolt and washer (H), then assemble the seat deck on the legs with bolt and washer (H).


STEP 1




STEP 2



STEP 3



STEP 4



PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.

EstimatedAssemblyTime: 45 minutes.

Tools Required forAssembly(included):Allen Key

Table Assemble

Gradually tighten bolts in a star pattern: tighten one bolt and then the one opposite from it until all bolts are tightened.

5.Assemble the table leg(F) to the table top(E),using bolt and washer(G).

STEP 5

