

ADCO CARTS & DOLLIES

INSTRUCTIONS AND WARNINGS

Dollies: BMULELG2P, MULEHANDLE

Weight limit:

- Mule Dolly: 250 pounds per dolly

Instructions for use:


- Attach dollies using hooks to move anything over 250 pounds
- Distribute load evenly over surface of dolly to ensure proper function
- Attach Mule Handle and pull goods to desired location
- Disconnect Mule Handle and stow away

Warnings:

- Do not step on, stand on, or ride dollies as they are not meant for personnel
- Be careful on any significant slope or grade
- Product must be loaded onto dolly with care to ensure it is seated well and will not tip

Connect Mule Dolly handle for easier use!

Dollies	1 Dolly	In Box
Height	3.5"	5"
Width	12.75"	13.75"
Depth	18"	19"



Carts: BSAC-SMBLK, BSAC-SMCR, BSAC-LGBLK, BSAC-LGCR

Weight limit:

- small cart: 400pounds (spread between both shelves)
- Large cart: 500pounds (spread between both shelves)

Instructions for use:


- To unfold
 - Unlock latches on the sides of cart
 - Push down hand plates with palms on the sides of the cart until cart is opened
 - When cart is open depress latches on side to lock in place
- To fold
 - Unlock latches on the sides of cart
 - Place fingers under hand plates and pull upward until cart is completely folded
 - When cart is folded, depress latches on side to lock in place

Warnings:

- Do not step on or ride on carts, NOT MEANT FOR PERSONNEL
- Watch for pinch point in cart (shown in picture)

Small Carts	Open	Folded	In Box
Height	39"	45.5"	46.25"
Width	19.5"	19.5"	22"
Depth	31"	8.5"	9.5"

Large Carts	Open	Folded	In Box
Height	39"	48.25"	50.75"
Width	23.5"	23.5"	26.5"
Depth	37.5"	8.5"	10.25"



Wall Mount for Carts

Instructions on how to wall mount:

- Utilize stud finder to ensure an appropriate hanging place and mark for screws
- Hold bracket against wall with screw in hole and drive first screw nearly all the way
- Line up second hole and drive screw nearly all the way, then finish driving screws until they are snug against bracket

Warnings:

- This product must be securely fastened to stud in wall
- Do not hang more than 40 pounds on hook
- Only holds 20 pounds if secured ONLY in drywall

