52" Ceiling Fan



Dimensions



	Downrod	А	В	С	D
1	.00 OD X 4.50	14.00	12.00	12.60	6.70

Available Finishes

	Finish	Glass	Blade 1	Blade 2
1		I I	1	1

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Product Information

Blade Finish	Dark Cherry/Wethrd Wht WInt

Airflow, Power and Efficiency

- /			J		
Speed	RPM	CFM	CFM/ Watt	Amps	Watts
Low	157	5283	77	.56	69
Med	108	3549	105	.41	34
High	55	1819	188	.22	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 14MM
Motor Type	AC

Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL listed electrical junction boxes marked "For Fan Support"

Notes:

 Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

52" Ceiling Fan

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Finish	Glass	Blade 1	Blade 2
Burnished Antique Pewter		DARK CHERRY	WETHRD WHT WLNT
Brushed Nickel		SILVER	WALNUT
Oil Brushed Bronze		WALNUT	CHERRY
Matte White		MATTE WHITE	WETHRD WHT WLNT

Electrical Requirements	120V 60Hz AC
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Descr
Universal Remote Control
Fan 4 Speed-Light Dimmer
Fan 4 Speed-Light Dimmer
Fan 4 Speed-Light Dimmer
Fan Light Dimmer Control
Fan Light Dimmer Control
Fan Light Dimmer Control
4 Speed Fan Slide Control
4 Speed Fan Slide Control
4 Speed Fan Slide Control
Limited Function Cooltouch
Wall Control System L-Function
56K Wall Control System Basic

Notes: 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions. 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.