
MOUNTING&WIRING

WARNING:

Improper Installation may cause electrical shock, fire,or equipment damage.

The person performing the installation must be familiar with the construction and operation of the product and associated hazards



Wire Connection Diagram:




Please proceed in an alphabetical order:

A.Existing Elextrical BOX B.Greecher G.Greecher Scrows

D.Greend Wire E.Ganopy F.Wire G.Junction Cape
attach the crosshar(B)to the existing electrical box(A)
using the two crosshar scrows(G)which are not supplied
and should already in your box. Pase the main wire(F)and
ground wire(D)through the canopy(E)and the
crossbar(B)until the end of the main wire(F)reaches the

(A)where you can wire use electrician connections. Be sure when connecting the wire use electrician approved junction cape(G).stow the excess wire in the electrical bex(A).rules the canopy(E),attach canopy(E)to celling,and held the canopy(E).

DIMENSION




PART LIST

NO 1 2 5 8 COMPONENT 1 1 1 4

NO	9	10	1	12	
COMPONENT					
QUANTITY	1	2	9	1	

INSTALLATION&MOUNTING INSTRUCTIONS



DIMMABLE: fully dimmable with compatible dimmer switch to create the perfect atmosphere

Type of Light Source: incandescent,LED or CFL Bulbs.Bulb base G9,40 watts maximum(not included)



