



ASSEMBLY INSTRUCTION

SUNLOUNGE SET



Notice:






1. 50% Tighten before fixing all screws, Allen wrench is recommended instead of an electric drill.
2. Place the item on a flat ground to adjust and make sure it remains stable.
3. Tighten up all screws with tools gradually.
4. If the screws are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
5. If the item is not stable, please loosen all the screws, adjust it on a flat ground and tighten up all screws again.
6. Note : If one or some screws are fully tightened during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.




Parts List :

A A rectangular seat bench with a grid of small square holes on its top surface and a single leg on the right side. Seat Bench (1 pc)	B A rectangular seat bench with a grid of small square holes on its top surface and a single leg on the left side. Seat Bench (1 pc)	C A rectangular wooden seat bench with a smooth top surface and a single leg on the right side. Wooden Seat Bench (1 pc)
D A rectangular wooden seat bench with a smooth top surface and a single leg on the left side. Wooden Seat Bench (1 pc)	E A large L-shaped leg with a flat top surface and a single leg on the right side. Large Leg (2 pcs)	F A small L-shaped leg with a flat top surface and a single leg on the right side. Small Leg (2 pcs)
G A support leg with a flat top surface and a single leg on the right side. Support Leg (2 pcs)	H A middle support leg with a flat top surface and a single leg on the right side. Middle Support Leg (1 pc)	I A long, thin connection bar with a flat top surface and a single leg on the right side. Connection Bar (1 pc)
J A long, thin connection bar with a flat top surface and a single leg on the right side. Connection Bar (1 pc)	K A long, thin connection bar with a flat top surface and a single leg on the right side. Connection Bar (2 pcs)	L A rectangular seat cushion with a smooth top surface and a single leg on the right side. Seat Cushion (1 pc)


Hardware :

1	 Bolt M6x20 (28 pcs) Extra (2 pcs)	2	 Bolt M6x35 (21 pcs) Extra (2 pcs)	3	 Bolt M6x40 (4 pcs) Extra (1 pc)	4	 Flat Washer M6 (53 pcs) Extra (5 pcs)
5	 Allen Wrench (2 pcs)						


CARTON CONTENT:




Ⓐ x1




Ⓑ x1




Ⓒ x1




Ⓓ x1




Ⓔ x2




Ⓕ x2




Ⓖ x2




Ⓗ x1




Ⓘ x1




Ⓙ x1



Ⓚ x2



Ⓛ x1



Hardware


STEP 1

C x1

D x1

② x2

④ x2




Connect Wooden Seat Bench (C) & (D), tighten Bolt (2) & flat washer (4) with Allen Wrench (5).

STEP 2

K x2

② x8

④ x8



Connect Connection Bar (K), tighten Bolt (2) & flat washer (4) with Allen Wrench (5).


STEP 3

A x1

B x1

② x3

④ x3




Connect Seat Bench (A) & (B), tighten Bolt (2) & flat washer (4) with Allen Wrench (5).

STEP 4

J x1

② x4

④ x4




Connect Connection Bar (J), tighten Bolt (2) & flat washer (4) with Allen Wrench (5).

STEP 5

I x1

2 x4

4 x4




Connect Connection Bar (I), tighten Bolt (2) & flat washer (4) with Allen Wrench (5).

STEP 6

3 x4

4 x4




Connect The part from Step 2 & The part from Step 5, tighten Bolt (3) & flat washer (4) with Allen Wrench (5).

STEP 7

E x2

1 x8

4 x8




Connect The part from Step 6 & Large Leg (E), tighten Bolt (1) & flat washer (4) with Allen Wrench (5).

STEP 8

F x2

1 x8

4 x8




Connect Small Leg (F), tighten Bolt (1) & flat washer (4) with Allen Wrench (5).

STEP 9

G x2

1 x8

4 x8




Connect Support Leg (G), tighten Bolt (1) & flat washer (4) with Allen Wrench (5).

STEP 10

H x1



1 x4

4 x4




Connect Middle Support Leg (H), tighten Bolt (1) & flat washer (4) with Allen Wrench (5).

STEP 11




Put the Bench upright, firmly tighten Bolts with Allen Wrench (5), to finish Bench.

STEP 12



Open all the vacuum bags, adjust the cushions. Set up the Cushions (L) to finish Bench.

STEP 13



Finish.