


# Metal Storage Shed 4'x8' FT

## Instructions for Assembly



It will take 1-2 hours for 2 people to install.

### WARNING

Please read the instruction manual carefully before assembly

Please assembly strictly in accordance with the instruction

Please double-check to ensure that all parts of the package contents intact

To avoid injury , work gloves are recommended during assembly

### **Owner's Manual**

Before beginning construction, check local building codes regarding footings, location and other requirements. Study and understand this owner's manual. Important information and helpful tips will make your construction easier and more enjoyable.

**Assembly Instructions:** Instructions are supplied in this manual and contain all appropriate information for your building model. Review all instructions before you begin, and during assembly, follow the step sequence carefully for correct results.

**Parts and Parts List:** Check to be sure that you have all the necessary parts for building .

Separate contents of the carton by the part number while reviewing parts list.

The first few steps show how to join related parts to make larger sub assemblies which will be used later.

Familiarize yourself with the hardware and fasteners for easier use during construction.

These are packaged within the carton. Note that extra fasteners have been supplied for your convenience.

## **PLAN AHEAD**

**Watch the Weather:** Be sure the day you select to install your building is dry and calm.

Do not attempt to assemble your building on a windy day.

**Teamwork:** Whenever possible, two or more people should work together to assemble your building. One person can position parts or panels while the other is able to handle the fasteners and the tools.

**Tools and Materials:** These are some basic tools and materials you will need for the construction of your building. Decide which method of anchoring and the type of foundation you wish to use in order to form a complete list of the materials you will need.

## **CARE & MAINTENANCE**

**Finish:** For long lasting finish, periodically clean and wax the exterior surface. Touch-up scratches as soon as you notice them on your unit. Immediately clean the area with a wire brush; wash it and apply touch-up paint per manufacturer's recommendation.

**Roof:** Keep roof clear of leaves and snow with long handled, soft-bristled broom. Heavy amounts of snow on roof can damage building making it unsafe to enter. In snow country, Roof Strengthening Kits are available for most Arrow Buildings for added protection against heavy snow accumulation.

**Doors:** Always keep the door tracks clear of dirt and other debris that prevent them from sliding easily. Lubricate door track annually with furniture polish or silicone spray. Keep doors closed and locked to prevent wind damage

**Fasteners:** Use all washers supplied to protect against weather infiltration and to protect the metal from being scratched by screws. Regularly check your building for loose screws, bolts, nuts, etc. and retighten them as necessary.

**Moisture:** A plastic sheet (vapor barrier) placed under the entire floor area with good ventilation will reduce condensation.































### **Other Tips....**






























Wash off inked part numbers on coated panels with soap and water.

Silicone caulking may be used for watertight seals throughout the building.


**Do not store swimming pool chemicals in your building. Combustibles and corrosives must be stored in air tight approved containers.**








## PARTS LIST

NO	PART	QTY
<b>25L</b>		1
<b>25R</b>		1
<b>19</b>		1
<b>27</b>		2
P2		4
<b>P3</b>		6
<b>D1</b>		1
<b>D2</b>		1
P1		2
P1A		4
P5		2
P5A		1
P6		2
P6A		1
<b>1</b>		2
<b>3L</b>		1
<b>3R</b>		1
<b>4L</b>		1
<b>4R</b>		1
<b>5</b>		1
<b>6</b>		1
<b>7</b>		1
<b>8</b>		1
<b>9</b>		1
<b>11</b>		1
10L		1
10R		1
<b>28</b>		2
<b>GJ</b>		2
<b>30</b>		2


NO	PART	QTY
<b>F1</b>		235
F2		91
<b>F3</b>		8
<b>G2</b>		4
<b>S1</b>		108
<b>GC</b>		4
<b>GD</b>		4
<b>GE</b>		2
<b>GB</b>		2
P7		1
P8		1
P8A		1
<b>21L</b>		2
<b>21R</b>		2
<b>H1</b>		2
<b>GF</b>		4
13		2
14		2
<b>15</b>		2
17		2
18		2
17A		1
18A		1
20		4
B1		8
<b>H6</b>		2
28		1
<b>9L</b>		2
<b>9R</b>		2







1. Put foundation 1-5 as following, and fix them with bolts F1.




PART	NO.	Qty.
	1	2
	3L	1
	3R	1
	4L	1
	4R	1
	5	1
	F1	16

**2.** Install the wall panels P1 ,P1A,P2,P3 onto the foundation as shown ,and fix them with bolts F1. Fix wall panels with bolts F2.



PART	NO.	Qty.
	P1A	4
	P2	4
	P3	2
	P1	2
	F1	24
	F2	15




**3.** Slide two pieces of G2 into channel 7 and 8 separately, fix 7 and 8 onto front wall panels with bolt F1.








front wall panels with bolt F1.

Fix 6 onto 7,8 and front wall panels ,with bolt F1.



Install P3 as shown.






PS: There is no holes on 7 and 8 since that they are very soft. It is very easy to fix them.




PART	NO.	Qty.
	6	1
	7	1
	8	1
	P3	4
	G2	4
	F1	28
	F2	5




**4.** Fix 9, 10L, 10R, 11 onto wall panels as shown in the pic with bolts F1.



PART	NO.	Qty.
	9	1
	10L	1
	10R	1
	11	1
	F1	45

**5.** Put doorframes 25L and 25R as order shown in the pic, and fix them onto wall panels with bolts F1.




PART	NO.	Qty.
	25L	1
	25R	1
	F1	12







**6** ■ Fix 1 pc of 21 L, 21 R and 4 pcs of B1 as shown in the pics with bolts F2.

Same for other 21 L, 21R and B1.


Fix four windows GF onto the window holes with bolts F2.




Then install the fittings as shown above the house.




PART	NO.	Qty.
	21L	2
	21R	2
	B1	8
	GF	4
	F1	20
	F2	20






**7** ■ Install fitting 13 and 14 as shown in the picture and secure with screw F2.




PART	NO.	Qty.
	13	2
	14	2
	F2	16





# 8 ■ Fix the roof panels P5,P6,P7 as shown in the pic with bolts F1.




PART	NO.	Qty.
	P5	1
	P6	1
	P7	1
	F1	30
	S1	108






**9** ■ Fix the roof panels P5,P6,P8 as shown in the pic with bolts F1.




PART	NO.	Qty.
	P5	1
	P6	1
	P8	1
	F1	22




**10.** Fix H1、 H6、 28 as shown in the pic with bolts F1, then fix roof panels P5A as shown in the pic with bolts F1.




PART	NO.	Qty.
	28	1
	H1	2
	H6	2
	P5A	1
	F1	12








# 11. fix roof panels P5A,P6A,P8A as shown in the pic with bolts F1.




PART	NO.	Qty.
	P6A	1
	P8A	1
	F1	20

# 12. Fix protective edge 15,17,18,17A,18A and protective corner GC as shown in the pic with bolts F1.




PART	NO.	Qty.			
	15	2			
	17	2			
	18	2			
	GC	4		17A	1
	F1	20		18A	1







**13.** Put 19 on the roof top as shown in the pic.  
Fix GE onto the two ends of 19 with bolts F1.





PART	NO.	Qty.
	19	1
	GE	2
	F1	6



**14.** Fix 2pcs of 20, 1pc of 27, 2pcs of GD onto door panel D1, as same way to the other door D2.




PART	NO.	Qty.
	27	2
	20	4
	D1	1
	D2	1
	GD	4
	F2	16


# 15. Install GB on D1 D2 as shown.



PART	NO.	Qty.
	GB	2
	F2	3

# 16. Fix door panel 01 and 02 as shown in the pie with bolts F3.



PART	NO.	Qty.
	F3	8