


ADJUSTABLE OFFICE CHAIR

ASSEMBLY & USER MANUAL



ADJUSTABLE
HEIGHT



RECLINING
BACKREST




ADJUSTABLE
ARMRESTS



BACK
SUPPORT




360°
SWIVEL



IMPORTANT: Read all instructions before assembly. Keep this manual for future reference


PARTS LIST

A Backrest 1pc




Note: Attach the backrest cushion to the backrest using the zipper.

B Seat Cushion 1pc











Note: Attach the seat cushion cover to the seat cushion using the zipper.

C Armrest 2pcs








Note: After placing the armrest cover over the armrest, secure it with the zipper.

PARTS LIST

D Footstool 1pc 	E Mechanism 1pc 	F Legs 5pcs 	G Base 1pc 
H Gas Lift 1pc 	I Bracket 1pc 	J Casters 5pcs 	K Frame 1pc 
L Joint 2pcs 	R Wrench 1pc 		

HARDWARE LIST

M Bolts  M6*16mm 10PCS	N Bolts  M6*20mm 4PCS	O Bolts  M6*25mm 22PCS	P Bolts  M8*20mm 3PCS
Q Bolts  M5*10mm 2PCS			

ASSEMBLY STEPS

1 Install Base



Remove the Base Cover, turn the Base (G1) upside down, insert the Legs (F) into the Base (G1) one by one, align them with the holes, and use a Wrench (R) to tighten the Bolts (M) to secure them.

F x 5

G x 1

M x 10

R x 1



G

G1

G2

ASSEMBLY STEPS


2 Install Gas Lift & Casters

Press the Casters (J) into the holes at the ends of the Legs (F), and secure the Base Cover. Insert the Gas Lift (H) into the center hole of the Base (G2).

G x 1

H x 1

J x 5



*Check: All connections should be fully seated before moving to the next step.

3 Install Backrest


Open the cover on the Backrest (A), align the Backrest Bracket (I) with the 4 holes, and secure it by tightening the Bolts (O).

A x 1

I x 1

O x 4

R x 1




ASSEMBLY STEPS

4 Install Armrests

Turn the Seat Cushion (B) upside down, align the Armrests (C) with the holes, and insert Bolts (O). Tighten the Bolts only after the Armrests are properly aligned.


- B** x 1
- C** x 2
- O** x 12
- R** x 1



5 Install Joint

Align the Joint (L) with the holes and secure it with Bolts (O).

- L** x 2
- O** x 4
- R** x 1



ASSEMBLY STEPS

6 Install Footrest


Align the Footrest Support Bracket (K) with the holes in the Footrest (D), and use a Wrench (R) to securely tighten the Bolt (O).

D x 1

K x 1

O x 2

R x 1




7 Secure Footrest

Insert the Footrest into the Joint (L). Tighten Bolt (Q) through the holes in the Footrest Support Bracket to secure it.

D x 1

Q x 2

R x 1



ASSEMBLY STEPS


8 Install Mechanism

Align the Mechanism (E) with the holes on the bottom of the Seat Cushion (B), and secure it with Bolts (N).

E x 1

N x 4

R x 1




9 Seat Install on Base

Align the center hole of the Mechanism (E) under the Seat Cushion (B) with the GasLift (H). Gently lower the Seat onto the Gas Lift until it is fully seated.

B x 1

E x 1

H x 1



ASSEMBLY STEPS

10 Install Backrest



Align the Backrest Bracket (I) with the mounting points on the Seat Cushion (B), insert the Bolts (P), and tighten them evenly.

*Two people are recommended for this task.

I x 1

P x 3

R x 1



SAFETY INFORMATION

- Do not exceed the maximum weight capacity: 330 lbs (149 kg).
- Do not stand on the chair.
- Ensure all bolts and parts are securely tightened before use.
- Keep the chair away from open flames and other heat-emitting sources.
- Use the chair on a level surface.
- This chair is designed for indoor use only.

CARE & MAINTENANCE

- Wipe the chair with a soft, damp cloth.
- Do not use harsh chemicals or abrasive cleaners.
- Check and tighten screws regularly to ensure stability.
- Store the chair in a cool, dry place.

CUSTOMER SUPPORT

Should you have any inquiries, require assistance, or need after-sales support, please contact our Customer Service team via email. Kindly provide your order number and a detailed description of the issue, and we will respond with thorough troubleshooting guidance.

Thank you for choosing our product!