




# Anthem® | K-26348-9

Four-outlet recessed mechanical thermostatic valve control

## Features

- Trim plate includes temperature control knob with integrated adjustable high-temperature limit stop and shower outlet on/off buttons
- When pressed once, shower outlet turns on and button pops out, becoming a knob for water flow adjustment
- When pressed back in, water turns off and outlet button aligns with control plate surface; flow setting remains intact
- High-temperature limit setting for added safety
- Low-profile design with easy-to-clean water-resistant casing
- Requires four-port thermostatic valve with integral volume control (sold separately)
- Handles up to 8 gpm (30.3 lpm) flow capacity (rate may vary by installation)



## Available Colors/Finishes

*Color tiles intended for reference only.*

|     |                               |
|-----|-------------------------------|
| CP  | Polished Chrome               |
| SN  | Vibrant Polished Nickel       |
| AF  | Vibrant French Gold           |
| BN  | Vibrant Brushed Nickel        |
| BV  | Vibrant Brushed Bronze        |
| BL  | Matte Black                   |
| 2MB | Vibrant Brushed Moderne Brass |
| TT  | Vibrant Titanium              |



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

8-19-2026 19:00 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

ASME A112.18.1/CSA B125.1

---

## Technical Information

*All product dimensions are nominal.*

### Handle

Handle Style/Type: Knob

---

## Valves

Included Valves: Thermostatic, Volume Control

---

## Required Products/Accessories

- K-39015 Four-port recessed mechanical thermostatic valve
- 

## Warranty

*See website for detailed warranty information.*

KOHLER® Faucet Lifetime Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

8-19-2026 19:00 - US-CA



## Installation

- Mounts on finished wall surface

## Installation Notes

*Install this product according to the installation instructions.*

For use with showerheads or handsprays rated at 0 gal/min (0 l/min) or higher.

