
INSTALLATION INSTERUCTIONS


10x14 ft Storage Shed



After opening the package, if you notice a slight deformation in the wall panels, there's no need for concern. Our material is flexible and can be manually bent back into place.

Recommended to wear gloves to avoid scratches. Please read the instructions COMPLETELY before assembly.

REQUIRED TOOLS



Power drill	Screw drive	Tape Measure

ASSEMBLY TIPS

1. Clear a working area to allow access on all four sides. A raised work surface will make assembly easier. It is easier to install the wall panel on the table.


2. All parts are identified, so when working through the instructions page

- by page, the diagrams show where each part is positioned.
- **3.** Before starting, to avoid any accidental injury, we recommend the use of gloves to protect your hands.
- 4. Please keep children away from your construction site.
- **5.** Most assembly can be completed by one person, but assistance may
- be needed when you reach the erection stage.
- 6. Please note: Some local government authorities have rules & regulations on shed installation, and you may need
- approval to erect this shed.


ASSEMBLY STEPS

 Unpack all components from the carton and lay them out beside your work area. Check parts against the parts list.
Work through the assembly instructions page by page.
Once assembly is completed, place the shed in position and fix the anchor to the ground.
Clean up all metal pieces and screws.


K1014parts list(A)




K1014parts list(B)




K1014parts list(C)




<u></u>	K810-3L	2	Ē	GC	4
· · · · · · · · · · · · · · · · · · ·	K810-3	2		GE	2
	K1014-4L	2		T–F	4
	K1014-4R	2	ſ.	DC	2
	K1014-4M	2		C2	4
	K1014-5L	2		DH	4
	K1014–5R	2		F1	600
	K1014-6L	6		F2	104
	K1014–6R	6		F3	32
	K1014-6M	6	\bigcirc	V2	238
E	K810-8	4	E JUIIIII	F4	4
	K1014-9L	2		GL	1
	K1014-9R	2		SL	112
	K1014-9M	2	$\sum o c$	M20	1
	K1014-10	2		ST	2
	K1014-10M	1			
	UAD	2			
	C3	4			
	K1012-11	8			




Shed top panels




Shed top frame





Door and Shed base



Sort By Splicing










PART	NO.	QTY.
	₩5–CD	4
	F1	12


PART	NO.	QTY.
<u> </u>	K810-3L	2
· · · · · · · · · · · · · · · · · · ·	K810-3	2
	K1014–4M	2
	K1014-4L	2
	K1014–4R	2






2











PART	NO.	QTY.
	₩5-D	5
	F1	42
	F2	6

W5-D W5-D W3-D W5-D W5-D W5-D W5-D W5-D W5-D W5-D




















PART	NO.	QTY.
	UAD	2
	F1	8
9	F2	2


PART	NO.	QTY.
	K1014–5L	1
	K1014–5R	1
	F1	8
\bigcirc	V2	8




F1











PART	NO.	QTY.
0	C3	4
····	K1012–11	8
	F2	4
	F1	16




The K1014-6M is small enough in width to snap into the K1014-6L and K1014-6R and align their holes





PART	NO.	QTY.
	K1014-6L	6
	K1014–6R	6
	K1014–6M	6
	F2	48


PART	NO.	QTY.
	F2	12















Install as shown: The edge extends outwards by approx. 50 mm

150mm




0







PART	NO.	QTY.
	K1014-10	2
	K1014-10M	1
	F1	8
\bigcirc	V2	8


According to the illustration: the roof rain sheet 3 formations first with F1 self-tapping screws to connect the number before the subsequent installation





E hourses	11	Т












STEP 17




View from the front, the vertical rod covers the horizontal rod The larger hole is always covered over the small hole.

PART	NO.	QTY.
	₩5-KD	1
	W2-HRD	1
()	F2	2












The final fixation should be done after all parts are aligned.


PART	NO.	QTY.
	DH	4
	DC	2
	F3	16
	GL	1
E)00000	F1	4




PART	NO.	QTY.
	DL	1
	DR	1
	F3	16











PART	NO.	QTY.
	SL	112

Plastic protective caps are required for the exposed part of the upper cross member K1012-11 assembly screws.

