



Veil® | K-6299

Wall-hung compact elongated toilet, dual-flush

Features

- One-piece wall-hung toilet
- Compact elongated bowl offers added comfort while occupying the same space as a round-front bowl
- Mounting hardware is completely concealed, giving a sleek, seamless look that is easy to clean
- Includes wall-hung bowl with Quiet-Close™ seat
- Requires in-wall tank and carrier system, and flush actuator plate (sold separately)



Sustainability



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
8-10-2026 17:21 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

Accessibility standards may require controls to be located on the open side of the toilet.

Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.



ASME A112.19.2/CSA B45.1

ASME A112.19.14

DOE - Energy Policy Act 1992

EPA WaterSense®

California Energy Commission (CEC)

ADA

ICC/ANSI A117.1

CSA B651

OBC

Technical Information

Flush Type:	Washdown
Flush Rate:	0.8 or 1.6 gpf (5.0 lpf)
Bowl Shape:	Elongated
Seat-Mounting Holes:	5-1/2" (140 mm)
Waste Outlet:	Wall
Trapway Size:	3" (76 mm)
Trapway Type:	Skirted
Water Surface Size:	4-1/2" x 5-1/2" (114 mm x 140 mm)
Rim to Water Surface:	8-3/16" (208 mm)

Recommended Products/Accessories

K-23726 Drain treatment

K-8857 Flush actuator plate for 2"x4" in-wall tank and carrier system

K-4731-SC Elongated toilet seat with integrated handle and self-sustaining check hinge

K-4731-C Elongated toilet seat with integrated handle and check hinge

K-4731-GC Commercial elongated toilet seat with integrated handle and Quiet-Close™ check hinge

Required Products/Accessories

• K-28829 In-wall tank and carrier system

or

• K-6284 2" x 6" in-wall tank and carrier system

Warranty

See website for detailed warranty information.

KOHLER® Toilets and Seats Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

8-10-2026 17:21 - US-CA



Installation

- This product is not designed or intended for bariatric use

Installation Notes

Install this product according to the installation instructions.

Toilet height is dependent on carrier settings.

A 1" (25 mm) gap between the toilet and the wall is required.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.

Accessibility standards may require controls to be located on the open side of the toilet.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

8-10-2026 17:21 - US-CA