

## ASSEMBLY INSTRUCTIONS


### Table


ASSEMBLY  
REQUIREMENTS

2-Person  
Assembly

**20 Minutes**  
Assembly Time  
(Approximate)

Tools Required  
(Not Provided)

  
Phillips Screwdriver

  
Flat Screwdriver

Thank you for purchasing our product!

Please refer and use this assembly instruction to assemble the product. Contact our customer service department in case there are any missing or damage parts or hardware. Replacement parts are normally shipped within 2 or 3 days.

**We appreciate your business!**



#### ASSEMBLY PREPARATION

1. Remove all packaging materials, staples and packing straps from the carton.
2. Refer to Parts List and Hardware List, and ensure parts and hardware are correct before assembly. Contact customer service for missing parts.
3. Place all wooden parts on a clean, flat and soft surface (e.g. carpet or rug) to prevent scratch and damage to parts.

#### SAFETY PRECAUTION

1. KEEP ALL HARDWARE PARTS OUT OF REACH OF CHILDREN.
2. DISPOSE PLASTIC PACKAGING MATERIAL IMMEDIATELY TO AVOID ANY RISK OF SUFFOCATION TO CHILDREN AND ANIMALS.

#### TIPS FOR ASSEMBLY






1. Allow ample room for assembly and assemble the product near where product will be placed.
2. Assemble the product on a surface that does not scratch or damage the exterior gloss and finish of the furniture.
3. Identify all of the parts, hardware and quantities required for each step.
4. During assembly, do not over-tighten any fittings as this may cause damage.
5. DO NOT USE POWER TOOLS TO ASSEMBLE THIS PRODUCT.
6. Always place the product on a flat, level surface.
7. Do not sit or stand on the partially assembled product; only use the product for which it is intended.

#### CARE AND MAINTENANCE








- Use a slightly damp cloth to clean the product. Do not use bleach or abrasive cleaning material.
- Check all the fittings periodically and re-tighten as necessary. Do not use the product if any of the parts is damaged or broken.
- Never allow any kind of liquid to remain on your furniture. Absorption can cause wood to warp or delaminate.
- Do not place hot items (e.g. hot drinks) directly onto the wood surface.
- Do not drag and/or pull the furniture.

This product is for indoor and household use only - not for commercial use.


## Parts List

ITEM	DESCRIPTION	PART	QTY	ITEM	DESCRIPTION	PART	QTY
<b>1</b>	Table Top		1pc	<b>4</b>	Leg Base		2pc
<b>2</b>	Table Rail		2pc	<b>5</b>	Table Cross Bar		1pc
<b>3</b>	Leg Panel		2pc				

## Hardware List

ITEM	DESCRIPTION	HARDWARE	QTY	ITEM	DESCRIPTION	HARDWARE	QTY
<b>A</b>	Wood Dowel	 10*50mm	10pcs	<b>E</b>	Screw	 5*50mm	8pc
<b>B</b>	Screw	 6*45mm	4pcs	<b>F</b>	Cover	 D15*7	4pcs
<b>C</b>	Screw Nut	 6*13mm	4pcs	<b>G</b>	Allen Key		1pcs
<b>D</b>	Screw	 5*25mm	8pcs				


## Instructions For Barrel Nut




Insert Barrel Nut with the perpendicular hole facing and in-line with the drill hole that the bolt is to be inserted.

Use a Flat-head Screwdriver to hold Barrel Nut in position before inserting bolt to thread into the Barrel Nut.

## Parts Assembly Overview




## STEP 1



- a) Lay **Leg Panel (3)** and **Crossbar (5)** on a material that does not scratch the parts.
- b) Insert Wood Dowels (A) into the designated holes at each end of the parts as shown.


---

## STEP 2




- a) Attach Table Rail (2) and Leg Base (4) to Leg Panel (3) from STEP 1 via wood dowels on (3).
- b) Use Screw (E) to fasten (2) and (4) to (3).

## STEP 3




- With assistance, attach Crossbar (5) to fit between the two Leg Panel (3) from STEP 2 - via wood dowels. Ensure that the legs mirror/match each other.
- Insert Barrel Nut (C) into the designated hole on (5). Refer to Page 2 for Instructions on Installing Barrel Nut.
- Insert Screw (B) through the Leg Panel to screw into the Barrel Nut on Crossbar. Do not tighten (B) until both screws are screwed into each of the Barrel Nut. Do not over-tighten the screws.

## STEP 4



- Lay Table Top (1) bottom-side up as shown on a material that does not scratch the part.
- Attach Table Rail (2) on leg assembly completed in STEP 3 to bottom-side of (1) via protruded wood dowels on Table Rail (2) as shown.  
Note: wood dowels to be inserted into the two inner most middle holes.
- Use Screw (D) to fasten (2) to (1).
- With assistance, set the table right-side up.

## STEP 5



a) Use Cover (F) to conceal screw holes on (3).

The assembly of the table is complete.