Assembly Instructions


Caution: You must read this before you proceed

Care & Maintenance

	●Not for commercial use. For residential use only.
	●Do not put hot items directly on furniture surface.
	●Do not clean furniture with harsh cleansers or polish.
	●Do not place furniture under direct sunlight.
	●Do not place furniture near heating or cooling vents.
	●Do not write on furniture without a padded barrier to protect the surface.
	●Do not place furniture outside . For indoor use only.
	●Stains may be removed with mild soap solution and damp cloth.
	●Children should not climb or jump on the furniture.
	● Dust and pick-up spills using a clean, non-colored, lint-free cloth.







.

BAR STOOL







Caution: This Barstool is NOT a TOY
Keep your child/children at bay during the assembly process.
Whenever lifting or moving the Chair and to prevent damage to the Barstool, two adults may be needed to execute these action.

Part List

Label	Picture	Description	Qty
A		Back Chair	1pc
B		Seat Chair	1pc
C		Left Frame	1pc
D		Right Frame	1pc
E		Stretcher	2pcs
F		Support Leg	1pc

Hardware List

Label	Picture	Description	Qty
①		1/4” x 38mm Hex Button Head Bolt	11pcs
②		1/4” x 60mm Hex Button Head Bolt	3pcs
③		1/4” x 12 Lock Washer	11pcs
④		1/4” x 12 Flat Washer	11pcs
⑤		1/4” x 10 x 20 Haft Moon Nut	3 pcs
⑥		M4*38MM Philips-Head Screw	5 pcs
⑦		Allen Key K4 x 80	2pcs
⑧		Screwdriver	Not Included


IMPORTANT


1. Do not tighten bolts / screws completely until all bolts / screws are lined up and inserted into holes.

2. Do not over tighten screws and bolts to avoid stripping.

Assembly Preparation

Before Beginning Assembly:






- Read instructions, cover to cover-
- Have 2 adults on hand for assembly-
- Do not assemble on flooring or carpet-
- Assemble on a clean non-marring surface (packing foam)-
- Save all packaging until finished-

Assembly Steps


Overview



FRONT FACING

This Barstool has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Bar Stool parts, the above picture is to help you put the various parts into perspective. Please read through the instruction below to familiarise yourself with the parts and steps before assembly.


Step 1




Unpack and place all parts on a clean, non-marring surface.


Step 2

① x 5	
③ x 5	
④ x 5	
⑦ x 1	





Do NOT overtighten hardware.
Tighten only to 75% for now.




Place the Part D facedown onto a clean, non-marring surface.

Attach the Back A and Seat B onto the Right Frame D. Make sure the hole on the Part D always fix with tenon on the Part A & B. Using The Bolts ①+ Spring washers③+ Flat washers④ + Allen Wrench ⑦ to tighten.


Do not fully tighten the Bolts at this time.

Step 3




Do NOT overtighten hardware.
Tighten only to 75% for now.


② x 1	
⑤ x 1	
⑦ x 1	







No




Yes

Attach the Support Leg F onto the Right Frame D (Under Seat Cushion B).


Using The Bolts ②+ Haft moon nut ⑤+ Allen Wrench ⑦ to tighten.

Do not fully tighten the Bolts at this time.

Step 4



Philips-Head Screw
M4 x 38mm



⑥ x 2




Screwdriver
(Not included)

Attach the Stretchers E onto the Right frame D, Using the Philips-Head Screw ⑥ and Screwdriver (Not included) to tightened.


At this step, the Screw are fully tightened (100%).

Step 5



Attach the Left Frame C to Back A, Seat cushion B, Support Leg F and Stretcher E. Make sure all tenon are properly aligned with the hole on the Left frame C.

Step 6




6.1 Using The Bolts ①+ Spring washers③+ Flat washers④ + Allen Wrench ⑦ to tighten.

6.2 Using The Bolts ②+ Haft moon nut ⑤+ Allen Wrench ⑦ to tighten.

6.3 Using the Philips-Head Screw ⑥ and Screwdriver (Not included) to tightened 100%.

Do not fully tighten the Bolts at this time. Only screw fully tighten.

Step 7




Last but not least, flip the Barstool over on a flat surface & make sure all Part are touching before tightening everything from to 100%.

Stand the Bar stool right side up. Your Barstool is ready for use.

This Bar Stool can only be used on a flat, level surface.

Step 8



Turn the Barstool right side up.
Place the Barstool on a LEVEL SURFACE.
Inspect it and make sure all parts are adequately connected. Gently and gracefully, sit into to the Barstool.
This would help to align all the parts at all the joint areas.

You may required to turn the Barstool, to gain easy access to the secure points.
Turn the Barstool in a synchronised manner.

CAUTION 1: When tightening these screws, tighten sequentially. DO NOT tighten any screw fully and then towards the next one. This would cause the frame to warp.
If there is still wobbles, loosen the screws and execute this same process.
WARNING!! IF BARSTOOL IS NOT STABLE, IT COULD LEAD TO DAMAGING THE PRODUCT.
Ensure all screws are fully locked into position.
The Barstool is ready to be used.
Caution 2: This Barstool can only be used on a flat, level surface.