
Lugano Bedroom --- 4 Drawer

Assembly Instructions – Please keep for future reference



Dimensions	No. people	Assembly Time	OW #
Width: 70cm	• •	45 .	LUCORLWHT/
Depth: 40cm	Μ̈́M	45 mins	LUCORLOAK/
Height: 78.5cm		(approx.)	LUCORLBLK/
rioigni. 70.00m		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	LUCORLGRY



Important

- PLEASE READ THESE INSTRUCTIONS FULLY BEFORE STARTING ASSEMBLY
- PLEASE DO NOT THROW THE PACKAGING AWAY UNTIL YOU ARE SATISFIED WITH PURCHASE, GOODS NEED TO BE RETURNED IN ORIGINAL PACKAGING.

Safety and Care Advice

Important

- PLEASE READ THESE INSTRUCTIONS FULLY BEFORE STARTING ASSEMBLY
- PLEASE DO NOT THROW THE PACKAGING AWAY UNTIL YOU ARE SATISFIED WITH PURCHASE, GOODS NEED TO BE RETURNED IN ORIGINAL PACKAGING.
- Check you have all the components and tools listed on pages 4 and 5.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to lay out the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft, level surface to avoid damaging the unit or your floor.
- We do not recommend the use of power drill/drivers for inserting screws, as this could damage the unit. Only use hand screwdrivers.
- Dispose of all packaging carefully and responsibly.



Glass Warnings

- 1. Do not place very hot or very cold items against or in close proximity to glass surfaces unless an adequately thick insulating material is used to prevent such items from coming into contact with the
- 2. Do not strike the glass with hard or pointed items.
- 3. When cleaning glass panels or mirrors use a damp cloth or leather with washing up liquid or soft soap if necessary: do not use washing powders or any other substance containing abrasives since these substances can scratch glass.
- 4. It is essential that this unit is fixed to a wall with the fixings provided (if applicable).
- 5. The class of glass used complies with Class x of BS6206

This product complies with BS7449: 1991

Imported by Global Procurement and Marketing Ltd

xxmm thickness tempered glass

Model no. xxx Batch no. xxx

Dimensions: 00 x 00 x 00mm

6. If a glass component is chipped or broken, replace with glass of the type described above. Consult the manufacturer, retailer or agent with regard to obtaining a manufacturing specification and shape for replacement glass quoting the model number and batch number or date of manufacture.

Care and Maintenance


- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

If kept outside please ensure in the winter months that the product is correctly covered or put away into a dry environment to prevent corrosion, weathering or damage.

If your product is not designed to be outside, we recommend that it is always kept indoors in a dry environment.

If you are unhappy with the product and wish to return it, please follow the retailer's returns procedure.

Exploded View



Components - Panels

Please check that you have all the components listed below before constructing your item.

Part No	Description	Qty	Size (mm)	Thickness (mm)
1	Top Panel	1	700*400	15
2	Left Side Panel	1	770*383	15
3	Right Side Panel	1	770*383	15
4	Connector Panel	5	668*60	15
5	Back Kicker	1	668*60	15
6	Back Connector Panel	1	668*100	15
7	Drawer Face	4	694*163	15
8	Drawer Stopper	4	613*80	15
9	Drawer Left Side Panel	4	300*80	15
10	Drawer Right Side Panel	4	300*80	15
11	Drawer Support Panel	4	284*60	15
12	Drawer Bottom	4	623*294	3
13	Back Panel	2	687*315	3

Important – Please read these instructions fully before starting assembly

Components - Fixings

Please check that you have all the components listed below before constructing your item.

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

(A)		(B)	8*40	(C)	3.5*14	(D)	3.5*35
	A1 A2						-mmmm1
	44PCS		16PCS		32PCS		16PCS
(E)	300mm	(F)		(G)	3*12	(H)	
	E1 left E1 right E2 left E2 right		10		(
	4PCS		12PCS		12PCS		2PCS


Tools Required





Ruler – Use this to measure your screws (mm)


0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150 155 160 165 170


Important – Please read these instructions fully before starting assembly



































Use "H" to fix the cabinet on the wall







Please install tip-proof fitting.