Counter Height set

ASSEMBLY

60 Minutes

2-Person

REQUIREMENTS


Assembly Time

Assembly

Per Stool (Approximate)

Thank you for purchasing our product!

Please refer and use this assembly instruction to assemble the product. Contact our customer service department in case there are any missing or damage parts or hardware. Replacement parts are normally shipped within 2 or 3 days.



We appreciate your business!

ASSEMBLY PREPARATION

- 1. Remove all packaging materials, staples and packing straps from the carton.
- 2. Refer to Parts List and Hardware List and ensure they are complete before you start assembling.
- 3. Place all wooden parts on a clean, flat and soft surface (e.g. carpet or rug) to prevent parts from getting scratched.

SAFETY PRECAUTION:

- 1. KEEP ALL HARDWARE PARTS OUT OF REACH OF CHILDREN.
- 2. DISPOSE PLASTIC PACKAGING MATERIAL IMMEDIATELY TO AVOID ANY RISK OF SUFFOCATION TO CHILDREN AND ANIMALS.

TIPS FOR ASSEMBLY

- 1. Allow ample room for assembly and in close proximity to where product will be placed.
- 2. Assemble the product on a surface that does not scratch or damage the exterior gloss and finish of the furniture.
- 3. Please check all of the parts and quantities are included before assembly. Contact customer service for missing parts.
- 4. Identify all of the parts, hardware and quantities required for each step.
- 5. During assembly, do not over-tighten any fittings as this may cause damage.
- 6. DO NOT USE POWER TOOLS TO ASSEMBLE THIS PRODUCT.
- 7. Always place the product on a flat surface.
- 8. Do not sit or stand on the partially assembled product; only use the product for which it is intended.

CARE AND MAINTENANCE

- Use a slightly damp cloth to clean the product. Do not use bleach or abrasive cleaning material.
- Check all the fittings periodically and re-tighten as necessary. Do not use the product if any of the parts is damaged or broken.
- · Never allow any kind of liquid to remain on your furniture. Absorption can cause wood to warp or delaminate.
- Do not place hot items (e.g. hot drinks) directly onto the wood surface.
- Do not drag and/or pull the furniture.


This product is for indoor and household use only - not for commercial use.

Counter Height set

Parts and Hardware List


А		FRAME	2PCS	I		REAR STRETCHER POST	1PC
В	\Diamond	LOWER STRETCHER	2PCS	Ĵ		STOOL WOOD TOP	2PCS
С		WOOD BOTTOM BOARD	1PC	K		STOOL FRAME	2PCS
D		WOOD BAR TOP	1PC	L	0 0 0 0 0	STOOL LEG	8PCS
E		LEFT LEG (FRONT & REAR)	2PCS	Μ		BOLT	64PCS
F		RIGHT REAR LEG	1PC	Ν	Dunn	SCREW	12PCS
G	7	RIGHT FRONT LEG	1PC	0		ALLEN WRENCH	1PC
Н	P	FRONT STRETCHER POST	1PC				






- a) Place Bottom Board (C) and Bar Top (D) bottom-side up.
- b) Position each Frame (A) to align to (C) and (D)
- c) Use Screws (N) to fasten (A) to (C) and (D).
- d) Do not tighten (N) completely until all of (N) are in place.






- a) Attach Left Front and Rear Legs (E), Right Front and Rear Legs (G & F), and Stretcher Posts (H & I) to Frame (A) Bar Top (D) from Step 1. (Note the orientation and placement of each part.)
- b) Use Bolt (M) to fasten parts (E,F,G, H & I) to Frame (A). Tighten (M) by using Allen Key (O).

Counter Height set




- a) Install the first Lower Stretcher (B) as shown.
- b) Use Bolt (M) to fasten (B) to Right Legs and Stretcher Posts and tighten with Allen Key (O).
- c) Do not tighten (M) completely until all of (M) are in place.



a) Install the the second Lower Stretcher (B) following the same procedures in Step 3.


STEP 5



With the help of another person, position drill holes on Frame (A) of Bottom Board (C) to align to drill holes on the Legs and Stretcher posts, and fasten with Bolt (M).

Use Allen Key (O) to tighten (M). Do not tighten (M) completely until all of (M) are in place.


STEP 6



With the help of another person, position the completed Bar assembly upright. Check and tighten all of Bolt (M). Do not over-tighten.


Counter Height set

STEP 7




- a) Place Stool Top (J) bottom-side up as shown.
- b) Position Stool Legs (L) to (J) and use Bolt (M) to fasten.
- c) Do not tighten (M) completely until all of (M) are in place.

STEP 8



- a) Position Stool Frame (K) to Legs (L) as shown.
- b) Align the drilled holes on (K) and (L) and use Bolt (M) to fasten.
- c) Do not tighten (M) completely until all of (M) are in place.

STEP 9



Position the completed bar stool upright. Check and tighten all of Bolts (M). Do not over-tighten.