


Metal Teak-Texture Table-Straight Leg


If you have any questions about the Metal Teak-Texture Table-Straight Leg, please feel free to contact us.



IMPORTANT
PLEASE READ BEFORE YOU COMMENCE ASSEMBLY

Follow the guidelines in this user guide to ensure correct assembly and care for this product.

Metal Teak-Texture Table-Straight Leg



Catalog

Specifications.....01

Catalog.....02

Notice 03

Exploded Views.....04

Part List And Screw Set List..... 05

How to Assemble The Table 06

Before You Begin

Instructions are supplied in this manual and contain all appropriate information for your product.

Review all instructions before you begin and during assembly, follow the step sequence carefully for correct results.

1. Please separate and identify all the parts, making sure you have all of the parts listed.
2. To avoid any scratch during assembly, please assemble on a soft mat or similar.
3. Please assemble step by step and follow the instruction.
4. Please install and secure all screws and panels correctly according to the fastening method described below.
5. Failure to locate parts in accordance with these diagrams, or failure to use special parts provided with this equipment, may result in property damage or personal injury.
6. If you have an electric screwdriver, you can use it instead of the screwdriver we provide. An electric screwdriver can help you reduce assembly time.


WARNING

Pay attention to the iron dining table and chairs installation precautions, please read the text below carefully.


Note: When installing dining table and chair products, both tables and chairs, do not install them directly on the ground, as gravel and sand on the ground can cause irreversible scratches, as well as pits and paint loss on the table top and other areas.

Suggestion: install this product on a carpet with softness, or you can put a layer of cloth or other soft material on the floor before installing it.














Illustration
of correct
installation



Explode Views







PART LIST

Part List			
L001  Teak-Texture Table top 1 2PCS	L002  Teak-Texture Table top 2 1PC		
L003  Table leg 4PCS	L004  Tabletop support bar 2PCS		
Screw Set			
A  Bolt M6 × 15 8PCS	B  Bolt M6 × 20 24PCS	C  Bolt M6 × 35 8PCS	D  Bolt M6 × 55 8PCS
E  U shaped part 6PCS	F  Jam Nuts M6 8PCS	G  M6 Washer 56PCS	H  Umbrella Cover 1PC
I  Wrench 1PC	J  Allen Wrench M6 1PC		
Extra (Screw Set)			
A  Bolt M6 × 15 1PC	B  Bolt M6 × 20 3PCS	C  Bolt M6 × 35 1PC	D  Bolt M6 × 55 1PC
E  U shaped part 1PC	F  Jam Nuts M6 1PC	G  M6 Washer 5PCS	


Installation steps

STEP 1: Place the three tabletops upside down on the carpet in the following order: Tabletop 1 (L001), Tabletop 2 (L002), Tabletop 1 (L001). Assemble the three tabletops using screws (D) , washers (G) and nuts (F).
Note: Do not fully tighten the screws.



L001		x2	L002		x1
D		x8	F		x8
	Bolt M6 × 55			Jam Nuts M6	
G		x16			
	M6 Washer				

STEP 2: Position the U-shaped part (E) over the holes as shown in the diagram and secure it with screws (B) and washers (G).
Note: Do not fully tighten the screws.



B		x12	G		x12
	Bolt M6 × 20			M6 Washer	
E		x6			
	U shaped part				

Installation steps

STEP 3: Position the tabletop support bar (L004) as shown in the diagram. Secure the rod to the tabletop at its midpoint using screws (C), and fasten the support rod to the tabletop's edge with screws (A) and washers (G).

Note: Ensure all screws are fully tightened.

L004		x2
A		x8
C		x8
G		x16

STEP 4: Insert the four table legs (L003) into the frame underneath the tabletop and secure them with screws (B) and washers (G).




Note: Ensure that the holes on the sides of the legs and the holes at the edge corners are aligned with the corresponding holes beneath the tabletop. Ensure all screws are fully tightened.

L003		x2
B		x12
G		x12

Installation steps

STEP 5: Rotate the lower side portion of the umbrella cover(H) down and cut it in half. Place the upper side threaded part from the top of the table top, and the lower part from the bottom of the table top back into the top part of the umbrella cover and rotate to secure.

Note: Ensure all screws are fully tightened.



H



x1