

ASSEMBLY INSTRUCTION




This instruction booklet contains important safety information. please read and keep for future reference.

To ensure safe and satisfactory use of this product, please carefully read the below instructions beforehand.

1. This sofa ships in several boxes, we recommend unpacking and starting assembly when several boxes are received.
2. Our cushions are vacuum packed for convenient shipping. Please allow 2-3 days for them to fully expand to their original shape and for any wrinkles to disappear.
3. In the event that a part is damaged or missing, no need to return the product, we will gladly help and ship your replacement parts free of charge and text to us.

Below are some guidelines for you how you can do mix and match.




IF YOU BUY 3 SEATER SOFA


please follow below assembly instruction

Parts incidued


Package A




Package B





STEP 1: Assemble the Left armrest (A) to the Seat frame(C) with Washers (M) and Spring Washer (N) and Bolts (O).





STEP 2: Assemble the Right armrest (B) to the Seat frame(C) with Washers (M) and Spring Washer (N) and Bolts (O).




The diagram illustrates a multi-link robotic arm structure. It features a central horizontal beam labeled 'C'. At each end of this beam, there is a vertical link labeled 'A'. The arm is composed of multiple segments, with the number of joints indicated as $K \times 12$ and the number of links as $L \times 12$. The joints are represented by circular symbols with arrows indicating rotational degrees of freedom. The links are shown as rectangular blocks. The arm is shown in a bent configuration, with the rightmost section labeled 'B' and the central section labeled 'C'. The joints are labeled with '0' and '1' to indicate different states or configurations.




STEP 5: Assemble seat frame (C) and Seat frame (C) with IButterflu nuts (Q) and screw (R).




STEP6: The cushion is packaged by vacuum compression. Slowly rebound within 10 days after cutting, and if the fabric has wrinkles, they will gradually disappear.



STEP 7: Place Seat cushion (F) and back cushion (H) on sofa and make sure it's will fitted.




STEP 8: Place arm pillow (I), and pillow (J) on sofa and make sure it's will fitted.



ASSEMBLY INSTRUCTION

Ottoman



Thank you for choosing our product.


To ensure safe and satisfactory use of this product, please carefully read the below instructions beforehand.

1. The cushion is packaged by vacuum compression. Slowly rebound within 10 days after cutting, and if the fabric has wrinkles, they will gradually disappear.
2. In the event that a part is damaged or missing, no need to return the product, we will gladly help and ship your replacement parts free of charge.

PART LIST & HARDWARE

E

Ottoman frame



1PC

G

Ottoman cushion



1PC

K

Gasket



4PCS

L

Leg




4PCS

Note: Please retain all boxes until you are certain that your product isn't damaged and that you do not wish to return it. Disposal of boxes may prevent our ability to resolve your request.


ASSEMBLY STEPS

STEP 1: Assemble the Legs (L) on the sofa with Gaskets (K).




STEP 2: The cushion is packaged by vacuumcompression. Slowly rebound with in 10 days after cutting, and if the fabric has wrinkles, they will gradually disappear

pat around evenly plump



STEP 3: Place seat ottoman cushion (G) on the ottoman frame (E).



STEP 4: If the fabric has wrinkles, it will basically disappear after standing for 10 days. Well done!! You can enjoy your leisure time on the sofa now.

