


Owner Manual



The modular sectional couch will be shipped in multiple boxes.

Box A-Armrest.

Box B-Right seat and Left seat

Box C-Single sofa and 1 ottoman

The exact number of boxes will be determined by the combination you purchase.

Loveseat:

Box A + Box B

L Shaped:

Box A + Box B + Box C

U Shaped:

Box A + Box B + Box C*2

Each package will be dispatched from a different warehouse depending on your shipping address, so they may not arrive at the same time. Each package has its own tracking number, you can check the logistics information through the different tracking numbers..

MAINTENANCE AND WARNING

- Keep furniture away from heat sources.
- Do not clean furniture with harsh cleaner or polishes. Do not use detergents, solvents, abrasives, spray packs or leather cleaner. Use non-color mild soap with warm water to clean spills (Mix 1:10 soap to water).
- Do not place furniture under direct sunlight, material will possibly fade over time.
- Do not use dry cleaning machine.
- Children should not climb or jump on the furniture.
- Do not write on furniture that is not protected by a padded barrier.




Weight Capacity


250LBS PER SEAT

PART LIST & HARDWARE

A






B



that may have come loose inside the carton during shipment.


PART LIST & HARDWARE

C



E Seat frame  1PC	F Ottoman seat frame  1PC	G Back frame  1PC	H Seat cushion  1PC	M Ottoman cushion  1PC
M Back cushion  1PC	N Pillow  1PC	O Connctor  2PCS	Q Supporting feet  8PCS	R Gasket  8PCS
S M8*80mm Bolt  2PCS	T Butterfly nut  4PCS	U M8*20mm Bolt  8PCS	V Washer  8PCS	W Alley key  1PC

ASSEMBLY INSTRUCTIONS


Step 1: Screw the Supporting feet (R) and Gaskets (Q) like below picture.




Step 2: Connect the Right seat frame (D), the Left seat frame (C) and the Seat Frame (E) with Butterfly nut (T), Washers (V) and Bolt (S).




Step 3: Assemble the Connector (O) to the all Back frame (G).




Step 4: Attach the assembled backrest frame to the all seat frame.



Step 5::Insert the Latch slider (P) into the Left armrest (A) and the Right Armrest (B).




















Step 6:Insert the Left armrest (A) and the Right Armrest (B) into the Right seat frame (D) and the Left seat frame (C) by Latch Slider (P).






Step 7: The cushions are packaged by vacuum compression. After cutting the package, it rebounds quickly within 4 hours. If the fabric has wrinkles, it will basically disappear after standing for 72 hours.



Give them 24-72h to recover



Sept 8:Put all the Cushions to the frame.



Completed!

