




RECEPTION DESK

ASSEMBLY INSTRUCTIONS


INSTALLATION TIPS



- Please read the instructions carefully before installation.
- After reading, keep them properly for future use.


Please prepare the following aids:

1. Electric drill (optional, improve efficiency)
2. Please use power tools reasonably to avoid injuries.




Installer recommendations:

1. It is recommended that two people work together to install for higher installation efficiency.
2. Improve the safety of the assembly process and better complete the alignment and lifting operations.




Installation precautions:

When tightening the screws, avoid over-tightening to damage the plate.



INSTALLATION INSTRUCTIONS




Eccentric Wheel

Bolt

Pre-installed Bolt Holes

Three-in-one Usage Explanation:

1. Use a screwdriver or a power tool to install screws (at least 10mm deep) at the indicated positions and panels.
2. Screw the bolts into the pre-installed inserts.
3. Insert the assembled bolts into the corresponding holes on the other panel, then press the eccentric wheel into the 15mm diameter hole on the side with the hole alignment.
4. Use a Phillips screwdriver to tighten the eccentric wheel clockwise.







Unlock Control:

Sliding Usage Explanation:

Attach the slide rails securely to the side pane!


Fix the guide rails onto the bottom panel, ensuring they are properly aligned.

Hinge Usage Explanation:


 Hinge installation on the door	 Hinge connection to the cabinet
 Vertical height adjustment	 Door gap alignment adjustment

PASSWORD SETTING


Example 2: Use the key to retrieve the password when you forget it.




1.




2.




Whether it is on or off, you can change the password as long as you know the correct password: turn the Dial Wheel to the correct password and push the Password changer to the triangle arrow position.




3.



4.




! Push Password changer to Standard position and new password will be



5.


1 | 6 | 8 | 8 = 

Password set successfully




RETRIEVE PASSWORD

Example 2: Use the key to retrieve the password when you forget it.




6.




Insert the key and turn it 180 degrees clockwise as shown in the diagram.

7.



Turn the Dial Wheel one by one, and the stop position is the password.

8.




Turn the key 180° as shown in the figure and pull out the key.

9.



















1 | 6 | 8 | 8 = 

Unlock, password retrieved successfully














※ Please complete this step with the door open!

ACCESSORIES LIST



① 	② 	③ 	④ 
⑤ 	⑥ 	⑦ 	⑧ 
⑨ 	⑩ 	⑪ 	⑫ 
⑬ 	⑭ 	⑮ 	⑯ 
⑰ 	⑱ 	⑲ 	⑳ 

ACCESSORIES LIST

21 	22 	23 	24 
25 	26 	27 	28 


A ×103 	B ×103 	C ×20 	D ×1 
E ×2 	F ×1 	G ×4 	H ×2 

INSTALLATION DIAGRAM




INSTALLATION STEPS



- 1** Install the bottom, find the bottom boards, put them together and set them aside.




- 2** Assemble the side panels, bottom panel, and partitions.




3 Assemble the bottom panel.




4 Assemble the bottom panel and tighten the screws to secure it. Note: The lock is inside and the plate assembly must be turned over to tighten the screws.




5 Assemble the side panels and partitions, and screw in the screws to secure them.




6 Assemble the two side panels and screw in the screws to secure them.





7 Assemble the cabinet back panel.




8 Assemble the cabinet back panel and tighten the screws to secure it.



9 Assemble the panel.





10 Assemble the panels and tighten the screws to secure.





11

Assemble the drawer sides, drawer back, and drawer bottom.







12

Assemble the drawer sides and slides.




13

Assemble the drawer surface with the drawer side panels and drawer bottom panel.




14

Insert the drawer.




15

Install the cabinet door panel.





16



Assemble the partitions and side panels and screw in the screws to secure.




17 Assemble the shelves and screw them in to secure them.




18 Assemble the side panels and screw them in to secure them.




19 Assemble the side panels and screw them in to secure them.




20 Assemble the panels, screw in and secure.



21 Assemble the right cabinet and install the upper and lower back panels.




22 Assemble together.



23

Fix the 4 removable shelves by nailing them to the main table and then install the shelves.



24

Install the threading hole cover.
Installation is complete.

