



# Awaken® B110 | K-99899

Premium slidebar kit, 2.0 gpm

## Features

- Handshower features transitional design, inspired by nature
- Three spray functions and ADA-compliant nonpositive shutoff
- Thumb tab allows for a smooth transition between sprays
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup and maximizes spray performance
- Slidebar features adjustable mounting brackets for installation flexibility
- Includes 60" metal hose
- This product can help a building earn Water Efficiency points in LEED® Green Building Rating System



## Sustainability



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-30-2026 01:27 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

*ADA compliant when installed to the specific requirements of these regulations.*



ADA

ASME A112.18.1/CSA B125.1  
ASSE 1014  
DOE - Energy Policy Act 1992  
EPA WaterSense®  
ADA

## Technical Information

*All product dimensions are nominal.*

### Flow Rate

Handshower Rated Maximum 2 gpm (7.6 l/min)

Flow:

## Recommended Products/Accessories

K-23723 Faucet cleaner

K-30647 Showerhead replacement filter, two-pack

K-30646 Showerhead filter

## Warranty

*See website for detailed warranty information.*

KOHLER® Faucet Lifetime Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

7-30-2026 01:27 - US-CA



## Installation Notes

*Install this product according to the installation instructions.*

Plumbing codes require approved backflow prevention devices to be installed in-line to handshowers. Please consult with local plumbing officials.

ADA compliant when installed to the specific requirements of these regulations.

