


ASSEMBLY INSTRUCTION



REMARK

We kindly recommend that you check the quantity and condition of the panels and accessories upon receiving the product, as outlined in the instruction manual. If you find any missing parts, damages or encounter assembly issues, please feel free to contact us, and we will be happy to assist you within 24 hours.



IMPORTANT INFORMATION

READ CAREFULLY.

KEEP THIS INFORMATION FOR FURTHER REFERENCE.

GENERAL GUIDELINES

- Please read the following instruction carefully and use the product accordingly.
- Please keep this manual and hand it over when you transfer the product.
- This summary may not include every detail of all variations and considered steps. Please **contact us** when further information and help are needed.

NOTES





- Please follow the assembly instructions precisely and only use the product as intended.
- If an odor is present when first opening the package, please leave the unwrapped product in a shaded and ventilated area for a few days to air out.
- Prior to assembly, please check the product for defects or missing accessories. If any defects are found or accessories are missing, do not use product as damage or injury may occur; Please **contact us** for assistance and replacement.
- It is suggested you regularly check the products bolts and connections to ensure safe use.
- Assemble the item on a soft flat and clean surface to avoid scratches and damage.
- It is recommended that two people assemble this product.

WARNINGS

- During assembly, keep parts and packaging materials away from children and pets as there could cause injury and are a potential choking hazard.
- Avoid sharp objects or corrosive chemicals to prevent damage to the product.
- Please open the item slowly and cautiously to avoid pinching your hands by metal joints, especially children.


ANTI-TIP WARNING

- Serious or fatal crushing injuries can occur from furniture tip-over. To prevent this furniture from tipping over it must be permanently fixed to the wall.
- Since different wall materials require different types of fixing device, for advice on suitable fixing systems, contact your local specialized dealer.




- Before installation, please make sure you have all the hardware, the serial numbers are properly labeled corresponding to the list, and the quantity is correct.
- If there are missing accessories or any quality problems or installation problems, please contact our professional customer service first, and we will reply ASAP. Please do not return the product without authorization. If you return it by yourself, you should bear the corresponding labeling fee.
- Enjoy your new purchase!

















EXPLODED DRAWING:



Please check all parts and accessories according to the parts list before assembling, make sure all contents are sufficient and in good condition. If there is any parts missing or defective, please contact us with purchase platform message immediately to get replacement parts.

PARTS:






HOW TO INSTALL


NOTICE:

1. Use electric drill for easier installation experience.
2. Please drive the screws in pre-drilled holes.
3. Please strictly follow the instruction and diagram in every step.
4. Make sure every part is on the right position, otherwise it may cause unnecessary problem.
5. Select the proper component via the label on every part while assembling.

REMARK:





Avoid inserting part C into wrong holes.









Part A must be installed into the holes with rubber nuts which are smaller than others.

Please ensure that part A is facing the direction of the gap of part B .






When locking part B, please make sure part A is fully inserted.








STEP 1








STEP 2







STEP 3







STEP 4







STEP 5






STEP 6






STEP 7







STEP 8







STEP 9




STEP 10



STEP 11




Flip 180° to assemble the other side




STEP 12

11



x1

B



x1


C



Ø6X30mm

x2


D



M5x45mm


x2

N





4mm

x1




STEP 13




STEP 14

B




x4

C




ø6X30mm

x2




STEP 15

20




x1



B



x2




STEP 16




STEP 17

B




x4

C





Ø6X30mm


x2





STEP 18







Need two people to flip





STEP 19




STEP 20



STEP 21




Need two people to install




STEP 22

F




M3x14mm

x16



STEP 23

G



x8

M





M4x40mm M6x30mm

x2




NOTICE

For the safety of you and your family, it is necessary to install Anti-Tip Device Kit.



wall



M

1

M

G

G

4

G

G

14

G

2








G

G








G

14

STEP 24



STEP 25




Hinge Installation

Note: Match the correct hinge type to the designated door panel number.

The two types are not interchangeable.


STEP 26

J



Ø3.5 X12 mm


x4



First install the two screws inside


STEP 27

J



Ø3.5 X12 mm

x4



First install the two screws inside


STEP 28

J



Ø3.5 X12 mm


x4



First install the two screws inside


STEP 29

J




Ø3.5 X12mm

x4





First install the two screws inside



NOTE: If you encounter a gap or difficulty closing the door after installation, Please adjust the hinge according to the following operation.

The method is as follows:




[How to adjust vertical height of the door]

- First remove the 2 screws "A+" on the hinge.
- Then loosen the 2 screws "A" on the hinge so that it can be adjusted up or down a few millimeters.
- Then tighten "A" and reinstall "A+".


STEP 30

J



Ø3.5 X12mm


x4



Then install two screws outside


STEP 31

J



Ø3.5 X12 mm


x4



Then install two screws outside


STEP 32

J



Ø3.5 X12 mm


x4



Then install two screws outside


STEP 33

J




Ø3.5 X12mm

x4





Then install two screws outside





NOTE: If you encounter a gap or difficulty closing the door after installation, Please adjust the hinge according to the following operation.

The method is as follows:




[How to adjust vertical height of the door]

- First remove the 2 screws "A+" on the hinge.
- Then loosen the 2 screws "A" on the hinge so that it can be adjusted up or down a few millimeters.
- Then tighten "A" and reinstall "A+".



[How to adjust the level of the door]




- Turn screw "C" on hinge to adjust the level of the door.



[How to adjust depth of the door]

- Loosen screw "B" and adjust the depth of the door.
- If screw "B" is loose, the depth of the door still cannot be adjusted. Simply loosen the screw "C" slightly to adjust the position of the door forward and backward.
- After adjusting the position, tighten screw "B" last.

STEP 34



After-Sale Support

Dear Customer,

Thank you for choosing to purchase our products! We attach great importance to your shopping experience and hope to ensure that you are satisfied with this purchase.

Should you have any questions, please contact us through the original purchase platform. We will reply your messages as soon as possible, please kindly wait for the response from our team.

Thank you again for your understanding and support! If you have any other questions, please feel free to contact us at any time.

Best Regards,
After sales service team