

















Installation Instructions




Item No.	Reference Image	Qty	Item No.	Reference Image	Qty
01		x1	12		x1
02		x4	13		x4
03		x1	14		x1
04		x2	15		x8
05		x2			x1
06		x2			x1
07		x2			x1
08		x2			x1
11		x2			

Item No.	Reference Image	Qty	Item No.	Reference Image	Qty
A	 M3.5*16mm	x24	H		x16
B	 M4*25mm	x32	I	 M4*40mm	x16
C	 M4*60mm	x18			x1
D	 Ø8*30mm	x32			x1
E	 Ø15*8mm	x24			x1
F	 Ø10*12mm	x16			x1
G	 M6*80mm	x16			




1

- (F) X 16
- (06) X 2
- (07) X 2





2


- (G) X 8
- (08) X 2
- (11) X 2



3



Large hole facing outward




Large hole facing outward

Tighten the screw

Turn to the other side

4




04 X 2



05 X 2

Hole near the outer end

Turn over




Hole near the outer end




5



(C) X 18




6




12 X 1



13 X 4




14 X 1



7




(B) X 32



8




X 1



9



X1



X1




X1



X1




X1




Small accessories can
be inserted into the
outer slot

Small accessories can
be inserted into the
inner groove



10




(A) X8









(E) X8




01 X1



03 X1




11


 **A** X 16

 **E** X 16

 **02** X 4




12



13




 (H) X 16


14




 (D) X 16



 (I) X 16



 (15) X 8


The installation
method of the four feet
is the same

