



Loure® | K-14675-4

Deck-mount bath faucet

Features

- 9-3/8" (238 mm) nondiverter spout
- Spout: 6-1/2" (165 mm) x 3-3/16" (81 mm) x 14-7/16" (367 mm)
- 15.0 gpm (56.8 l/min) @ 45 psi
- Coordinate with Loure faucets, accessories, and showering components to complete your bathroom



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-29-2026 21:08 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.18.1/CSA B125.1

Technical Information

All product dimensions are nominal.

Handle

Handle Style/Type: Lever

Flow Rate

Faucet Flow Rate: 15 gpm (56.8 l/min)

Material

- Premium metal construction for durability and reliability
 - KOHLER finishes resist corrosion and tarnishing
-

Recommended Products/Accessories

K-23723 Faucet cleaner

Warranty


See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-29-2026 21:08 - US-CA



Installation

- Bath- or deck-mount

Installation Notes

Install this product according to the installation instructions.

