

## NOTICE

\*Please make sure that you have all parts indicated and they are in good condition before you begin assembly of this item. Refer to part list and hardware list below for guidance.

\*This item should be assembled on a soft surface to prevent scratching the finish during assembly.

\*This item may require periodic tightening .

\*If you are having hard difficulty,our friendly Customer Care team is always here to help.

## PREPARATION

\* Before beginning the assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.

\* If any part is missing or damaged,do not attempt to assemble the product.

\* Estimated Assembly Time: 20 minutes.

\*Tool required for assembly (included): Allen Key.


## CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when it is not in use.

Dust regularly with small brush or vacuum.Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

# Owner Manual

Product Dimension: 71.06 "W x 35.83"D x 29.13"H



### Part List

PIECE	DESCRIPTION	PICTURE	QUANTITY
A	Back		1x
B	Seat		1x
C	Left side		1x
D	Right side		1x
E	Support seat		2x

### Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
HW1	T bolt & nut	M6x90	8x
HW2	Screw L	M6x90	2x
HW3	Screw S	M6x50	2x
HW4	Extra Bolt	M6x45	1x
HW5	Allen Key		1x



Weight capacity: 600 lbs

Warning: Do not stand on the bench

Warning: Do not torque bolts / screws

## PREPARATION


\*Before beginning the assembly of product,make sure all parts are present.Compare parts with part contents list and hardware contents list.

\*If any part is missing or damaged,do not attempt to assemble the product.


\*Estimated Assembly Time: 20 minutes.

\*Tool requirement for assembly(included): Allen Key.

\*If you are having difficulty,our friendly Customer Care team is always here to help .



**Step 1:** Attach the Back (A) and the Seat (B) to the Left side (C) by using the T bolt & nut (HW1) and the Screw L (HW2) as shown on the picture. Tighten it with the Allen key (HW5).




**Step 2:** Attach the Right side (D) to the Seat (B) and the Back (A) by using the T bolt & nut (HW1) and the Screw L (HW2) as shown on the picture. Tighten it with the Allen key (HW5).

## PREPARATION

- \*Before beginning the assembly of product,make sure all parts are present.Compare parts with part contents list and hardware contents list.
- \*If any part is missing or damaged,do not attempt to assemble the product.
- \*Estimated Assembly Time: 20 minutes.
- \*Tool requirement for assembly(included): Allen Key.
- \*If you are having difficulty,our friendly Customer Care team is always here to help .

3



**Step 3:** Attach the Support seat (E) to the Seat (B) as shown on the picture.Using the Screw (HW3) to fit and tighten by the Allen key (HW5).