





Scan the QR code in the lower right corner for the installing video if you have any assembly problem.

WARNING !



Please read the instructions carefully before assembly, and assemble the product properly according to the instructions, don't put in use of the product before it is fully assembled. For any damage or defective, kindly contact our online after-sale service staff.

- * the features and specifications of the product are subjects to changes without prior notice
- * To avoid product damage and personal injury, assemble the product properly.
- * To avoid product damage and personal injury, please check the product's load capacity and do not support user's whole body on the chair arms.
- * To avoid personal injury, place the product on the flat ground.
- * Do not stand on the product.
- * To avoid personally injury, don't use the damaged product, and dispose it properly
- * Indoor use only
- * Only trained people should repair or replace the back angle adjustment component with energy accumulator contained.
- * Please keep the instructions in case of further use.

















WARNING!

Please keep the product out of reach of the children, it's not a toy!




Please be careful when unpacking, to avoid personal injury and other risks, do not touch the handle during assembly and keep the parts out of reach of the children.

Check and make sure you get the components on the list, contact us for any missing


- | | | | | | | | |
|---|---------------------|--|---------------------|--|--------------------|---|--------------------|
| A | Backrest | B | Seat | C | Angle adjuster | D | Connector |
|  | |  | |  | |  | |
| E | Right plastic cover | F | Right plastic cover | G | Left plastic cover | H | Left plastic cover |
|  | |  | |  | |  | |
| I | Armrest | J | Casters | K | Base | L | Gas lift |
|  | |  X 5 | |  | |  | |
| M | Plastic cover | N | Control unit | O | Lumbar cushion | P | Headrest cushion |
|  | |  | |  | |  | |
| Q | M5x8 | R | M8x25 | S | Allen key | | |
|  X 6 | |  X 16 | |  | | | |

Installation step


1. Attach wheels to the five star base then install the gas lift and put on the plastic cover




2. Fix the armrests to the base of seat





3. Fix the angle adjuster(C) to the right side of the seat



4. Fix the connector(D) to the left side




5. Attach the backrest to the seat, tighten screws of both side
(Note: Please do not only tighten screws tightly on one side, otherwise it will be difficult to tighten the other side)




Installation step


6. Fix the plastic covers (E & F) to right side of the backrest




7. Fix the plastic covers (G & H) to the left side



8. Fix the Control unit to the base of the seat
(Note: The lever of the control unit should be on the right)




9. Insert the gas lift in the control unit




Function




1 Load capacity up to 300lb



2 Seat Height adjustment
(Adjusting knob on the right)




3 Rocking: Pull out the handle to start rocking. Insert to stop rocking




4 360 degree swivel




Rocking function




Clockwise rotation
Rocking angle 0-10°



Counterclockwise rotation
Rocking angle 0-30°




Clockwise rotation
Rocking angle 0-10°




Counterclockwise rotation
Rocking angle 0-30°

Installation step




Attach headrest cushion
Method One



Insert the elastic through
the plastic hole Tighten
the elastic

Attach headrest cushion
Method Two




Put headrest cushion
on the backrest

Instruction during use

1. Please move the product gently to avoid collision;
2. Please keep out of direct sunlight;
3. Please ensure the centre of gravity is on the hydraulic until during use;
4. Please watch your fingers when you adjusting the backrest angle;
5. Please toggle the handle under your seat when adjusting the chair height. do not to press it down roughly;
6. Please lift the lever gently to raise or lower the height of the chair. Do not pull it roughly;
7. Do not place any heavy objects on the chair or armrest;
8. Plastic parts will split if chair is exposed to direct sunlight;
9. Please do not use abrasive cleaners on the chairs;

It is advised that the users check the screws and tighten them up every 6 months, for any parts missing or defective, kindly contact us and we will be glad to be helpful.






Q: How to assemble the chair seat and the chair back?

A: Put all the seat screws in position and do not tighten; put all the back screws in position and do not tighten; adjust the seat and back well and tighten all the screws.

Q: How to assemble the seat base and seat?

A: Find the mark "Front"

Find the base side with mark " Front" , put all the base screws in position and tight them a little, adjust the seat and seat base well, tighten all the screws.



Warning!

Keep the chair out of reach of the children!

To avoid personal damage, do not pull the handle during assembly.