



Step 5 Finish

After you check that there are no errors, fasten all bolts and nuts, then finish!



48" Adjustable Workbench USER'S MANUAL




TH060710-48C

WARNING!


1. The manual contains very important safety information, please read it carefully before assembling.
2. Check carefully the box when you receive, if there is any damage, please take a picture for record, contact our service team for help.
3. The workbench can be dangerous if it is not properly installed. Fasten all bolts, nuts, screws before using it.
4. Don't overload product on the workbench, it is restricted to 1600 LBS.
5. When you use the workbench, make sure all casters are locked, or it can be very dangerous.
6. The brakes are firmer and the overall stability is better. If you need to move, it will be easier to unlock them by hand.
7. Keep away from children, it will be dangerous if your children are playing on it.
8. Keep workbench away from water, moisture.

Step 3 Fasten Leg Extend To Legs


Use E: adjustable knobs to fasten the G: leg extend to the legs, and feel free to adjust the height.




Step 4 Install H: Casters




PART LIST




(A) Board x1




(C) M8x16 Bolt x7




(D) M10x20 Bolt x4




(E) Adjustable Knob x8




(H) Caster x4




(B) Leg x2



(F) Support x1



(G) Leg Extend x4




(I) Tool x2

Tips:

- Don't fasten all bolts and nuts tightly at first, you may need to rework if you make some mistake.
- We recommend that 2 adults are required to complete the installation.

Step 1 Fasten Leg To The Board


1. Put the board on a clean ground, in order to protect the board, we suggest you to put something between ground and board, like soft cloth.
2. Align the holes on the legs with those on the board, use C: M8*16 bolts to fasten B: legs to board.



- (A) Board x1
- (B) Leg x2
- (C) M8x16 Bolt x4

Step 2 Fasten Support To Board And Legs

1. Use D: M10*20 bolts to fasten support to leg.
2. Use C: M8*16 bolts to fasten supports to board.



- (B) Leg x2
- (C) M8x16 Bolt x3
- (D) M10x20 Bolt x4
- (F) Support x1