



**Technical Report:** 96252740611  
**Date Received:** OCTOBER 01, 2025

OCTOBER 09, 2025  
 Page 1 of 18

CONG TY TNHH TM SX XNK HUNG GIA PHAT  
 THUA DAT SO 65, 80, TO BAN DO SO 67, AP BINH CO, PHUONG BINH CO, TP. HO CHI MINH

**Sample Description:** LOFT BED QUEEN WITH DESK AND CABINET SIZE  
**Vendor:** CONG TY TNHH TM SX XNK HUNG GIA PHAT **Sample Size:** /  
**Manufacturer:** CONG TY TNHH TM SX XNK HUNG GIA PHAT **VPN:** /  
**Buyer:** GIGACLOUD TECHNOLOGY(USA) INC **SKN/SKU No.:** N709P356656B/ N709P356657B/ N709P356658B/ N709P356656W/ N709P356657W/ N709P356658W  
**Agent:** /  
**Labeled Age Grade:** / **PO No.:** V628TMS20250718WM  
**Appropriate Age Grade:** / **Ref #:** /  
**Client Specified Age Grade:** / **Country of Origin:** VIET NAM  
**Tested Age Grade:** / **Assortment No.:** /  
**UPC Code:** / **Department No.:** /  
**Phase of Production:** / **Item#:** N709P356656B/ N709P356657B/ N709P356658B/ N709P356656W/ N709P356657W/ N709P356658W  
**Color:** WHITE/ BROWN **Date of Production:** /  
**Program:** / **Model/Style#:** N709P356656B/ N709P356657B/ N709P356658B/ N709P356656W/ N709P356657W/ N709P356658W  
**Previous No:** 96252610784 **Country of Destination:** USA

| TEST PROPERTY                                   | PASS | FAIL | DATA | N/A | Remark |
|---|------|------|------|-----|--------|
| CPSIA Total Lead Content In Surface Coating     | X    |      |      |     |        |
| CPSIA Total Lead Content In Substrate Materials | X    |      |      |     |        |
| 15 U.S.C 1278a Total Lead Content               | X    |      |      |     |        |
| 16 CFR 1213 Bunk Beds                           | X    |      |      |     |        |
| 16 CFR 1513 Requirements for Bunk Beds          | X    |      |      |     |        |
| ASTM F1427-21e1 Bunk Beds                       | X    |      |      |     |        |

**Note(s):**

- The Chemical test following reports listed:

| No. | Tested component:           | Chemical test  | Reference report | Report issued date |
|-----|-----------------------------|--|------------------|--------------------|
| 1   | White Coating (Color Panel) | CPSIA Lead content in surface coating + 15 U.S. Code 1278a Children's Products Containing Lead | 96252610782      | -                  |

- This report includes the test result(s) which was conducted & reviewed by Analytical department.



CONG TY TNHH TM SX XNK HUNG GIA PHAT  
Technical Report: 96252740611  
OCTOBER 09, 2025  
Page 2 of 18

If there is any question regarding this report, please contact the following lab personnel:

**Administrative inquiries, please contact:**

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com  
Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

**Technical inquiries, please contact:**

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com  
Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

**BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.**

**TERRY NGUYEN**  
**LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION**

**SAMPLE DESCRIPTION ASSIGNED BY LABORATORY**

| Test Item(s) | Sample description/ Location                           | Material     | Style(s) |
|--------------|--|--------------|----------|
| I001         | Brown Coating (Wood)                                   | Coating      | -        |
| I002         | MDF  | Wood         | -        |
| I003         | Plywood  | Wood         | -        |
| I004         | Dark Brown Plastic (Roller Door Catcher)               | Hard Plastic | -        |
| I005         | Copper Metal ( Plate Roller Door Catcher)              | Metal        | -        |
| I006         | Dark Bronze Metal Base (Door Catcher)                  | Metal        | -        |
| I007         | Grey Metal (Screw At Door Catcher)                     | Metal        | -        |
| I008         | Yellow Metal (Hinge)                                   | Metal        | -        |
| I009         | Yellow Metal (Bracket)                                 | Metal        | -        |
| I010         | Yellow Metal (Flat Head Screw)                         | Metal        | -        |
| I011         | Yellow Metal (Round Head Screw)                        | Metal        | -        |
| I012         | Yellow Metal (Hex-Head Bolt)                           | Metal        | -        |
| I013         | Yellow Metal (Horizontal-Hole Bolt)                    | Metal        | -        |
| I014         | Silver Metal (Hex-Head Screw)                          | Metal        | -        |
| I015         | Black / Yellow Coating (Warning Label)                 | Coating      | -        |
| I016         | No Coating (Tracking Label)                            | -            | -        |
| I017         | Yellow / Red/ Black / White Coating (CA Prop 65 Label) | Coating      | -        |
| I018         | Red/ Yellow / White Coating (Maximum Weight Label)     | Coating      | -        |
| I019         | Black / White Coating (Country Origin Label)           | Coating      | -        |
| I020         | White Plastic (Warning Label)                          | Soft Plastic | -        |

**TEST RESULT**

**Total Lead Content in Surface Coating:  
 - United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States  
 Code of Federal Regulations (CFR), Title 16, Part 1303**

**Test Method:** U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

|                                  |                 |
|----------------------------------|-----------------|
| <b>Maximum Allowable Limit :</b> | <b>90 mg/kg</b> |
|----------------------------------|-----------------|

| -                   | Unit  | Result |
|---------------------|-------|--------|
| <b>Test Item(s)</b> | -     | I001   |
| <b>Parameter</b>    | -     | -      |
| Total Lead (Pb)     | mg/kg | ND     |
| <b>Conclusion</b>   | -     | PASS   |

| -                   | Unit  | Result |      |      |      |      |
|---------------------|-------|--------|------|------|------|------|
| <b>Test Item(s)</b> | -     | I015   | I016 | I017 | I018 | I019 |
| <b>Parameter</b>    | -     | -      | -    | -    | -    | -    |
| Total Lead (Pb)     | mg/kg | ND     | -    | ND   | ND   | ND   |
| <b>Conclusion</b>   | -     | PASS   | NA   | PASS | PASS | PASS |

Note / Key :

ND = Not detected                      NA = Not applicable                      ">" = Greater than  
 mg/kg = milligram(s) per kilogram = ppm = part(s) per million  
 Reporting Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.



**TEST RESULT**

**Total Lead Content in Substrate:  
 - United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)**

**Test Method:** U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

|                                  |                  |
|----------------------------------|------------------|
| <b>Maximum Allowable Limit :</b> | <b>100 mg/kg</b> |
|----------------------------------|------------------|

| -                   | Unit  | Result    |      |      |      |      |      |
|---------------------|-------|-----------|------|------|------|------|------|
| <b>Test Item(s)</b> | -     | I002+I003 | I004 | I005 | I006 | I007 | I008 |
| <b>Parameter</b>    | -     | -         | -    | -    | -    | -    | -    |
| Total Lead (Pb)     | mg/kg | ND        | 25   | ND   | ND   | ND   | ND   |
| <b>Conclusion</b>   | -     | PASS      | PASS | PASS | PASS | PASS | PASS |

| -                   | Unit  | Result |      |      |      |      |      |
|---------------------|-------|--------|------|------|------|------|------|
| <b>Test Item(s)</b> | -     | I009   | I010 | I011 | I012 | I013 | I014 |
| <b>Parameter</b>    | -     | -      | -    | -    | -    | -    | -    |
| Total Lead (Pb)     | mg/kg | ND     | ND   | ND   | ND   | ND   | ND   |
| <b>Conclusion</b>   | -     | PASS   | PASS | PASS | PASS | PASS | PASS |

| -                   | Unit  | Result |
|---------------------|-------|--------|
| <b>Test Item(s)</b> | -     | I020   |
| <b>Parameter</b>    | -     | -      |
| Total Lead (Pb)     | mg/kg | ND     |
| <b>Conclusion</b>   | -     | PASS   |

Note / Key :

ND = Not detected                      NA = Not applicable                      ">" = Greater than  
 mg/kg = milligram(s) per kilogram = ppm = part(s) per million  
 Reporting Limit (mg/kg) : 10

Remark :

- According to Children's Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
- According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children`s products containing up to 0.03 % lead weight.



**TEST RESULT**

**Total Lead Content:  
 15 U.S.C 1278a-Children Product Containing Lead**

|                                  |                  |
|----------------------------------|------------------|
| <b>Maximum Allowable Limit :</b> | <b>100 mg/kg</b> |
|----------------------------------|------------------|

| -                   | Unit  | Result |
|---------------------|-------|--------|
| <b>Test Item(s)</b> | -     | I001   |
| <b>Parameter</b>    | -     | -      |
| Total Lead (Pb)     | mg/kg | ND     |
| <b>Conclusion</b>   | -     | PASS   |

| -                   | Unit  | Result    |      |      |      |      |      |
|---------------------|-------|-----------|------|------|------|------|------|
| <b>Test Item(s)</b> | -     | I002+I003 | I004 | I005 | I006 | I007 | I008 |
| <b>Parameter</b>    | -     | -         | -    | -    | -    | -    | -    |
| Total Lead (Pb)     | mg/kg | ND        | 25   | ND   | ND   | ND   | ND   |
| <b>Conclusion</b>   | -     | PASS      | PASS | PASS | PASS | PASS | PASS |

| -                   | Unit  | Result |      |      |      |      |      |
|---------------------|-------|--------|------|------|------|------|------|
| <b>Test Item(s)</b> | -     | I009   | I010 | I011 | I012 | I013 | I014 |
| <b>Parameter</b>    | -     | -      | -    | -    | -    | -    | -    |
| Total Lead (Pb)     | mg/kg | ND     | ND   | ND   | ND   | ND   | ND   |
| <b>Conclusion</b>   | -     | PASS   | PASS | PASS | PASS | PASS | PASS |

| -                   | Unit  | Result |      |      |      |      |
|---------------------|-------|--------|------|------|------|------|
| <b>Test Item(s)</b> | -     | I015   | I016 | I017 | I018 | I019 |
| <b>Parameter</b>    | -     | -      | -    | -    | -    | -    |
| Total Lead (Pb)     | mg/kg | ND     | -    | ND   | ND   | ND   |
| <b>Conclusion</b>   | -     | PASS   | NA   | PASS | PASS | PASS |

| -                   | Unit  | Result |
|---------------------|-------|--------|
| <b>Test Item(s)</b> | -     | I020   |
| <b>Parameter</b>    | -     | -      |
| Total Lead (Pb)     | mg/kg | ND     |
| <b>Conclusion</b>   | -     | PASS   |

Note / Key :

ND = Not detected                      NA = Not applicable                      ">" = Greater than  
 mg/kg = milligram(s) per kilogram = ppm = part(s) per million                      10000 mg/kg = 1 %                      % = percent  
 Reporting Limit (mg/kg) : 10

Remark :

- Tested per client's request



**RESULT(S):**

**REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)**

| Section                      | Description   | Results |
|------------------------------|---|---------|
| 1213.3<br>1513.3             | Requirements  |         |
| 1213.3(a)<br>1513.3(a)       | Guardrails  |         |
| 1213.3(a)(1)<br>1513.3(a)(1) | Two guardrails required if bed is > 30 inches from ground   | M       |
| 1213.3(a)(2)<br>1513.3(a)(2) | One guardrail shall be continuous   | M       |
| 1213.3(a)(3)<br>1513.3(a)(3) | No greater than 15 inches between either end  | M       |
| 1213.3(a)(4)<br>1513.3(a)(4) | Bunk Beds with ladder, continuous guardrail on other side   | M       |
| 1213.3(a)(5)<br>1513.3(a)(5) | Guardrails attached so they cannot be removed without releasing a device                                | M       |
| 1213.3(a)(6)<br>1513.3(a)(6) | The upper edge shall be no less than 5 inches above top surface   | M       |
| 1213.3(a)(7)<br>1513.3(a)(7) | No openings in the structure between lower edge and underside   | NA      |
| 1213.3(b)<br>1513.3(b)       | Bed End Structures  |         |
| 1213.3(b)(1)<br>1513.3(b)(1) | The upper edge of end structure shall be at least 5 inches above mattress                               | M       |
| 1213.3(b)(2)<br>1513.3(b)(2) | No openings in the structure above foundation of the upper bunk that permits passage of the wedge block | M       |
| 1213.3(b)(3)<br>1513.3(b)(3) | Tested in accordance with Section 1213.4(c)   | M       |
| 1213.3(b)(4)<br>1513.3(b)(4) | Neck entrapment requirements of Section 1213.4(c)(3)  | M       |
| 1213.5<br>1513.5             | Marking and Labeling  |         |
| 1213.5(a)<br>1513.5(a)       | Permanent label with name and address, model # and date code  | M       |
| 1213.5(b)<br>1513.5(b)       | Permanent Warning Label placement   | M       |
| 1213.6<br>1513.6             | Instructions  |         |
| 1213.6(a)<br>1513.6(a)       | Size of mattress and foundation   | M       |
| 1213.6(b)<br>1513.6(b)       | Safety Warning  | -       |
| 1213.6(b)(1)<br>1513.6(b)(1) | Do not allow children under 6 years of age to use the upper bunk  | M       |



**REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)**

| <b>Section</b>               | <b>Description</b>  | <b>Results</b> |
|------------------------------|---|----------------|
| 1213.6(b)(2)<br>1513.6(b)(2) | Use guardrails on both sides of the upper bunk                            | M              |
| 1213.6(b)(3)<br>1513.6(b)(3) | Prohibit horseplay on or under beds                                       | M              |
| 1213.6(b)(4)<br>1513.6(b)(4) | Prohibit more than one person on upper bunk                               | M              |
| 1213.6(b)(5)<br>1513.6(b)(5) | Use ladder for entering or leaving upper bunk                             | M              |
| 1213.6(b)(6)<br>1513.6(b)(6) | If the bed is placed against a wall, use full length guardrail along wall | M              |

*M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section*



**RESULT(S):**

**STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)**

| Section | Requirement  | Result |
|---------|--|--------|
| 4       | Performance Requirements   |        |
| 4.1     | Vertical Protrusions   | -      |
| 4.1.1   | Vertical protrusions along the top inside surface  | M      |
| 4.1.2   | Cap used along the top surface of upper bunk   | NA     |
| 4.2     | Fit of Top Bed to Bottom Bed   | NA     |
| 4.3     | Mattress and Foundation Size and Fit (Top Bed)   | M      |
| 4.4     | Mattress Size and Fit (Lower Foundation)   | NA     |
| 4.5     | Upper and Lower Foundation Support Systems   | -      |
| 4.5.1   | Horizontal position of the mattress and the foundation   | M      |
| 4.5.2   | Utilized event cross-members   | M      |
| 4.5.3   | Release of positive fastening devices or use of hand tools   | M      |
| 4.5.4   | Static load for the foundation support system  | M      |
| 4.6     | Side Rails   | -      |
| 4.6.1   | Bolt-On Side Rails   | M      |
| 4.6.2   | Hook-On Side Rails   | NA     |
| 4.6.3   | Side rail attachments  | M      |
| 4.7     | Guardrails   | -      |
| 4.7.1   | Presence of guardrails   | M      |
| 4.7.2   | Requirement of attachment  | M      |
| 4.7.3   | Requirement of height of the upper edge above the sleeping surface   | M      |
| 4.7.4   | Opening of the guardrail   | M      |
| 4.7.5   | Opening between the either end of the guardrail and the bed end structure                                  | M      |
| 4.8     | Bed Structure  | -      |
| 4.8.1   | The upper edge of the upper bunk end structures  | M      |
| 4.8.2   | Openings in the rigid end structures of the upper bunk   | M      |
| 4.8.3   | Openings in the end structures of the lower bunk   | NA     |
| 4.8.4   | Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure | NA     |
| 4.9     | Ladders  | -      |
| 4.9.1   | Presence of ladder   | M      |
| 4.9.2   | Dimension requirement of ladder  | M      |
| 4.9.3   | Openings between ladder step and upper bunk boundary   | M      |
| 4.9.4   | Gaps between edge of mattress and interior vertical stile  | NA     |
| 4.10    | Metal beds: frame and fastenings   | NA     |
| 6       | Marking and Labeling   | M      |
| 7       | Instructional Literature   | M      |

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section





**BROWN COLOR**



**WHITE COLOR**



**BUREAU  
VERITAS**

CONG TY TNHH TM SX XNK HUNG GIA PHAT  
Technical Report: 96252740611  
OCTOBER 09, 2025  
Page 11 of 18

### CARTON LAYOUT

|  |  |   |
|--|--|---|
|  | <p><b>ITEM : LOFT BED QUEEN WITH DESK AND CABINET SIZE</b><br/> <b>ARTICLE : LIT MEZZANINE QUEEN AVEC BUREAU ET ARMOIRE TAILLE</b><br/> <b>N709P356656B</b><br/> <b>BOX : 1 OF 3</b><br/> <b>ENCADRÉ: 1 DE 3</b></p> <p><b>You must read and understand the assembly instruction sheet packed in the carton before you start to assemble</b><br/> <b>Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.</b></p> <p><b>Sets often ship in multiple boxes and may arrive a day or two a part</b><br/> <b>Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.</b></p> | <p><b>ATTENTION</b></p> <p><b>430</b></p> <p><b>ATTENTION</b></p> |
| <p><b>N709P356656B</b><br/> <b>CHY055 - 1PC</b><br/> <b>COLLECTIVE INFORMATION</b><br/> <b>EN - 100 LBS</b><br/> <b>EN - 45.3 KG</b></p> | <p><b>NE MANIPULER PAS LES PARTIES VIVES</b><br/> <b>NE PAS TOUCHER LES PARTIES VIVES</b><br/> <b>NE PAS TOUCHER LES PARTIES VIVES</b><br/> <b>NE PAS TOUCHER LES PARTIES VIVES</b></p> <p><b>DO NOT CLIMB ONTO SHARP CORNERS</b><br/> <b>NE PAS MONTER SUR LES ANGLES POINTUS</b></p>   | <p><b>ATTENTION</b></p> <p><b>ATTENTION</b></p>                   |



**BUREAU  
VERITAS**

CONG TY TNHH TM SX XNK HUNG GIA PHAT  
Technical Report: 96252740611  
OCTOBER 09, 2025  
Page 12 of 18

|        |   |        |
|--------|---|--------|
|        | <p><b>ITEM</b> : LOFT BED QUEEN WITH DESK AND CABINET SIZE<br/><b>ARTICLE</b> : LIT MEZZANINE QUEEN AVEC BUREAU ET ARMOIRE TAILLE<br/><b>N709P356656W</b><br/><b>BOX</b> : 1 OF 3<br/><b>ENCADRE</b>: 1 DE 3</p> <p><b>You must read and understand the assembly instruction sheet packed in the carton before you start to assemble.</b><br/><b>Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.</b></p> <p><b>Sete often ship in multiple boxes and may arrive a day or two apart.</b><br/><b>Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.</b></p> <p><b>WARNING: ASSEMBLY</b></p> <p><b>ATTENTION: ASSEMBLAGE</b></p> |        |
| 110 mm | 430 mm  | 110 mm |








BUREAU VERITAS

|   |   |  |
|---|---|--|
|   | <p>CAUTION: DO NOT OPEN WITH SHARP OBJECTS<br/>ATTENTION: NE PAS OUVRIER AVEC UN OBJET TRANCANT</p> <p>001 218 188<br/>001 218 188<br/>001 218 188</p>  |  |
|   | <p>ITEM : LOFT BED QUEEN WITH DESK AND CABINET SIZE<br/>ARTICLE : LIT MEZZANINE QUEEN AVEC BUREAU ET ARMOIRE TAILLE<br/><b>N709P356657B</b><br/>BOX : 2 OF 3<br/>ENCADRÉ: 2 DE 3</p> <p><b>You must read and understand the assembly instruction sheet packed in the carton before you start to assemble</b><br/><b>Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.</b></p> <p><b>Sets often ship in multiple boxes and may arrive a day or two a part</b><br/><b>Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.</b></p> <p>430</p> |  |
| <p>N709P356657D<br/>001 218 188<br/>001 218 188<br/>001 218 188</p> | <p>MEASUREMENTS: 80x218x118 CM<br/>DIMENSIONS: 80x218x118 CM<br/>MÉTRES: 80x218x118 CM</p> <p><b>DO NOT CUT OPEN WITH SHARP OBJECTS</b><br/><b>NE PAS OUVRIER AVEC UN OBJET TRANCANT</b></p>  |  |



BUREAU VERITAS

|     |  |     |
|-----|--|-----|
| 120 | 1700   | 120 |
| 120 |  <p style="text-align: center; color: red; font-size: small;">         FUNG CẢNH BÁO: KHÔNG ĐƯỢC ĐÁNH MẪU HOẶC ĐÁNH DẤU<br/>         TỐI KỲA TRƯỚC KHI BẮC LƯỚI ĐƯỢC CHẠY VÀO<br/>         HƯỚNG DẪN VÀO TRONG ĐỒ CHƠI. KHÔNG ĐƯỢC ĐÁNH MẪU HOẶC ĐÁNH DẤU<br/>         HƯỚNG DẪN VÀO TRONG ĐỒ CHƠI. KHÔNG ĐƯỢC ĐÁNH MẪU HOẶC ĐÁNH DẤU       </p>  | 120 |
| 505 | <p> <b>ITEM : LOFT BED QUEEN WITH DESK AND CABINET SIZE</b><br/> <b>ARTICLE : LIT MEZZANINE QUEEN AVEC BUREAU ET ARMOIRE TAILLE</b><br/> <b>N709P356657W</b><br/> <b>BOX : 2 OF 3</b><br/> <b>ENCADRÉ: 2 DE 3</b> </p>   <p style="color: red; font-size: small;"> <b>You must read and understand the assembly instruction sheet packed in the carton before you start to assemble</b><br/> <b>Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.</b> </p> <p style="font-size: small;"> <b>Sets often ship in multiple boxes and may arrive a day or two apart</b><br/> <b>Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.</b> </p> <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 10px auto;"> <p style="text-align: center; margin: 0;">430</p>  </div>  | 505 |
| 120 | <p> <b>N709P356657W</b><br/>         BUREAU VERITAS<br/>         COLLEGEVILLE, PENNSYLVANIA<br/>         19304-1500       </p> <p style="text-align: center; font-size: x-small;">         READ INSTRUCTIONS BEFORE USE<br/>         LIRE LES INSTRUCTIONS AVANT D'UTILISER<br/>         READ INSTRUCTIONS BEFORE USE<br/>         LIRE LES INSTRUCTIONS AVANT D'UTILISER       </p> <p style="text-align: center; color: red; font-size: x-small;"> <b>DO NOT CUT OPEN WITH SHARP OBJECTS,<br/>         NE PAS COUPER AVEC UN OBJET TRANCANT, POINTU</b> </p>   | 120 |



**BUREAU  
VERITAS**

CONG TY TNHH TM SX XNK HUNG GIA PHAT  
Technical Report: 96252740611  
OCTOBER 09, 2025  
Page 15 of 18

|  |      |     |     |
|--|------|-----|-----|
| 140  | 1605 | 140 | 140 |
| 140  | 455  |     | 140 |
| <p><b>ITEM : LOFT BED QUEEN WITH DESK AND CABINET SIZE</b><br/> <b>ARTICLE : LIT MEZZANINE QUEEN AVEC BUREAU ET ARMOIRE TAILLE</b><br/> <b>N709P356658B</b><br/> <b>BOX : 3 OF 3</b><br/> <b>ENCADRE: 3 DE 3</b></p> <p><b>You must read and understand the assembly instruction sheet packed in the carton before you start to assemble.</b><br/> <b>Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.</b><br/> <b>Sets often ship in multiple boxes and may arrive a day or two a part.</b><br/> <b>Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.</b></p> <p><b>430</b></p> <p><b>WARNING / ATTENTION</b></p> <p><b>DO NOT CUT CORNERS WITH SHARP KNIVES! DO NOT PAID COGNAC/NE PAS COUPER AVEC UN COUTEAU/NE PAS COUPER.</b></p> <p><b>NET WT: 140 LBS (63.5 KG)</b><br/> <b>GROSS WT: 140 LBS (63.5 KG)</b><br/> <b>NET WT: 140 LBS (63.5 KG)</b><br/> <b>GROSS WT: 140 LBS (63.5 KG)</b></p> <p><b>NET WT: 140 LBS (63.5 KG)</b><br/> <b>GROSS WT: 140 LBS (63.5 KG)</b><br/> <b>NET WT: 140 LBS (63.5 KG)</b><br/> <b>GROSS WT: 140 LBS (63.5 KG)</b></p> <p><b>NET WT: 140 LBS (63.5 KG)</b><br/> <b>GROSS WT: 140 LBS (63.5 KG)</b><br/> <b>NET WT: 140 LBS (63.5 KG)</b><br/> <b>GROSS WT: 140 LBS (63.5 KG)</b></p> |      |     |     |



**BUREAU  
VERITAS**

140

1605

140

|  |   |  |
|--|---|--|
|  | <p style="text-align: center;"><b>PLEASE READ THIS INFORMATION FIRST</b></p> <p style="text-align: center;">*READ ALL INSTRUCTIONS CAREFULLY BEFORE STARTING TO ASSEMBLE*</p> <p style="text-align: center;">*TOUTES LES INSTRUCTIONS DOIVENT ÊTRE LUES AVANT DE COMMENCER L'ASSEMBLAGE*</p> <p style="text-align: right;">SEE THE BACK OF THE BOX FOR THE COMPLETE INSTRUCTIONS</p>  |  |
|  | <p><b>ITEM : LOFT BED QUEEN WITH DESK AND CABINET SIZE</b><br/> <b>ARTICLE : LIT MEZZANINE QUEEN AVEC BUREAU ET ARMOIRE TAILLE</b><br/> <b>N709P356658W</b><br/> <b>BOX : 3 OF 3</b><br/> <b>ENCADRÉ: 3 DE 3</b></p> <p><b>You must read and understand the assembly instruction sheet packed in the carton before you start to assemble</b><br/> <b>Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.</b></p> <p><b>Set is often ship in multiple boxes and may arrive a day or two a part</b><br/> <b>Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.</b></p> <div style="display: flex; justify-content: space-between;"> <div data-bbox="1003 554 1138 600"> </div> <div data-bbox="1198 449 1300 499"> </div> </div> <div style="text-align: center;"> </div> <div style="text-align: right;"> </div> |  |
| <p>N709P356658W<br/>       OFFICE: 018<br/>       COLONVILLE, WHITEBLAIR<br/>       ONE: 774.438<br/>       FRI: 863.638</p> | <p style="text-align: center;"><b>REASSEMBLED BY OTHERS? READ ALL INSTRUCTIONS CAREFULLY</b></p> <p style="text-align: center;"><b>REASSEMBLÉ PAR D'AUTRES? LIRE TOUTES LES INSTRUCTIONS ATTENTIVEMENT</b></p> <p style="text-align: center;"><b>DO NOT CUT OPEN WITH SHARP OBJECTS</b><br/> <b>N'OUVREZ PAS AVEC DES Outils TRÈS POINTUS</b></p> <div style="display: flex; justify-content: space-between;"> <div data-bbox="878 800 1138 877"> </div> <div data-bbox="1198 800 1300 877"> </div> </div>  |  |



**WARNING LABEL**





LABELS ON PRODUCT

