


ASSEMBLY INSTRUCTIONS

METAL GARDEN SHED

SKU: T-PS23-0406



E-mail:
hofficeservice@gmail.com




Please read the instructions strictly,
please assemble this table according
to the instruction assembly order.

SITE PREPARATION

Level the ground surface.



Recommendation: Construct a wooden or concrete base as a foundation.



BEFORE STARTING ASSEMBLY


Remove all of the pieces from the 2 packages and spread them out on the ground. Before installation, please check the type and quantity of parts first.

It is recommended to use a clean work surface to spread the parts out and for pre-assembly steps. Review all instructions before you begin, continue to refer to instructions during assembly.

Be sure to follow all steps thoroughly.

Please prepare these components in advance at the beginning of each stage.

REQUIRED TOOLS



CAUTION




Some parts have steel edges. Please be careful when handling components. Always wear work gloves, eye protection and long sleeves when assembling or performing any maintenance on your shed. Do not attempt assembly on days with strong winds or low temperatures.








Requires two people and takes 2-3 hours for Installation.
Recommended to wear gloves to avoid scratches.
Please read the manual carefully before installation.

DO NOT RETURN YOUR UNIT
TO THE STORE
Contact us first
hofficeservice@gmail.com









FOUNDATION

 BK1 X1	 BK1L X1
 BK2 X1	 BK2R X1
 BE4 X2	 BE4L X2










PLATES

 W1A X19	 WS2A X4	 W3A X2	 WS3A X3
 PK1 X2	 PK2 X2		
 PK4 X8	 PK7 X2		






PLATES

 PK8 X2			
 A5 X2	 A6 X2		
 DLA X1	 DLB X1	 DRA X1	 DRB X1



STRIPS

		 DX2 X4
ULA X1	UR1 X1	 L15 X4
 UK1 X1	 UKIL X1	
 UE6 X2	 UE6L X2	
 UK2 X1	 UK2R X1	
 M21 X2	 M22 X2	
 GR X1		







STRIPS


 M14 X4		 M15 X4	
 15 X2		 20 X4	 GS1 X1
 C4L X2	 C5 X4	 C4R X2	 GR1 X2

STANDARD



 DG X1	 DF X1	 DC X2	 DH X4
 C2 X4	 GF X4	 GC X4	 GE X2
 V1 X128	 V2 X417		

SCREW



 F1(X518) M4*10	 F2(X54) M4*10
 F3(X32) M5*12	 F4(X5) M6*10
 For GC F5(X4) M4*16	 F6(X4) M4*16




STEP 1




STEP 2




STEP 3




STEP 4




STEP 5




STEP 6




STEP 7




STEP 8





STEP 9





STEP 10





STEP 11





STEP 12




STEP 13




STEP 14




STEP 15



STEP 16




STEP 17



Note: M15 is pressed into M14

STEP 18

Don't tighten these two screws too tightly




Don't tighten these two screws too tightly




F2 X12


STEP 19




STEP 20





STEP 21





STEP 22



STEP 23





STEP 24





STEP 25

Installation tips: You need to gently lift the 15 and then screw it.




STEP 26


When installing the hole at the bottom of 15, 15 needs to be moved or lifted




STEP 27



STEP 28





STEP 29




STEP 30


The other door operates the same way




STEP 31



The other door operates the same way



STEP 32





X2





F3 X8




STEP 33






STEP 34





STEP 35




STEP 36





STEP 37



X2




STEP 38




X4


31



STEP 39



FINISH



- In case of fire, do not attempt to extinguish any burning polypropylene with water. Unsuitable for storage of flammable or corrosive substances.
- It is of utmost importance to assemble all of the parts according to the directions. Do not skip any step.
- Please consult your local authorities if any permits are required to erect shed.
- Periodically check shed to assure that it remains stable and that the site remains level.
- It is highly recommended to secure the shed to an immovable object or to the ground by drilling holes in the floor at the pre-marked locations and inserting proper screws into the ground (size: 1.9"-3", screws are not included).
- Wear safety-goggles and always follow the manufacturer's instructions when using power tools.
- Wash shed with garden hose or a mild detergent solution. Using a stiff brush or abrasive cleaner could damage shed.
- Hot items such as recently used grills, blowtorches, etc. must not be stored in the shed.
- Heavy articles should not be leaned against the walls, as this may cause distortion.
- Keep roof clean of snow and leaves. Heavy amounts of snow on roof can damage the shed making it unsafe to enter.
- Although wind direction varies, it is an important factor when taking into account where to place your shed. Therefore, it is recommended to reduce wind exposure of the shed in general, and the door side in particular.
- Keep doors closed and locked to prevent wind damage.
- Do not stand on the roof.