


## Sideboard with Legs Assembly & Care Instructions

---

### 55 Inch Cabinet



#### Before you begin:

Please review all your packing materials carefully before discarding.

Some assembly parts may be packaged separately.

Confirm you have all the parts required for assembly and installation of this cabinet before discarding the packing materials.

Carton Contents are shown on the top of Page 2.

## Carton Contents:

A) Cabinet x 1PCS

B) Legs x 4PCS

C) Right Sliding Door x 1PC

D) Left Sliding Door x 1PC

E) Wood Handle x 2PCS

F) Hardware Bag, the details see the right

1) 5/16"\*75mm Bolts x 8PCS



2) 5/16" Lock Washers x 8PCS

3) 5/16"\*19mm Washers x 8PCS

4) 5mm Allen Wrench x 1PC

5) 5/32"\*22mm Handle screw x 4PCS

6) Anti-Tip Kits x 2PCS



## Pre-Installation - Review:


Recommended Tools and Equipment pictured below




Level



Clean rag



Impact Driver




Driver

# Installation

For your safety and to achieve the best possible installation of this cabinet,  
We always that recommends you consult with a professional contractor.  
Two or more people are required for the assembly and installation of the cabinets.

## Step 1 Notes:

Place the cabinet upside down on a blanket or other soft material to prevent scratching.  
Place legs (B) into the fixed position. Use bolt (1), lock washer (2), and washer (3), then tighten with the Allen wrench (4). Adjust to ensure all legs are level before fully tightening all fasteners.






# Installation

Note: The hardware on the door panel has three operation methods.

Method 1: If the pin extends outward, press the pin, it will retract and maintain this state.

Method 2: If the pin extends outward, push the gloden block downward with force, the pin will retract and maintain this state.

Method 3: If the pin is in a retracted position, press the gloden block and it will extend and maintain this state.



# Installation


## Step 2 Notes:

Note: please install the inner door first

If the pins extend out, press the pin (Method 1).


Place the end of the door panel with wheels facing downwards and the hardware facing inward, insert the wheels into the black iron guide rail below, align the door panel properly so that the pins on the top of the door are aligned with the guide rail above, press the two golden blocks of hardware on the back of the door, the pins will extend out (Method 3), and then the door is installed and can slide normally.

When install the outside door, you can also press the golden block one by one (Method 3).



## Step 3 Notes:


Place the wood handles onto the right sliding door panel (C) and the left sliding door panel (D), align them with the screw holes, then secure and tighten them using the handle screws (5) with a screwdriver.



# Installation

## Step 4 Notes:

If you want to remove doors that have already been installed, please remove the wood handles on the doors first.




## Step 5 Notes:

Note: please remove the outside door first.

Move the outside door to middle and move the inner door to left side, pull down the right golden blocks of the hardware on the back of the outside door panel, the pins will retract (Method 2). Move the inner door to right and pull down the left golden blocks of the hardware on the back of the outside door panel (Method 2), tilt the door panel outward to remove it.


Please pull down the two golden blocks of the hardware on the back of the inner door panel one by one (Method 2), tilt the door panel outward to remove it.




# Installation

## Step 6 Notes:

Attach a Bracket (6-3) to back of Cabinet near top by using the Small Screw (6-1) through smaller hole. Next, attach remaining Bracket (6-3) to wall stud with Large Screw (6-2), positioning it 2 inches below Bracket of cabinet. Align Brackets vertically, and thread Retention Belt (6-4) through them. Ensure strap is properly laced and securely locked.

| Ltr. | Qty. | Hardware Included                                                                 |                |
|------|------|-----------------------------------------------------------------------------------|----------------|
| 6-1  | 2    |  | Small Screw    |
| 6-2  | 2    |  | Large Screw    |
| 6-3  | 4    |  | Brackets       |
| 6-4  | 2    |  | Retention Belt |



## WARNING

Serious or fatal crushing injuries can occur from furniture tip-over.

To help prevent tip-over:

- Never allow children to climb or hang on drawers and doors.
- Never open more than one drawer at a time.
- The use of tip-over restraints may only reduce, but not eliminate the risk of tip-over.