


Split-Top

Console - White / Burnt Oak

**Split-Top Console - Black /
Burnt Oak**

ASSEMBLY INSTRUCTIONS














Split-top console

Parts list


Please review all parts and hardware before disposing of any packaging.
Call Customer Service if missing hardware. Do not return to store/retailer.
Using a screw that is too long will cause damage.

Before beginning assembly, separate each type of screw. Carefully study the Screw diagrams below. You may receive extra hardware with your unit. Screw diagrams below. You may receive extra hardware with your unit.

A. Quantity of 1  Big top	B. Quantity of 1  Small top	C. Quantity of 2  leg
D. Quantity of 2  apron	E. Quantity of 1  Metal rail	F. Quantity of 1  Metal rail
1. Quantity of 28  Short bolt : 1/4"x5/8"	2. Quantity of 22  Flat washer	3. Quantity of 4  leveler
4. Quantity of 1  Allen wrench	5. Quantity of 2  Long bolt : 1/4"x1-1/16"	
Care and Cleaning Instructions: Before using, wipe with a clean, dry cloth. Periodically apply furniture wax to renew the finish. Avoid rubbing or scratching the surface with rough or abrasive objects. For replacement parts or questions, please		For replacement parts or questions, please Call Customer Service at 1-800-633-5096 Do not return product to store, please call Manufacturer for assistance, questions or Parts.

SPLIT-top console

Assembly Instructions




Unpack and lay parts on clean, padded surface like carpet or blanket. Check that you have all parts indicated on the front page

Attach Metal rail (**E/F**) to apron (**D**) using short bolts (**1**),


tighten short bolt (**1**) using Allen wrench (**4**) as shown in figure 1.

Figure 1




Attach one leg (**C**) to apron (**D**) using short bolts (**1**) & flat washer (**2**). Tighten short bolts (**1**) using Allen wrench (**4**) as shown in figure 2.

Figure 2



Repeat above step to attach other leg (C) to pre-assembled unit in figure 2 as shown.

Figure 3




Attach big top (A) to metal rail (E) & leg (C) using short bolt (1) & flat washer (2),

Attach big top (A) to metal rail (F) using long bolt (5) & flat washer (2).

Tighten short bolt (1) and long bolt (5) using Allen wrench (4) as shown.


Figure 4



Attach small top (**B**) to metal rail (**E**) & leg (**C**) with short bolt (**1**) & flat washer (**2**)

Tighten short bolt (**1**) using Allen wrench (**4**) as shown

Figure 5



Now your split-top console is ready for use

Figure 6

Parts Replacement Form

Customer Information

Name

Address

City/State/Zip Code

Phone Number

Please indicate where you purchased this item: Store/Website/Catalog

Please indicate color/size/style number:

Style No	Parts Letter	Parts Description	Quantity Needed