# 12x12 ft Carport INSTRUCTION MANUAL

Thank you for choosing us to be a part of your life. We value your business,and constantly strive to provide you only topquality products and services.Contact us if we can be offurther assistance,we'd love to hear your advice.





### WarmTips:

1.If you need any help or received damage or missing parts, please feel free to contact our customer support.

2.Please check the pack content be for eattern Pting tocon struct the Sreen house.

- 3.Read them anual carefully and famil iarise yours elf with the Procedure be for easse mblingit.
- 4.Plea sed onotlocate the Productin the are aex Posed to excess winds.
- 5.1 ti sre commended that he green house to beassem bled by at least tivewo People.



Manufacturer and seller expressly diselatm any and all Hability for personal injury, property damage, or loss , whather dreet, indirect, or ineldenthi, resulting from the incorrect attachment, improper use , inadequate maintenance, or neglect of this product.

### SKU: YCP002A1-A01

Email Address:support@amer-life.com Tel:+1(901)347-2181 Service Time:8 am-5 pm(central time)Monday-Friday.lfno one picks up, please call several more times

#### **ASSEMBLY INSTRUCTIONS**

### HELP CENTER

Pre-installation Notes:

1.Assembly requires three or more people.

2.It is recommended to use a ladder during assembly.

3. Ensure all necessary accessories are prepared before assembly.4.

Assembly is not recommended during heavy wind or rain.

5.Assembly is recommended on level ground.

ltem no.	Reference Image	Qty.
1	o o	X6
2	o o	X6
3	<ul><li>○</li><li>0</li></ul>	X6
4	0 0	X4
	Ê	X6
		X3
	$\square$	X6
		X8
		X4
	φ 4. 4*200mm	X4
	[☐ [] M8×50	X6
	₫ <u></u> ₫ 	X16





It's best to pre-locate and lay out all the profiles on the ground before proceeding with the installation

e	Qty.
<b>-</b> 20	X12
	X4
	X12
	X1
	<b>X</b> 2

#### **ASSEMBLY INSTRUCTIONS**

#### Â 0 0 ②6pcs 3pcs 6pcs





2 (A)(2)(A)2(A)

HELP

CENTER



#### **ASSEMBLY INSTRUCTIONS**

### **HELP** CENTER

3







Install one side completely before proceeding to install the other side. Be sure to use screws to tighten the footplates.

#### **ASSEMBLY INSTRUCTIONS**

# **HELP** CENTER







After fitting the fabric cover, install Pipe No.3 and the lags.

Step One: Insert the pre-installed parts 4 and 4A into the gap below the fabric cover.

#### **ASSEMBLY INSTRUCTIONS**

### HELP CENTER



Step Two: Use connector D to join the reinforcing rods with the legs. When installing L-shaped ground stakes, it's important to ensure that the stakes are inserted diagonally into the soil to form an X shape with two stakes crossing each other. The windproof rope must be tightly fastened with the fabric sleeve and round-headed ground nails. Moreover, the round-headed ground nails need to be inserted diagonally in the direction beyond the canopy into the soil to achieve the maximum effectiveness.





#### **ASSEMBLY INSTRUCTIONS**

### HELP CENTER





Grassy surfaces



Cement surfaces

To improve wind resistance,

be sure to complete this installation step. If expansion screwsor ground nails are not installed, strong winds may topple the gazebo.,

Expansion screws are essential for stability on cement surfaces and ground nails are for grassy surfaces.

Ground nails are included in the package while expansion screws are not provided.



How to make the entire greenhouse more sturdy in strong winds or heavy snow?

1.Ensure all screws are tightened.

2.Confirm that ground nails and windproof ropes are installed as instructed.3.Use stones or other heavy objects to weigh down any excess fabric around the perimeter.

4.If the canopy is erected on concrete ground, it is recommended to use expansion screws.