

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

Checklist

Jpma Certification Program

Manufacturer/Participant:	REGALO INTERNATIONAL, LLC	Test Date:	18, Jun 2020
Address:	3200 CORPORATE CENTER DRIVE SUITE 100 BURNSVILLE, MN 55306	Turn Around Time:	38WD
City/St/Zip:		Model Number:	4200(008)
Supplier (Name and Location):		Product Name:	4200(008): Baby Changing Bed
Date of Manufacture:		☐ Initial Qualification	
☒ Basic Model	☐ Prototype Model	☐ Modification	☐ 1 st Quarter
☐ Production	☐ Retest	Previous Test Date	☒ 2 nd Quarter
			☐ 3 rd Quarter
			☐ 4th Quarter

P = Pass F = Fail N/A = Not

Evaluation	Citation	Attribute	Result
JPMA Protocols			
1	California Proposition 65	California Proposition 65 As Applicable	P (see #4, #8, #9)
2	FCC part 15	Electronic products	NA
3	IABFLO	Law label	P
Labeling			
4	19 CFR 134	Country of origin	P
5	Title 17, CA Code of Regulations, Section 93120.7(d) Fabricator Label Requirements	CARB formaldehyde document and label review	NA
6	CPSIA section 103(a)	Tracking labels for children's products	P
7	16 CFR 1130	Registration card for durable nursery product	P
9	ASTM F963	Labeling Review – Battery Operated Product	NA
10	16 CFR 1505	Electrically Operated Toys	NA
11	ASTM F2088	Transformer UL/ETL or equivalent Labeling	NA
12	ASTM F963	Toys Labeling Review – magnets	NA
13	16 CFR 423	Care Label	P
15	California, New York, Chicago, Massachusetts, Virginia and Rhode Island State and City Laws CA Code 22200-22202, RI Code 11-9-16	Plastic sheet / bag requirement	P

Intertek Testing Services Ltd., Shanghai

Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

Evaluation	Citation	Attribute	Result
17	--	Instruction Review	P
18	--	UPC #, Item number or style number	P(618998042003)
19	40 CFR 770.45	Labeling of Compostive Wood Product - Formaldehyde Emission (EPA)	NA
Analytical			
20	FDA FSSE 21 CFR 175-177	Food Contact Materials	NA
21	16 CFR 1500.231	Hazardous Liquids	NA
22	16 CFR 1500.3(c)(6)(iii) 16CFR 1500.43(a)	Flash point of combustible liquid	NA
23	CPSIA Section108* / 16 CFR 1307 / CA Prop 65 / CPSC-CH-C1001-09.3 (Mod) / CPSD-AN-00095-MTHD / CPSD-AN-00143-MTHD / 16 CFR 1308	Phthalate contents – 8	P (see#7)
24	ASTM F963	Soluble heavy metal contents in surface coatings	P (see#5)
25	ASTM F963	Soluble heavy metal contents in substrate materials	P (see#6)
26	CPSIA Section 101	Total lead content in substrate materials	P (see#3)
27	16 CFR 1303	Total lead content in surface coatings	P (see#2)
28	Mercury-Containing and Rechargeable Battery Mgmt Act	Total mercury content in batteries and button cell batteries	NA
29	40 CFR 770.10 / 40 CCFR 770.17 / 40 CFR 770.18	Formaldehyde Emission of Composite Wood Product (EPA)	NA
Hazard			
30	ASTM F2388	Juvenile Products	See part I
31	ASTM F963	Juvenile Products Battery Operated	NA
32	ASTM F963	Toy Accessories	NA
33	16 CFR 1505	Electrically operated products - document review	NA
34	ASTM F2088	Electrical Testing	NA
35	Toxics in packaging act	Toxics in packaging (TPCH)	P (provided)
36	ASTM F963	Mechanical hazards – magnets	NA
37	--	Mercury - Total Content	NA
38	Illinois Lead Poisoning Prevention Act	Illinois lead content	P (see#1)
39	16 CFR 1501	Small part	P
40	16 CFR 1500.48	Sharp points	P
43	16 CFR 1500.49	Sharp edges	P
Flammability			
44	California flammability regulations title 4 chapter 3	California technical bulletin 117 flammability	NA
45	16 CFR 1500.44	Flammability of solids	P
Physical Characteristics			
46	AATCC 20A	Fiber analysis: quantitative	NA
47	--	Overall dimensions and weight	Record

Intertek Testing Services Ltd., Shanghai

Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

Evaluation	Citation	Attribute	Result
			Dimension 31.3 in. * 17.0 in. * 4.0 in. N.W.: 0.6 kg
48	NY, MD, WA, VT, HI, ME, OR, RI and CA	Flame Retardants	P (see#9, #10)
49	NY Albany County Local Law No. 1 for 2015 and NY Suffolk County Local Law No. 26 of 2017	The Toxic Free Toys Act	P (see#5, #6)

Abbreviation : P = Pass; F = Fail; N/A = Not Applicable; N/T= Not Tested;
MCD = Manufacturer Conformity Declaration; nr = not requested by the applicant; NES = Not Enough Sample

Conclusion: ☒ **PASS**
☐ **FAIL**
☐ **For Information Only**

Part I

1.SAFETY SPECIFICATION FOR BABY CHANGING TABLES

With reference to ASTM F2388-18 Standard consumer safety specifications for Baby Changing Tables for Domestic Use, the submitted samples were subjected to the following tests:

Number of Sample Tested: One (1) Piece

Initial inspection: No any damage was found

Executive summary:

Clause	Test items	Verdict
1	Scope.	-
2	References documents.	-
3	Terminology	-
4	Calibration and Standardization	-
5	General requirements	P
5.1	Sharp point and edge	P
5.2	Small parts	P
5.3	Surface coatings	P (see#2)
5.4	Wood parts	NA
5.5	Openings	P
5.6	Attachable unit	NA
5.7	Toys accessories	NA
5.8	Threaded Fasteners	P
5.9	Protective Components	NA
5.10	Consumer Product Safety Improvement Act.	See Table #1
5.11	Scissoring, Shearing, and Pinching	P
5.12	Applicable requirements of that standard	NA
6	Performance requirements	P
6.1	Structural Integrity	NA
6.2	Stability	NA
6.3	Barriers	P
6.4	Retention of Contoured Changing Pads and Add-on Changing Units	P
6.5	Entrapment in Enclosed Openings	P

Intertek Testing Services Ltd., Shanghai

Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233

上海天祥質量技術服務有限公司

上海市宜山路 801 號金陵商務廣場 B 座 200233

Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740

www.intertek.com www.intertek.com.cn

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

Clause	Test items	Verdict
6.6	Entrapment by Shelves	NA
6.7	Self-folding Steps	NA
6.8	Restraint System	P
7	Test Methods	-
8	Permanency of Labels and Warnings	P
9	Marking and labeling	P(Remark#1)
10	Instructional literature	P

Abbreviation: P=Pass; NA=Not Applicable; F=Fail; NC = Not Conducted; NR = Not Requested

Table #1

Compliance with CPSIA or CPSIA applicable requirements

Lead in paints or surface coating (16 CFR 1303)	Refer to details in this report
Lead content of accessible component part (CPSIA sec 101)	Refer to details in this report
Phthalate content (16 CFR Part 1307)	Refer to details in this report
Small Parts Rule (16 CFR Part 1501)	Refer to details in this report
Tracking label	Pass
Durable infant or toddler product (16 CFR 1130)	Pass

Note: Attention shall be drawn to Children's Product Certificate/ Tracking label/ Consumer registration of durable infant or toddler products to meet 16 CFR 1130/ Section 14(a)(5) of the [Consumer Product Safety Act](#), 15 U.S.C. §2063(a)(5) (CPSA)/ 16 CFR 1130

Remark:

#1. The evaluation or testing related to packaging is based on the artwork submitted by the applicant rather than on the actual sample of packaging.

Part of the evaluation or testing need to perform the actual sample and was not conducted, those include: a. letter height

Part I

2.SAFETY SPECIFICATION FOR BABY CHANGING TABLES

With reference 16 CFR 1235 for baby changing products, the submitted samples were subjected to the following tests:

Number of Sample Tested: One (1) Piece

Initial inspection: No any damage was found

Executive summary:

Clause	Test items	Verdict
1	Scope.	-
2	References documents.	-
3	Terminology	-
4	Calibration and Standardization	-
5	General requirements	P
5.1	Sharp point and edge	P
5.2	Small parts	P
5.3	Surface coatings	P (see#2)
5.4	Wood parts	NA
5.5	Openings	P
5.6	Attachable unit	NA
5.7	Toys accessories	NA
5.8	Threaded Fasteners	P
5.9	Protective Components	NA

Intertek Testing Services Ltd., Shanghai

Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233

上海天祥質量技術服務有限公司

上海市宜山路 801 號金陵商務廣場 B 座 200233

Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740

www.intertek.com www.intertek.com.cn

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

Clause	Test items	Verdict
5.10	Consumer Product Safety Improvement Act.	See Table #1
5.11	Scissoring, Shearing, and Pinching	P
5.12	Applicable requirements of that standard	NA
6	Performance requirements	P
6.1	Structural Integrity	NA
6.2	Stability	NA
6.3	Barriers	P
6.4	Retention of Contoured Changing Pads and Add-on Changing Units	P
6.5	Entrapment in Enclosed Openings	P
6.6	Entrapment by Shelves	NA
6.7	Self-folding Steps	NA
6.8	Restraint System	P
7	Test Methods	-
8	Permanency of Labels and Warnings	P
9	Marking and labeling	P(Remark#1)
10	Instructional literature	P

Abbreviation: **P**=Pass; **NA**=Not Applicable; **F**=Fail; **NC** = Not Conducted; **NR** = Not Requested

Table #1

Compliance with CPSIA or CPSIA applicable requirements

Lead in paints or surface coating (16 CFR 1303)	Refer to details in this report
Lead content of accessible component part (CPSIA sec 101)	Refer to details in this report
Phthalate content (16 CFR Part 1307)	Refer to details in this report
Small Parts Rule (16 CFR Part 1501)	Refer to details in this report
Tracking label	Pass
Durable infant or toddler product (16 CFR 1130)	Pass

Note: Attention shall be drawn to Children's Product Certificate/ Tracking label/ Consumer registration of durable infant or toddler products to meet 16 CFR 1130/ Section 14(a)(5) of the [Consumer Product Safety Act](#), 15 U.S.C. §2063(a)(5) (CPSA)/ 16 CFR 1130

Intertek Testing Services Ltd., Shanghai

Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

#1 Total Lead (Pb) Content (Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6)

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (%)</u>
(1)	<0.001

Requirement

The total Lead content shall not exceed 0.009% for surface coating in accordance with the Consumer Product Safety Improvement Act of 2008 (CPSIA).

Tested Components: See component list in the last section of this report.

Date Sample Received: Jun.18, 2020

Testing Period: Jun.18, 2020 to Jul.11, 2020

#2 Total Lead (Pb) Content

As per U.S. Code of Federal Regulations title 16 part 1303, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested component</u>	<u>Result (%)</u>	<u>Limit (%)</u>
(1)	<0.001	0.009

Tested Component: See component list in the last section of this report.

Date Sample Received: Jun.18, 2020

Testing Period: Jun.18, 2020 to Jul.11, 2020

#3 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)(U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101)

With reference to standard operating procedures for determining total Lead (Pb) in children's products, test methods CPSC-CH-E1002-08.1 and/or CPSC-CH-E1001-08.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (ppm)</u>	<u>Requirement (ppm)</u>
(3+8)	<10	100
(5)	<10	100

Intertek Testing Services Ltd., Shanghai

Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233

上海天祥質量技術服務有限公司

上海市宜山路 801 號金陵商務廣場 B 座 200233

Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740

www.intertek.com www.intertek.com.cn

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

Remark: ppm = Parts Per Million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: Jun.18, 2020

Testing Period: Jun.18, 2020 to Jul.11, 2020

#4 Total Lead (Pb) Content (California Proposition 65)

With reference to US EPA method 3050B, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (ppm)</u>	<u>Requirement (ppm)</u>
(1)	<10	600
(3+8)	<10	600
(5)	<10	600

The above limit was quoted from the consent judgement No. BG-350969 settled by superior court of the state of California for the county of Alameda, for child care articles based on the California Proposition 65.

Remark: ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: Jun.18, 2020

Testing Period: Jun.18, 2020 to Jul.11, 2020

#5 Soluble Elements Analysis In Surface Coating

As per section 4.3.5.1(2) of the ASTM standard consumer safety specification on toy safety F963-17, acid extraction method was used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
	(1)	
Sol. Barium (Ba)	52	1000
Sol. Lead (Pb)	<5	90
Sol. Cadmium (Cd)	<5	75
Sol. Antimony (Sb)	<5	60
Sol. Selenium (Se)	<5	500
Sol. Chromium (Cr)	<5	60
Sol. Mercury (Hg)	<5	60
Sol. Arsenic (As)	<2.5	25

Intertek Testing Services Ltd., Shanghai

Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233

上海天祥質量技術服務有限公司

上海市宜山路 801 號金陵商務廣場 B 座 200233

Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740

www.intertek.com www.intertek.com.cn

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

Remark: Sol. = soluble
ppm = parts per million = mg/kg
spl.wt. = sample weight

Tested component: See component list in the last section of this report.

The sample weight in bracket was for soluble heavy metal elements analysis only.

Date Sample Received: Jun.18, 2020
Testing Period: Jun.18, 2020 to Jul.11, 2020

#6 Soluble Elements Analysis In Non-Surface Coating Materials (Substrate Except Modelling Clay)

As per section 4.3.5.2(2)(b) of the ASTM standard consumer safety specification on toy safety F963-17, acid extraction method was used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (ppm)						Limit (ppm)
	(2)	(3)	(4)	(5)	(7)	(8)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

Remark: Sol. = soluble
ppm = parts per million = mg/kg
spl.wt. = sample weight

Tested components: See component list in the last section of this report.

The sample weight in bracket was for soluble heavy elements analysis only.

Date Sample Received: Jun.18, 2020
Testing Period: Jun.18, 2020 to Jul.11, 2020

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

#7 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

<u>Test item</u>	<u>Result (%)</u>			<u>Limit (%) (Max.)</u>
	(1)	(3+8)	(5)	
Dibutyl phthalate (DBP)	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	0.03	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected
Detection Limit = 0.01%

Tested Components: See component list in the last section of this report.

Date Sample Received: Jun.18, 2020
Testing Period: Jun.18, 2020 to Jul.10, 2020

#8 Phthalate Content Test (California Proposition 65)

By solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

<u>Tested Compound</u>	<u>Result (% w/w)</u>			<u>Limit(% w/w) (max.)</u>
	(1)	(3+8)	(5)	
Di-butyl phthalate (DBP)	ND	ND	ND	0.1
Di (2-ethyl hexyl) phthalate (DEHP)	0.03	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	0.1

Intertek Testing Services Ltd., Shanghai

Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

Remark: The above limit was quoted from the consent judgment No. BG07350969 settled by superior court of the state of California for the county of Alameda, for Child care articles based on the California proposition 65.

Detection Limit = 0.01%(w/w)
ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: Jun.18, 2020

Testing Period: Jun.18, 2020 to Jul.10, 2020

#9 Flame Retardants Content

By solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis and Liquid Chromotography Mass Spectrometry (LC/MS) analysis.

<u>Tested Compound</u>	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
	(9)	
Tris(2-chloroethyl) phosphate (TCEP)	ND	ND
Tris(1,3-dichloroisopropyl) phosphate (TDCPP)	ND	ND
Tris(2,3-dibromopropyl) phosphate (TDBPP)	ND	ND

Remark: The above California limit was quoted from the Consent Judgment No. RG-667688 settled by superior court of the State of California for the county of Alameda for Foam-cushioned pads based on the California Proposition 65.

Remark: The above limit was quoted from the Settlement agreement for changing pads based on the California Proposition 65.

ND = Not detected
Detected Limit = 5 ppm
ppm = Parts per Million = mg/kg

Tested Components: See component list in the last section of this report

Date Sample Received: Jun.18, 2020

Testing Period: Jun.18, 2020 to Jul.17, 2020

Intertek Testing Services Ltd., Shanghai

Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

#10 TCEP and TDCPP Content

By solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis and Liquid Chromotography Mass Spectrometry (LC/MS) analysis.

<u>Tested Compound</u>		<u>Result (% w/w)</u>			<u>Requirement (% w/w)</u>
	(3)	(4)	(5)	(6)	
Tris(2-chloroethyl) phosphate (TCEP)	ND	ND	ND	ND	ND
Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)	ND	ND	ND	ND	ND

<u>Tested Compound</u>		<u>Result (% w/w)</u>			<u>Requirement (% w/w)</u>
	(7)	(8)	(10)		
Tris(2-chloroethyl) phosphate (TCEP)	ND	ND	ND		ND
Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)	ND	ND	ND		ND

Remark: ND = Not detected
Detected Limit = 0.001%(w/w)

Tested Components: See component list in the last section of this report



Picture 1: Sample as received



Picture 2: Registration card

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020




Picture 3: Registration card



Picture 4: Package



Picture 5: Product identification label



Picture 6: Information on carton

Date Sample Received: Jun.18, 2020 & Jul.6, 2020
Testing Period: Jun.18, 2020 to Jul.8, 2020

TEST REPORT

NUMBER: SHAH01231793S1
DATE: AUG 19, 2020

Components List:

- (1) White/black/blue/orange coatings on fabric. (warning label)
- (2) White woven fabric excluding coatings. (sewn-in label & warning label)
- (3) White soft plastic. (body)
- (4) White woven fabric. (tape)
- (5) White plastic. (safety buckle & adjustable ring)
- (6) White woven fabric with white/black coatings. (warning label)
- (7) White Velcro. (Velcro-loop)
- (8) Grey soft plastic. (on bottom)
- (9) White foam. (inside)
- (10) White woven fabric with black/white/blue/orange coatings. (sewn-in label)

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

AUTHORIZED BY:
FOR INTERTEK TESTING SERVICES
LTD., SHANGHAI



Bill Zhang
General Manager

Date: Aug 17, 2020

Re: Report Revision Notification

Intertek Testing Services Report Number SHAH01231793 Dated Aug 12, 2020

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services Report Number **SHAH01231793S1**.

Reasons for Revision: Update supplier.

Thank you for your attention.

AUTHORIZED BY:
FOR INTERTEK TESTING SERVICES
LTD., SHANGHAI

A handwritten signature in black ink, appearing to be 'Bill Zhang', with a large, sweeping loop at the end.

Bill Zhang
General Manager