


Metal Cabinet Instruction Manual



Installation guide video



Customer Service Email: help@EverythingSupport.com

Toll-free: (855)208-0668(MON-FRI 9:00 am-6:00 pm Eastern Time)

WARNING!

1. Do not allow children to climb on the unit. -Serious or fatal crushing injuries can occur from furniture tip-over. To prevent this, furniture must be permanently fixed to the wall.
2. Keep children and pets away during assembly.
3. To avoid the danger of suffocation, always keep plastic bags away from children and pets.














ASSEMBLY PRECAUTIONS

1. Please assemble the product in strict accordance with the instructions. Incorrect assembly could be hazardous.
2. Please wear safety goggles and work gloves properly during assembly.
3. Do not try to assemble the product when feeling tired or when under the influence of alcohol, drugs or medication.
4. Load bearing capacity and other product parameters are applied to the properly and completely assembled product only.
5. Separate and count all parts and hardware.
6. Prepare the following tool: Philips Head Screwdriver.
7. If using power tools, please be careful to slow down and stop when needed.
8. Two people are required for assembly.
9. Follow the intended uses only. Do not sit or stand on the above.

INSTRUCTIONS


Thank you very much for choosing this metal cabinet. Please read all of the instructions before using it. The information will help you achieve the best possible results.

Part list

A  Left side panel x1	B  Right side panel x1	C  Bottom x1
D  Top cover x1	E  Upper back panel x1	F  Lower back panel x1
G  Left door panel x1	H  Right door panel x1	I  Shelf x1
J  Magnet x2	K  Supporting pad x2	L  Screw-M6*15 x16
M  Screw-ST4.2*8x21	N  Screw-ST3.9*16 x1	O  Rubber plug x2
P  Screw-ST6.3*38 x2	Q  Flat washer x2	R  Wall hand panel x1


Installation

1. Attach the Part C to the tabs on the Part A and Part B, then pull the Part A and Part B toward the front to secure them in place. Then fix Parts C with screws.




Caution: Please distinguish the left and right side panels, otherwise it will affect the alignment and installation of the screw holes


2. Attach the Part D to the tabs on the Part A and Part B, then pull the Part A and Part B toward the front to secure them in place. Then fix Parts D with screws.




3. Fix parts E and F with screws.




4. Fix the entire back panel with screws.




5. Install the magnet on the Part I.




6. Attach the Part I to the tabs on the left side panel and right side panel.




7. Install the door panels (Part G and Part H) in the holes on the top and bottom plates (Part C and Part D). When installing, be sure to distinguish between the left and right door panels.




8. Install the Part K.




9. Punch two suitable holes in the cement wall in accordance with the position of the two hanging holes in the back of the Part R, making sure that the upper two holes are on a horizontal line. The two horizontal holes are 16 inches apart. Tap the two expansion tubes completely into the holes. Then put in the Part Q and screws P to hold it in place.




10. Punch two suitable holes in the wooden board wall in accordance with the position of the two hanging holes in the back of the Part R, making sure that the upper two holes are on a horizontal line. The two horizontal holes are 16 inches apart. Then put in the Part Q and screws P to hold it in place.



11. slowly lift the cabinet. Then place the cabinet flush against the wall and slowly lower the cabinet. When it is fully hung, slowly release your hands. According to the requirements, the installation position of the cabinet can be adjusted in the horizontal direction. The adjustment distance on the left and right is approximately 120mm each.



12. After the installation position of the cabinet has been adjusted and determined, fix it with screws.



AFTER-SALES SERVICE CARD

We sincerely thank you for trusting our service and our products, and may this product add enrichment to your home. We guarantee that the product has undergone strict quality inspection and meticulous packaging. If you encounter any issue regarding either shipping or the product, please feel free to contact us at any time. We'd be more than happy to serve you wholeheartedly.

Yours Sincerely

- Please avoid harsh, corrosive and abrasive cleaners.
- Keep dry and avoid damp environments.

Installation guide video



Customer Service Email: help@EverythingSupport.com

Toll-free: (855)208-0668(MON-FRI 9:00 am-6:00 pm Eastern Time)

If you have any questions or concerns please feel free to contact us. We're committed to providing our customers with the quality service.