

Vanity Desk with Storage Compartment & Outlets

Assembly Instructions








Option B

Attention: Please ensure you have all parts before commencing assembly. Please read all the instructions before commencing.

Have problems when installing or missing parts?



PART LIST



PART LIST


A x 1pc	В х 1рс	C x 1pc	D x 2pcs
		O A TPO	2 / 2 000

E x 2pcs	F x 1pc	G x 1pc	H x 1pc
I x 1pc	J x 1pc	K x 1pc	L x 1pc
M x 1pc	N x 1pc	O x 1pc	P x 1pc
Q x 1pc	R x 1pc	S x 1pc	T x 1pc
U x 1pc	V x 1pc	W x 1pc	X x 3pcs
Y x 3pcs	Z x 1pc	AA x 1pc	BB x 1pc
CC x 1pc	DD x 2pcs	EE x 2pcs	FF x 2pcs
GG x 4pcs			
	_		


HARDWARE LIST 2 3 4 4 pcs M6x35 1 pc **1** pc M6x12 6 pcs M6 5 **6 8** 14 pcs 20x20 30 pcs Ø12 4 pcs M6x28 30 pcs M6x32 10 THIMIT 4 pcs $38\,\mathrm{pcs}$ 1 pc | M6x8 M6x40 26 pcs M3x12 15 13 16 4 pcs M4x16 $8 \, \text{pcs}$ $2 \, \text{pcs}$ M8x16 3 pcs (17)(18) 19 3 pcs 3 pcs 3 pcs 3 pcs MI 1 pc 4 pcs M4 M4x12 16 pcs M6x55 **1** pc *Please count and verify all parts before assembly .*

How to install Camlocks

Connect the male camlock as directed in the assembly instructions with a screwdriver.




Put the male camlock into the entry hole.



Insert the female camlock as shown in the instruction.


Note: ensure that the arrow on the top of the camlock points toward the entry hole for the male camlock.



Screw the female camlock clockwise with a screwdriver.

You will feel a click when the camlock is locked in place.

The camlock is now completed.




HOW TO ADJUST THE EUROPEAN ADJUSTABLE HINGES ON DOOR


If the doors require adjustment, follow the below options as needed:


To adjust door up or down, loosen screws (a), adjust door and retighten screws.


To adjust door left and right, turn screw (b) in or out.


To adjust door in and out, loosen screw (c), adjust door and retighten screw.





















STEP 13


NOTICE:


Please install both two drawers of the main table according to Steps 9-13 above. Their assembly orders are the same.





Part FF and Part GG are designed to help separate and categorize your makeup or accessories. These parts can be installed according to your need.


STEP 14
















STEP 19 (Seep the holes of the Part J and Part K toward this direction as shown) (Seep the holes of the Part J and Part K toward this direction as shown)
















STEP 29


The storage cabinet of this desk can be reversed.


There will be two versions of steps 29-38 for the following installation according to the placement of the storage cabinet.






STEP 30







STEP 33





STEP 34


them





















STEP 33 (5) - x3










MIRROR LIGHT INSTRUCTION


1

Please tear off the protective film before using the mirror.



2

Touch the button(sensor switch) on the screen to turn on the lamp.



3

The LED lights are adjustable in 3 colors, Touch the button to switch the modes.



Warm Light




Natural Light



Cold Light

1





LONG PRESS TO ADJUST THE BRIGHTNESS