# Radiate® | K-R75563-G

Multifunction handshower, 1.75 gpm

## Features

- Advanced spray engine provides five alternate experiences: wide coverage, intense drenching, targeted spray and two combination sprays.
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup and maximizes spray performance
- Full coverage spray features angled nozzles to produce all-encompassing coverage for everyday use
- Intense rinse delivers a forceful spray ideal for thoroughly rinsing soap from hair
- Powerful massage spray is a focused stream that targets sore muscles, or use as a utility spray to rinse kids, pets, and your shower
- Simple thumb tab smoothly transitions between sprays
- 1.75 gpm (gallons per minute) showerhead flow rate
- 1/2" NPT connection
- This product can help a building earn Water Efficiency points in LEED® Green Building Rating System
- Available exclusively at The Home Depot



## Sustainability

DISCONTINUED



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-29-2026 20:30 - US-CA

## Codes/Standards

ASME A112.18.1/CSA B125.1
DOE - Energy Policy Act 1992
EPA WaterSense®
California Energy Commission (CEC)

## Technical Information

***All product dimensions are nominal.***

### Flow Rate

| | |
|---|---|
| Shower/Rainhead Rated Maximum Flow: | 1.75 gpm (6.6 l/min) |
| Handshower Rated Maximum Flow: | 1.75 gpm (6.6 l/min) |

## Material

- KOHLER finishes resist corrosion and tarnishing

## Recommended Products/Accessories

K-23723 Faucet cleaner

## Warranty

***See website for detailed warranty information.***


KOHLER® Faucet Lifetime Limited Warranty

DISCONTINUED



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-29-2026 20:30 - US-CA

THE BOLD LOOK OF KOHLER.




## Installation

- Wall-mount

## Installation Notes

***Install this product according to the installation instructions.***

For use with automatic compensating valves rated at 1.5 gal/min (5.7 l/min) or less.

DISCONTINUED



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-29-2026 20:30 - US-CA

THE BOLD LOOK OF KOHLER