



Artifacts® | K-72777

Deck-mount bath spout with flare design

Features

- 3" (76 mm) high nondiverter spout
- Variety of handle style options (sold separately)
- Nondiverter spout
- 15 gpm (gallons per minute) bath faucet flow rate
- KOHLER® ceramic disc valves exceed industry longevity standards for a lifetime of durable performance
- Coordinates with other products in the Artifacts collection
- Handle trim sold separately



Available Colors/Finishes

Color tiles intended for reference only.

CP	Polished Chrome
SN	Vibrant Polished Nickel
AF	Vibrant French Gold
BN	Vibrant Brushed Nickel
BV	Vibrant Brushed Bronze
BL	Matte Black
2MB	Vibrant Brushed Moderne Brass
TT	Vibrant Titanium



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
8-10-2026 17:00 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.18.1/CSA B125.1

Technical Information

All product dimensions are nominal.

Spout

Spout Reach: 9" (229 mm)

Flow Rate

Faucet Flow Rate: 15 gpm (56.8 l/min)

Material

- Brass
 - KOHLER finishes resist corrosion and tarnishing
-

Recommended Products/Accessories

K-23723 Faucet cleaner

K-72571 Towel ring

K-72572 Double robe hook

K-72573 Pivoting toilet paper holder

K-72567 18" towel bar

K-72568 24" towel bar

K-72570 24" double towel bar

K-72576 Toilet paper carriage

Required Products/Accessories

- K-T98071-4 Deck-mount bath faucet handle trim with Lever design
-


Warranty

See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
8-10-2026 17:00 - US-CA



Installation

- Finished deck-mount installation only

Installation Notes

Install this product according to the installation instructions.

IMPORTANT! Artifacts deck-mount handles are only compatible with the valve included with the Artifacts deck-mount faucets. Do not install to a K-300 bath valve.

IMPORTANT! For K-T98071-9M models, the handle swings up and toward the user. Ensure that the handle will not interfere with the bath fixture during operation.

For a finished bath deck/rim less than 5/8" (16 mm) thick:

Install wood reinforcing material to the underside of the

deck/rim. The combined thickness of the reinforcing material and the deck/rim must not exceed 3" (76 mm).

