

PLEASE NOTE:



1. When installing, the small leaves are installed on the inside, and the large leaves are installed on the outside.

2. If the transportation leaves are damaged, we have multiple delivery leaves and a large number of damage. Please contact us. We will quickly replenish you for free.

3. The ends of the lamp are worried about transportation damage. When the metal is bent, you can manually stretch the branches of the lamp. The copper material has good flexibility.

Precautions:

1. If you find the ceramic pendant broken or the mounting broken, please don't worry, we also have five percent free ceramic pendant.

2. The lamps shall not be close to acid, alkali chemical objects and gases containing corrosive, shall not be cleaned with water, it is recommended to wipe with a clean soft cloth.

3. Wear white gloves for installation

4. Safe power supply: Before carrying out any electrical work, ensure that the relevant circuit is closed and use a voltage tester to verify that the wires are not charged. If necessary, turn off the power to the main new circuits or related circuits.

5. Wire Connections: Use the correct size wire and use the appropriate wire connectors to make the connections. Make wire connections in accordance with electrical codes to ensure proper insulation and protection of wire connection points.

6. Safe Spacing: Ensure that there is adequate safe spacing between the chandelier and combustible materials in accordance with the electrical code. This will avoid fire risks and overheating problems.

7. Test and Verify: Before reconnecting the power supply, double-check all wire connections and use a voltage tester to verify that the electrical connections are correct and safe. Make sure the pendant light switch and dimmer are working properly.

FAQS

Q1: why is the chandelier size of the branches is smaller than the actual size when i open thepackage?

The chandelier bracket is made of brass, can be adjusted flexiblyThe two ends of the bracket are relatively hard and can easily puncture the packagingduring transportation, we extend the branches at both ends towards the internal. when you installing the ginkgo leaves, the chandelier will reach its proper size.

Q2: What should I do if the ginkgo leaves are damaged during transportation or installation?

Please don't worry, contact us immediately. We will send you the new pendant replacements for free.

Q3:If you have any questions about the product, please contact us by email with your order number, we will give you a good solution and professional answer within 24 hours.



3 years warranty


If the goods have transportation and quality problems, free returns and exchanges.




If you have any questions, welcome to contact us by email, we will serve you wholeheartedly.

SPECIAL FEATURE

Product name	Chandelier	Model	
Rated voltage	100V~120V.60Hz	Material	Brass+ceramic leaf
Lamp holde	G9	Style	Modern



Slanted Ceiling





Flat Ceiling

1. M4 expansion screws*4
2. Fixing the hanging plate on top of the expansion screws *4
3. Connect the fire wire/zero wire separately.
4. Push the ceiling flush with the top surface \ fixed screws *2



Be sure to secure the ceramic piece tightly




INSTALLATION STEPS



1. Fix the bracket to the ceiling



2. Connect the main body of the lamp.



3. Installation of G9 bulbs and available in 5W, 7W, 9W and 12W, depending on your actual needs.



4. Installation of ceramic blades