

Thank you for choosing us to be a part of your life.
We value your business, and
constantly strive to provide you only top-
quality products and services. Contact us if we
can be of further assistance, we'd love to hear your advice.



Warm Tips:


1. If you need any help or received damage or missing parts, please feel free to contact our customer support.
2. Please check the pack content before attempting to construct the Green house.
3. Read them annual carefully and familiarise yourself with the Procedure before assembling it.
4. Please do not locate the Product in the area exposed to excess winds.
5. It is recommended that the green house to be assembled by at least two people.



WARNING

Manufacturer and seller expressly disclaim any and all liability for personal injury, property damage, or loss, whether direct, indirect, or incidental, resulting from the incorrect attachment, improper use, inadequate maintenance, or neglect of this product.

10x38.4 ft Green house INSTRUCTION MANUAL



SKU : YGH011C1-A01 (BOX 1/2)
YGH011C1-A02 (BOX 2/2)

Arrive in 2 separate boxes and may not be part of the same shipment;

Please install the product after receiving all the packages

Email Address: support@wepatio.com

Tel: +1(901)347-2181


Service Time: 8 am-5 pm (central time) Monday-Friday. If no one picks up,
please call several more times




- Pre-installation Notes:
- 1.Assembly requires three or more people.
 - 2.It is recommended to use a ladder during assembly.
 - 3.Ensure all necessary accessories are prepared before assembly.
 - 4.Assembly is not recommended during heavy wind or rain.
 - 5.Assembly is recommended on level ground.

Item no.	Reference Image	Qty.
1		X7
1A		X14
2		X7
2A		X35
3		X4
3A		X4
4		X2
4A		X2
H		X24
I		X1


Item no.	Reference Image	Qty.
K		X1
M		X1
5		X14
6		X14
A	M6 × 55	X45
B	M6 × 55	X4
C	M6 × 30	X32
D	M6	X2
E		X28
F		X4


Item no.	Reference Image	Qty.
G		X12
J		X6
L		X6



It's best to pre-locate and lay out all the profiles on the ground before proceeding with the installation


1







② 1pc

②A 5pcs




2


Ⓐ 7pcs

① 7pcs




①A 14pcs



Ⓒ 14pcs




3

Ⓐ 14pcs

② 2pcs


②A 10pcs




4




⑥ 14pcs




③ 14pcs




5




② 2pcs




③ 2pcs




⑤ 7pcs



Ⓐ 12pcs




②A 10pcs



③A 2pcs






Ⓑ 2pcs





After covering the cloth covers as described in the previous step, install the legs. First, install the legs on one side, then proceed to install the legs on the other side.



Note: When installing the legs, be sure to tighten the screws; otherwise, the product may become deformed, leading to damage of the tubing.



8




9




The water pipe can be installed anywhere freely, and the nozzle can be adjusted 360 degrees in any direction.

Note: The pressure plate must completely clip the fabric cover onto the profile, and one must be clipped in each space.




Grassy surfaces



Cement surfaces

To improve wind resistance,
be sure to complete this installation step. If expansion screws or ground nails are not installed, strong winds may topple the gazebo.
 Expansion screws are essential for stability on cement surfaces and ground nails are for grassy surfaces.
 Ground nails are included in the package while expansion screws are not provided.



Installation Completed

How to make the entire greenhouse more sturdy in strong winds or heavy snow?

- 1.Ensure all screws are tightened.
- 2.Confirm that ground nails and windproof ropes are installed as instructed.
- 3.Use stones or other heavy objects to weigh down any excess fabric around the perimeter.
- 4.If the canopy is erected on concrete ground, it is recommended to use expansionscrews.