Assembly Instructions

Caution : You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.




- Children should not climb or jump on the furniture.







- Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in carton for hardware packs and legs.


Cabinet









N760P438611 Parts List






Label	Picture	Description	QTY
Ⓐ		Top Panel	1
Ⓑ		Bottom Panel	1
Ⓒ		Leg	2
Ⓓ		Leg	1
Ⓔ		Adjustable Panel	4

N760P438612 Parts List

Label	Picture	Description	QTY
Ⓕ		Side Panel	2

G		Middle Side Panel	2
H		Middle Side Panel	1
I		Back Panel	2
J		Back Panel	2
K		Left Door Panel	2
L		Right Door Panel	2

N760P438611 Hardware


Label	Picture	Description	QTY
①		Cam Bolt (Ø6*35mm)	20+2
②		Cam Nut (Ø15*9mm)	20+2
③		Dowel (Ø8*20mm)	20+2
④		Bolt (M6*25mm)	8+1
⑤		Flat washer	8+1
⑥		Shelf pin	16
⑦		Hinge	4
⑧		Hinge	4
⑨		Screw (Ø3.5*14mm)	48+5
⑩		Screw (Ø3*14mm)	16+2
⑪		Plastic button	16+2
⑫		L-type Hexagon Wrench	1


Restraint Device Hardware

⑬		Anti-Tipping Iron Sheet	2
⑭		Nut	2
⑮		Screw (Ø4*12mm)	2
⑯		Screw (Ø4*35mm)	2

Assembly Preparation

Before Beginning Assembly:






- Read instructions,cover to cover-
- Have 2 adults on hand for assembly-
- Do not assemble on flooring or carpet-
- Assemble on a clean non-marring surface (packing foam)-
- Save all packaging until finished-

Assembly Steps


Overview



Front Facing

This Cabinet has multiple parts and may require up to 30 minutes to assemble.
To give you an overview of the Cabinet parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1




Do not over tighten.










Attach cam bolt(①) and dowel(③) to the bottom panel(B) using l-type hexagon wrench (⑫).


Step 2



See page 17 for details.









Attach the bottom panel(B) to the side panel(F) and the middle side panel(G) with cam nut(②) using l-type hexagon wrench(⑫).

Step 3





Insert back panel(I) into the groove of the side panel(F) and the middle side panel(G).

Step 4




See page 17 for details.






Attach the bottom panel(B) to the middle side panel(H) with cam nut(②) using l-type hexagon wrench(⑫).

Step 5





Insert back panel(J) into the groove of the middle side panel(G) and the middle side panel(H).

Step 6




See page 17 for details.






Attach the bottom panel(B) to the side panel(F) and the middle side panel(G) with cam nut(②) using l-type hexagon wrench(⑫).

Step 7





Insert back panel(I) into the groove of the side panel(F) and the middle side panel(G).
Insert back panel(J) into the groove of the middle side panel(G) and the middle side panel(H).

Step 8




Do not over tighten.






Attach cam bolt(①) to the top panel(A) using l-type hexagon wrench (⑫).
Attach the long side of anti-tipping sheet iron (⑬) into the top panel (A) with screw(⑮) using l-type hexagon wrench(⑫).

Step 9



See page 17 for details.


② X10
③ x10
⑫ x1



Fix the dowel(③) to the side panel(F) and the middle side panel(G,H).
Attach the top panel(A) to the side panel(F) and the middle side panel(G,H) with cam nut(②) using l-type hexagon wrench(⑫).

Step 10


④ x8
⑤ x8
⑫ x1



Attach the leg (C) to the side panel(F) with bolt(④) and flat washer(⑤) using l-type hexagon wrench(⑫).Please install the leg (D) to the bottom panel (B).

Step 11


⑥x16



Inset shelf pin(⑥) into the side panel(F) and the middle side panel(G,H) .
Put adjustable panel(E) on the shelf pin(⑥).

Step 12


⑦X4
⑨X8
⑫x1



Attach hinge (⑦) to left door panel(K) with screw(⑨) using l-type hexagon wrench(⑫).
Repeat the previous steps to right door panel(L) .

Step 13

⑨ X16
⑫ x1




See page 17 for details.

Attach left door panel(K) to the side panel (F) with screw(⑨) using l-type hexagon wrench(⑫).Repeat the previous steps to right door panel(L) .


Step 14

⑧ X4
⑨ X8
⑫ x1



Attach hinge (⑧) to left door panel(K) with screw(⑨) using l-type hexagon wrench(⑫). Repeat the previous steps to right door panel(L) .


Step 15



See page 17 for details.


Attach left door panel(K) to the middle side panel(H) with screw(⑨) using l-type hexagon wrench(⑫).Repeat the previous steps to right door panel(L) .

Step 16




Attach plastic button(⑪) into the back panel(I,J) with screw(⑩) using l-type hexagon wrench(⑫).

Step 17



Screw the nut (⑭) into the wall. Install the short side of anti-tipping sheet iron(⑬) on the wall with screw(⑯) using l-type hexagon wrench(⑫).

Step 18




Adjust Pre-installed Levelers height to achieve balance.

You cabinet is ready for use.

Using Camlocks

Step 1


Push the male camlock into the entry hole.



Step 2

Insert the female camlock as shown in the instruction.

Note：ensure that the arrow on the top of the camlock points towards the entry hole for the male camlock.




Step 3

Turn the female camlock clockwise with a screwdriver.

You should feel a click when the camlock is locked in place.

The joint is now secure.




Assembly Steps(EN) / Montageschritte(DE)

HOW TO ADJUST THE HINGES TO ALIGN THE DOORS IF NEEDED.


STEP 1

Open the door.



STEP 2

Adjust the door panelsupward or downward




Unscrew 2 screws in round holes loosen 2 screws in oval holes a bit.

Tighten 2 screws in oval holes. Screw in 2 screws in round holes

STEP 3

Adjust the flush between door panel and side panel




MOVE DOOR OUTWARD by turning this screw counter-clockwise

KEEP DOOR IN RIGHT POSITION

MOVE DOOR OUTWARD by turning this screw clockwise

STEP 4

Adjust the Gap beteen door panel and side panel



Loosen this screw a bit.

MOVE DOOR BACK OR FORTH

Re-tighten this screw.

Questions & Answers about Proposition 65

• What is Proposition 65?

Proposition 65 requires businesses to provide warnings to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm. These chemicals can be in the products that Californians purchase, in their homes or workplaces, or that are released into the environment. By requiring that this information be provided, Proposition 65 enables Californians to make informed decisions about their exposures to these chemicals. Proposition 65 also prohibits California businesses from knowingly discharging significant amounts of listed chemicals into sources of drinking water. Proposition 65 requires California to publish a list of chemicals known to cause cancer, birth defects or other reproductive harm. This list, which must be updated at least once a year, has grown to include approximately 900 chemicals since it was first published in 1987. • What types of chemicals are on the Proposition 65 list?

The list contains a wide range of naturally occurring and synthetic chemicals that include additives or ingredients in pesticides, common household products, food, drugs, dyes, or solvents. Listed chemicals may also be used in manufacturing and construction, or they may be byproducts of chemical processes, such as motor vehicle exhaust.

• What does a warning mean?

If a warning is placed on a product label or posted or distributed at a workplace, a business, or in rental housing, the business issuing the warning is aware or believes that it is exposing individuals to one or more listed chemicals. By law, a warning must be given for listed chemicals unless the exposure is low enough to pose no significant risk of cancer or is significantly below levels observed to cause birth defects or other reproductive harm.

• Where can I get more information on Proposition 65?

If you have specific questions on the administration or implementation of Proposition 65, you can contact OEHHA's Proposition 65 program at P65.Questions@oehha.ca.gov, or by phone at (916) 445-6900.