



Project/Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

65-1701 - 4 ft. LED; Linear Strip Light; Wattage and CCT Selectable; White Finish; Microwave Sensor

- Wattage Selectable
- Flicker Free
- CCT Selectable
- Has Driver



ELECTRICAL

Technology:	LED
Watts:	30W/40W/50W
Volts:	120V-277V
Lumens:	3900L-6750L
Lamp Base :	Integrated
CRI:	80
CCT (Kelvins):	3500K/4000K/5000K
Color Description:	Neutral White to Daylight
Beam Spread :	120
Hours Rated:	50000
Dimmable:	Yes-Dimmable
DimmableText:	0-10V Dimming Only
Incandescent Equivalent :	150W-175W
HID Equivalent :	100W-150W
Operating Temperature :	-20C (-4F) to +60C (+140F)
Surge Protection :	Built-in surge protection - 2KV
THD:	10.71%
Power Factor :	0.9
Voltage Type:	Range Voltage
Warranty:	5 Year Limited - Fixtures

PACKAGING

Each UPC:	045923656781
Each Quantity:	1
Each Dimensions:	50.08 x 5.13 x 5.38
Case UPC:	10045923656788
Case Quantity:	6
Case Dimensions:	50.67 x 16.34 x 11.81

PHYSICAL

Finish:	White
Lens Finish:	White
Lens Material:	Polycarbonate (PC)
Finish Family:	White
Dimensions:	L:48.00" W:2.95" H:3.27"
Weight (Lbs.):	3.56
Material:	Steel
Sensor:	Optional Add-On

COMPLIANCE

Safety Listing:	cULus - Listed
Location Rating:	Damp
Indoor/Outdoor:	Indoor
DLC Approved:	Yes
DLC Classification:	Premium
DLC ID:	S-gZGzEP
DLC Primary Use:	Stairwell and Passageway Luminaires
CA Prop 65:	Lead
BAA Compliant:	No
FCC Compliant:	Yes
IP Rating:	IP20
RoHS Compliant:	Yes
SDS Class:	LED_Fixture
B.U.G Rating:	B2-U4-G2
Restrictions:	No Restrictions

INFO

Additional Info:	Other DLC Listings: S-5A4OGI, Standard, Direct Linear Ambient Luminaires; S-GB3EIK, Standard, Low-Bay Luminaires for Commercial and Industrial Buildings.
------------------	---



65-1701 - 4 ft. LED; Linear Strip Light; Wattage and CCT Selectable; White Finish; Microwave Sensor

ACCESSORIES

	65-706	60 in. Suspension Kit for 4 ft. Linear Strip Light
	65-708	Add on Emergency Backup Battery for Linear Strip Lights; 8 Watt; 1000 LM; 90 min. Run Time; 100-347 Volt



65-1701 - 4 ft. LED; Linear Strip Light; Wattage and CCT Selectable; White Finish; Microwave Sensor

DIMMER COMPATIBILITY

LeGrand	ADPD4FBL3P2W4
Eaton	DF10P
Leviton	DS710-10Z
Lutron	DVSCSTV
Lutron	DVSTV
Leviton	IP710-LFZ
Lutron	MS-Z101
Lutron	MS-Z101-V
Lutron	NTSTV-DV
Lutron	RMJS-8T-DV-B PJ2-3BRL-GWH-L01
Eaton	SF10P