


ASSEMBLY INSTRUCTIONS
















2 people for assembly


PACKAGE INCLUDE




PACKAGE CONTENT

ϕ5.8X30MM  A 16X+1	ϕ7.8X30MM  B 8X+1	ϕ6X34MM  C 20X+1	ϕ15X9MM  D 20X+1
ϕ4X38MM  E 28X+1	 F 1X	ϕ3.5X12MM  G 2X+1	 H 8X+1
 I 4X	ϕ3.5X12MM  J 24X+1	ϕ3X12MM  K 10X+1	1/4"*22MM  L 4X+1
 1X	 1X		


How to use the cam lock system




1. Screw cam boit into panel




2. Push cam into panel - arrow feature on cam top points to panel edge



3. Aligu cam bolt(s) with cam(s) and insert all the way into cross-bored hole(s)




4. Rotate cam(s) clockwise 190°-230° to lock panels together



5. Panels should be tight against each other and connection should be rigid


Insert the wood dowel (A) at least half way by tapping lightly with a rubber mallet, IF NECESSARY



⚠ WARNING

- Unit must be placed on a level surface or leveled with included hardware (when applicable).
- Do not sit or stand on or allow children to climb, sit or stand on the assembled product.
- For safety reasons,it is imperative that this unit be mounted to the wall.
- Do not use without installing the tip restraint.
- Unit can tip over causing severe injury or death.
- Do not exceed the recommended weight limits.
- Evenly distribute the weight on each level and always keep the heavier loads on the bottom.
- Before cutting, drilling or hammering into any wall or floor surface, verify the location of electrical, plumbing and gas lines.Cutting may cause serious injury.

Now you can assemble the item.



The installation process is divided into three parts:


1.Install the TOP part of the cabinet

2.Install the MIDDLE part of the cabinet

3.Install the BOTTOM part of the cabinet


Tip:
Using an electric screwdriver will make assembly easier.

STEP 1 Assemble The Combi Connecting Screw







NOTICE: For correct installation,
please follow the direction shown on the label.




STEP 2 Assemble The Top Panel And Back Panel













Completed Assembly


STEP 3 Assemble Upper Seat Left ② &Right ③ Side Panels














Completed Assembly


STEP 4 Assemble The Cabinet Top Panel









NOTICE: For correct installation, please follow the direction shown on the label.




Completed Assembly

STEP 5 Separate Slide Rails Before Installing






Female slide rail




Male slide rail

To Remove Drawer, If Needed


- Pull the drawer fully open so levers are visible.
- Push up on left side lever and down on right side lever.
- Holding levers in place, pull drawer toward you.



STEP 6 Assemble The Cabinet Female Slide Rail




Female slide rail




Mounting Holes




Philips
Screwdriver
(Not Included)






STEP 7 Assemble The Cabinet Female Slide Rail




Female slide rail




Mounting Holes

First install the middle hole to avoid up and down displacement.





Female slide rail


First install the middle hole to avoid up and down displacement.




STEP 8 Assemble The Left ⑥ And Right ⑦ Side Panels Of The Cabinet











NOTICE: For correct installation, please follow the direction shown on the label.

STEP 9 Assemble The Cabinet Base










The Part (11) facing front side

STEP 10 Assemble The Cabinet Feet







STEP 11 Assemble The Cabinet Body To The Base








STEP 12 Install The Power Socket







NOTE: Pass the plug through the wire hole.




STEP 13 Assemble The Cabinet Back Panel






Before attaching the back panel be sure that the unit is at 90°.






STEP 14 Assemble The Upper (Small) Drawer







Male slide rail




Mounting Holes








The end and the cam bolt holes facing the same direction

STEP 15 Assemble The Upper (Small) Drawer











1: Assemble drawer sides (14) & (15) to the drawer front panel (13); secure the combi cover.


2: Insert the drawer bottom(17) into the grooves.

STEP 16 Assemble The Upper (Small) Drawer













Stick the PVC round label (H) onto the combi cover.

STEP 17 Assemble Lower Large Drawer













The end and the cam bolt holes facing the same direction


STEP 18 Assemble Lower Large Drawer













1: Assemble drawer sides (19) & (20) to the drawer front panel (18); secure the combi cover(D).

2: Insert the drawer bottom(17) into the grooves.

STEP 19 Assemble Lower Large Drawer








Stick the PVC round
label (H) onto the combi cover.

STEP 20 Drawer Installation Steps



Drawer Installation Steps

Step 1: Pull Out Inner Ball Bearing Slides


1. Locate the inner ball bearing slides on both sides of the drawer (or at the corresponding positions).
2. Grasp the slides and pull out slowly and steadily until they reach the stops (the point where they can no longer be extended).
3. ⚠Note: The slide surfaces may be slightly greasy. Handle with care to avoid slippage or soiling clothing/work surfaces.


Step 2: Align & Attach Drawer to Cabinet Slides

1. Lift the drawer (ensuring its inner ball bearing slides are fully extended to the stops).
2. Align the drawer's inner slides with the corresponding outer slides on the cabinet (or brackets).
3. Following the direction of the arrows (black arrows in the diagram), push the drawer smoothly into the cabinet until it clicks securely into the slides. Ensure movement is smooth and there is no looseness.

Additional Notes

- If resistance is felt while pulling the slides, check for obstructions or misalignment.
- If insertion is difficult, verify that the slides are fully aligned with the stops.
- After installation, gently pull the drawer to confirm smooth sliding and secure locking.







STEP 21 Remove Drawer


To Remove Drawer, If Needed

- Pull the drawer fully open so levers are visible.
- Push up on left side lever and down on right side lever.
- Holding levers in place, pull drawer toward you.





STEP 22 Unit Dimensions



SPECIFICATIONS

ASSEMBLED DIMENSIONS(W x D x H)	7.87" x 15.75 " x21.65" 20 x 40 x 55 cm
MAXIMUM WEIGHT CAPACITY	Top: 5 lb