






Metal Wall Sculpture Assembly Instructions



Metal Wall Sculpture

Parts List


Please check packaging for all parts and hardware before discarding. Unpack and lay parts on clean, padded surface like carpet or a blanket. Check that you have all parts indicated. Call customer service if any hardware is missing. Before beginning assembly, carefully study the diagrams below and sort your hardware according to the pictures. Using the incorrect hardware will cause damage.

<p>1</p> <p>Quantity of 1</p>  <p>Metal Wall Sculpture</p>	<p>A</p> <p>Quantity of 4</p>  <p>Plastic Anchor</p>
<p>B.</p> <p>Quantity of 4</p>  <p>Screw</p> <p>Dia 1/4"x1-1/8"L</p>	
<p>Care and Cleaning Instructions: Before using, wipe with a clean, dry cloth. Avoid rubbing or scratching the surface with rough or abrasive objects.</p>	
<p>Assembly Tool Required No.2 Phillips Screwdriver (Not Included)</p>	

Tool List: Electric Drill, 3/16: bit, Tape Measure, and Pencil.

Metal Wall Sculpture Assembly Instructions

Note: Drilled hole or plastic anchor not required when mounting to stud, use screw only. We do not supply hardware for mounting on concrete walls.



The measurements on the wall must match with the measurements on back of the unit




Figure 1

Find a desired location and mark 2 locations for screws on wall.

Drill two **3/16"** holes.

Insert plastic Anchors **(A)** into the holes on wall. Tap Anchors with Hammer (not included) as needed.

Using the Phillips screwdriver (not included), install Screws **(B)** into the anchors **(A)** and any remaining holes.

Turn the Screws **(B)** until there is a gap of approximately 1/8" between the head of the screw and the wall.





Figure 2

Hang the wall sculpture onto the Screws **(B)** and verify the wall sculpture is resting securely.

Now your Metal Wall Sculpture is ready to use.

If you prefer to hang this product in horizontal configuration, please follow below instructions.

Note: Drilled hole or plastic anchor not required when mounting to stud, use screw only. We do not supply hardware for mounting on concrete walls.



The measurements on the wall must match with the measurements on back of the unit




Figure 3

Find a desired location and mark 2 locations for screws on wall.

Drill two **3/16"** holes.

Insert plastic Anchors **(A)** into the holes on wall. Tap Anchors with Hammer (not included) as needed.

Using the Phillips screwdriver (not included), install Screws **(B)** into the anchors **(A)** and any remaining holes.

Turn the Screws **(B)** until there is a gap of approximately 1/8" between the head of the screw and the wall.




Figure 4

Hang the wall sculpture onto the Screws **(B)** and verify the wall sculpture is resting securely.

Now your Metal Wall Sculpture is ready to use.

Parts Replacement Form

Customer Information

Name

Address

City/State/Zip Code

Phone Number

Please indicate where you purchased this item: Store/Website/Catalog

Please indicate color/size/style number:

Style No

Parts Letter

Parts Description

Quantity Needed
