
Grill Cart with 2doors

User Manual




1. Warning


- DO NOT allow your children to play near it when grill is in use on the cart.

2. Part List

NO.	Parts	Qty.
A	Handle	1
B	Table top	1
C	Middle shelf	1
D	Bottle opener	1
E	Roll holder	1
F	Side shelf	1
G	Back panel	1
H	Side panel	2
J	Bottom shelf	1
KLMN	Leg	4
O	Big wheel	2
P	Wheel support	1
Q1, Q2	Door	2
R	Door pin	2
S	Hanging bolt	4
T	Trash bag holder	1
U	Small wheel	2
V	Bottle tray	1
W	Shelf front support	1
X	Shelf back support	1
Y	Knife Rack	1
Z	Cover	1
Z1	Door stopper	2




3. Hardware


Reference Image	NO.	Hardware	Qty.
	AA	M6X12 Bolt	46
	BB	M4X12 Bolt	2
	CC	M8 Nut	2
	DD	Wrench	1
	EE	M3X12 Bolt	4
	FF	M3 Nut	4
	GG	M4X12 Nut	2
	HH	M6X15 Stepped Bolt	4
	II	Allen Wrench	1

4. Assembly instruction

Step1. Upside down Legs (K,L,M,N), then attach 4 Legs (K,L,M,N) to the Table top (B).**Please make sure the side of the Table top (B) with 4PCS of knife Rack holes connect to Legs (L, N)**. Please note only use 1PC of M6X12 Bolt (AA) to lock each Leg (M,N) and the longer side of Table top (B) as below picture shows. We'll need to lock the Side shelf (F) to the short side of Table top (B) later. Then attach the legs (K,L) to the Table top (B) by using 2PCS of M6X12 Bolts (AA) for each leg.


	**AA**	**X 6**






Step2. Attach the Door stopper (Z1) to the Middle shelf (C) by using 2PCS of M3X12 Bolts (EE) and M3 Nuts (FF). Wrench (DD) be provided.Attach the Middle shelf (C) to Legs (K,L,M,N) by using 2PCS of Bolts (AA) for each leg. Please make sure the Middle shelf (C) with the Door stopper (Z1) side at Legs (L, N) side as below picture shows.


	**AA**	**X 8**
	**EE**	**X 2**
	**FF**	**X 2**
	**DD**	**X 1**






Step3. Attach the Side panel (H) to Legs (K,L,M,N) by using 4PCS of M6X12 Bolts(AA) for each panel.

	**AA**	**X 8**





Step4. Attached the Back panel (G) to Legs (K, M) by using 4PCS of M6X12 Bolts (AA). Please make sure the hole of Back panel (G) is close to Table top (B) side.

	**AA**	**X 4**




Step5. Attach the Bottom shelf (J) to Legs (K,L,M,N) by using 2PCS of Bolts (AA) for each leg. Please make sure the side of Bottom shelf (J) with Door stopper (Z1) at Legs (L, N) side. Attach the Door stopper (Z1) to the Bottom shelf (J) by using 2PCS of M3X12 Bolts (EE) and M3 Nuts (FF).Wrench (DD) be provided.


	AA	X 8
	EE	X 2
	FF	X 2
	DD	X 1



Step6. Insert the Wheel support (P) through Legs (M,N) and fix 2PCS of Big wheels (O) into it by using 2PCS of M8 Nut (CC).Wrench (DD) be provided. Attach the Small wheels (U) to Legs (K,L) as below picture shows.


	CC	X 2
	DD	X 1






Step7.1. Turn over the assembled cart. Insert the Door pin(R) through the door and the upper hole at the back side of Middle shelf (C) as below picture shows.


2. Put the Door pin(R) through the Door (Q2) and the hole at the bottom shelf (J). Install the other Door (Q1) in the same way.Please make sure to install the Door (Q1) at left side of the cart.






Step8. Attach the Bottle opener (D) to Leg (N) by using 2PCS of Bolts (AA).Attach the Knife rack (Y) to the Table top (B) by using 2PCS of M4X12 Bolts (BB) and M4 Nuts (GG). You have to choose which side do you prefer- the left side or the right side of the Table top (B).

	**AA**	**X 2**
	**BB**	**X 2**
	**GG**	**X 2**





Step9. Attach the Side shelf supports (W,X) to the assembled cart by using 2PCS of Bolts (AA) for each support. Please make sure the Side shelf support(W) installed at the front side and the upper bolt have to go through the Side shelf support(W),Table top (B) and Leg (N).

	**AA**	**X 4**




Step10. Attach the Side shelf (F) to the Side shelf support(W) by using 2PCS of M6X15 Stepped bolts (HH) for each side. Please note the upper bolt is locked on the support directly and the lower bolt need to go through the Side shelf(F) and support.


	**HH**	**X 4**



Step11. Attach the Hanging bolts (S) to the Side shelf (F) by hand.




Step12. Insert the Trash bag holder (T) to the holds as below picture shows.




Step13. Attach the Handle (A) to Legs (K,L) by using 2PCS of Bolts (AA) for each side. Then attach the Roll holder (E) to the Leg (K) by using 2PCS of Bolts (AA).

	**AA**	**X 6**



Step14. Hang the Bottle tray (V) to the Knife rack(Y), or hang it to the back side of door.
(Tighten all of bolts,make sure all of bolts be fixed security)



Now your grill cart is ready for use!

To extend the life of your cart, clean it after each use and protect it with Cover (Z).