

ASSEMBLY INSTRUCTIONS

Bed 90 × 190


ITEM NUMBER:

N652P454798

N652P454799

N652P454800


N652P454801



This set comes in 4 boxes. If you do not receive a full 4 boxes, please contact our customer service.



1



INSTRUCTIONS



IMPORTANT-READ CAREFULLY-RETAIN FOR FUTURE REFERENCE

- a) **WARNING** -Children can become trapped between the bed and the wall, the adjoining pieces of furniture (e.g. cupboards) and the like. To avoid risk of serious injury the distance between the safety barrier and the adjoining structure shall not exceed 90 mm or shall be more than 230 mm.
- b) **WARNING**-Do not use the bed if any structural part is broken or missing; Replacement parts are between requested from the manufacturer or the store.
- c) **WARNING**-Do not climb or wiggle on any non-designated structures.
- d) it is imperative to always follow the installation instructions and manufacturer's use.
- e) The recommended size of the mattress to be used with the bed is 190cmx90cm.
- f) It is necessary to ventilate the room in order to maintain a low level moisture and prevent mold growth in the bed and its periphery.
- g) Joining devices should always be tightened properly and regularly verified. Tighten if necessary.



English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY


- To be assembled by an adult. Assembly must be checked by an adult before use
- **WARNING !** Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed



ASSEMBLY INSTRUCTIONS




version1

















version2














ASSEMBLY INSTRUCTIONS



ASSEMBLY INSTRUCTIONS























N652P454798










2		1PC
3		1PC
16		1PC
17		3PCS
19		1PC
29		3PCS
37		1PC
38		1PC
45		1PC
46		2PCS
47		2PCS
48		1PC
51		1PC
55		1PC
61		1PC
62		1PC
F	300 	4PCS

ASSEMBLY INSTRUCTIONS					
N652P454799					
15		3PCS	36		1PC
25		2PCS	39		1PC
26		2PCS	40		1PC
27		2PCS	41		1PC
32		2PCS	42		1PC
33		2PCS	43		1PC
34		2PCS	44		1PC
Hardware box		1PC	49		1PC
46		2PCS	50		1PC
			59		1PC

ASSEMBLY INSTRUCTIONS









N652P454799 — Hardware box

A	4x20		4PCS	O			9PCS
B			4PCS	P			1PC
C	8x50		6PCS	Q			3PCS
D	8x30		50PCS	R			3PCS
E	5x40		16PCS	S			6PCS
G	M3		1PC	T			2PCS
H			1PC	U	6x20		2PCS
I			3PCS	V	8x20		2PCS
J	3x14		151PCS	W			1PC
K			184PCS	X			1PC
L			184PCS	Y			1PC
M	M4		2PCS	Z		 	1PC
N	4×25		23PCS	A1			3PCS

ASSEMBLY INSTRUCTIONS					
N652P454800					
4		1PC	24		1PC
5		1PC	28		2PCS
6		1PC	35		2PCS
7		1PC	52		1PC
13		2PCS	53		1PC
14		1PC	54		1PC
20		1PC	56		1PC
23		1PC	57		1PC
			58		1PC







ASSEMBLY INSTRUCTIONS


N652P454801

1		3PCS	21		1PC
8		1PC	22		2PCS
9		1PC	30		1PC
10		1PC	31		1PC
11		2PCS			
12		1PC			
18		2PCS			

ASSEMBLY INSTRUCTIONS


1




K		46PCS
H		1PC

ASSEMBLY INSTRUCTIONS



2



K		26PCS
H		1PC

ASSEMBLY INSTRUCTIONS



3



L		12PCS
H		1PC

ASSEMBLY INSTRUCTIONS



4



C	8x50		4PCS	L		12PCS
D	8x30		8PCS	H		1PC

ASSEMBLY INSTRUCTIONS




5



L		12PCS
D	8x30 	8PCS
H		1PC

ASSEMBLY INSTRUCTIONS

6





J	3x14		12PCS
---	------	---	-------



R			3PCS	D	8x30		3PCS
H			1PC	L			14PCS

ASSEMBLY INSTRUCTIONS



7




D	8x30		8PCS			
L			22PCS	H		1PC

ASSEMBLY INSTRUCTIONS

8






J	3x14		16PCS
---	------	---	-------

O		4PCS	H		1PC
---	---	------	---	--	-----

ASSEMBLY INSTRUCTIONS

9




Pull out the inner rail (drawer rail) from the outer rail (the slider casing) that is attached to the cabinet.




J	3x14		16PCS			
F	300		4PCS	H		1PC

ASSEMBLY INSTRUCTIONS






10



D	8x30		2PCS	K		6PCS
L			4PCS	E	5x40 	4PCS
H			1PC	G	M3 	1PC

ASSEMBLY INSTRUCTIONS




11




N	4x25		A	4x20		1PC
J	3x14		B			1PC
L			I			1PC
F	300		H			1PC

ASSEMBLY INSTRUCTIONS






12



D	8x30		2PCS	K		6PCS
L			4PCS	E	5x40 	4PCS
H			1PC	G	M3 	1PC

ASSEMBLY INSTRUCTIONS




13




N	4x25		A	4x20		1PC
J	3x14		B			1PC
L			I			1PC
F	300		H			1PC

ASSEMBLY INSTRUCTIONS






14



D	8x30		2PCS	K		6PCS
L			4PCS	E	5x40 	4PCS
H			1PC	G	M3 	1PC

ASSEMBLY INSTRUCTIONS




15



N	4x25		A	4x20		1PC
J	3x14		B			1PC
L			I			1PC
F	300		H			1PC

ASSEMBLY INSTRUCTIONS





16



D	8x30		2PCS	K		6PCS
L			4PCS	E	5x40	4PCS
H			1PC	G	M3	1PC

ASSEMBLY INSTRUCTIONS


17



J	3x14		4PCS	A	4x20		1PC
L			2PCS	B			1PC
F	300		1PC	H			1PC



ASSEMBLY INSTRUCTIONS

18



ASSEMBLY INSTRUCTIONS




19





N	4x25		19PCS	H		1PC
---	------	---	-------	---	--	-----

ASSEMBLY INSTRUCTIONS


20



J	3x14		12PCS	S		4PCS
H			1PC	T		2PCS

ASSEMBLY INSTRUCTIONS

21





~~N 4x25~~ 


J	3x14		12PCS
H			1PC

ASSEMBLY INSTRUCTIONS

22



T2




S4


J	3x14		12PCS
H			1PC

ASSEMBLY INSTRUCTIONS


23




54




56




61





62



J	3x14		2PCS	Z		1PC
K			20PCS	H		1PC

ASSEMBLY INSTRUCTIONS





24




L		20PCS
H		1PC

ASSEMBLY INSTRUCTIONS



25





J	3x14		2PCS
W			1PC

ASSEMBLY INSTRUCTIONS

26




EN:Scan to download
App control the Led light.
DE:Scannen, um die App
zum Steuern des LED
-Lichts herunterzuladen
FR:Scanner pour
télécharger App contrôler
la lumière Led.




J	3x14		3PCS	K		4PCS
P			1PC	L		4PCS
Q			3PCS	H		1PC

ASSEMBLY INSTRUCTIONS

27











N 4x25 


J	3x14		10PCS	S		2PCS
H			1PC	Z		1PC

ASSEMBLY INSTRUCTIONS

28





S2




J	3x14		4PCS
H			1PC

ASSEMBLY INSTRUCTIONS






29




J	3x14		8PCS	X		1PC
H			1PC	Y		1PC

ASSEMBLY INSTRUCTIONS







30




K		40PCS
H		1PC

ASSEMBLY INSTRUCTIONS



31



K		24PCS
H		1PC

ASSEMBLY INSTRUCTIONS






32



C	8x50		2PCS	L		10PCS
D	8x30		4PCS	H		1PC

ASSEMBLY INSTRUCTIONS



33



L		24PCS
H		1PC

ASSEMBLY INSTRUCTIONS

34





D	8x30		4PCS
---	------	--	------

L		8PCS
H		1PC

ASSEMBLY INSTRUCTIONS

35




L		22PCS
H		1PC

D	8x30		7PCS
---	------	---	------

ASSEMBLY INSTRUCTIONS

36 version1




N	4x25	
---	------	---

O		4PCS
H		1PC

J	3x14		16PCS
---	------	---	-------

ASSEMBLY INSTRUCTIONS


37 version1



O		1PC	J	3x14		4PCS
U	6x20	2PCS	N	4x25		4PCS
V	8x20	2PCS	A1			3PCS
M		2PCS	H			1PC


ASSEMBLY INSTRUCTIONS

36 version2




N	4x25	
---	------	---

J	3x14		16PCS
---	------	---	-------

O		4PCS
H		1PC

ASSEMBLY INSTRUCTIONS

37 version2



O		1PC	J	3x14		4PCS
U	6x20 	2PCS	N	4x25		4PCS
V	8x20 	2PCS	A1			3PCS
M		2PCS	H			1PC

Led Bluetooth Mini Controller Manual



1

Download App Software

Please download "LotusLamp X" in the app store or scan the QR code below to download.



1. Download the "LotusLamp X" app with your phone by scanning the QR code on the user manual or searching for the Lotus Lamp app in the iPhone App Store or Google Play Store
2. After the APP are downloaded successfully, you need to turn on Bluetooth function on your phone firstly, then plug in the strip light, then open the APP, your APP will pair with the strip light automatically and you can control it.

Unable to Connect Troubleshooting

- (1) Check if the power supply of the light strip is normal.
- (2) Check if the Bluetooth is turn on.
- (3) Check if there are other mobile phone are connected, Bluetooth 4.0 only support connections one to many, dose not support many to many.
- (4) Check APP Bluetooth setting if the phone is connected to the device, if connect, exit the APP and reopen, the APP will go to connect automatically.
- (5) Normal operations and can not connect, please exit the APP and reopen.
- (6) Exit APP, restart mobile phone, power on the strip light, reopen the APP, then them will connect automatically.

2


Instructions

Scan the code or search to get the following APP, open the APP 

Controller software




1. Open the control software to get the following interface



3

Clicking on the connected device will appear as shown in the dashboard image on the right.

Tap Connected devices



Displays the connection status



Pull the ring to switch colors

Color selection

Color addition

Brightness adjustment

Power on and off

Timing function

Scene selection

Static color

Vibration function

Mode selection

2. Use the color palette function when connecting devices.



(1). Drag the ring to switch colors

(2). Click on the RGB value to adjust the color

(3). Tap Color to toggle

(4). Click Pattern + and press (1) to perform color DIY
(Long press DIY color to redo color DIY)

(5). Drag the white point to adjust the brightness

3. Use the rhythm function when connecting the device.



(1) Device MIC: Sound rhythm is received through the device

(Four rhythm modes can be selected under the receiving sound rhythm through the device)

(2) Phone MIC: Receive sound rhythm via your phone

(3) Music: By selecting a music groove

(4) Sensitivity: Drag the white point to adjust the receive responsiveness

4. Use the mode function when connecting the device.



Swipe / tap the screen to switch static colors or jump changes and other functions

Slide the white dot to adjust the flashing speed in the changing state


Slide the white dot to adjust the brightness

5. Use scene features when connecting devices.



The scene function intelligently adjusts the flickering effect according to the system.

6. Use the timing function when connecting the device.



Turn on the lights regularly

Set the auto-start time and date by clicking to select

Turn off the lights regularly

Set the automatic lights off time and date by clicking to select

The timing function can be used together in other modes.



NOWD Testing Services Co., Ltd.

TEL: +86-755-2783 0065 **FAX:** +86-755-2783 0095

ADD: 5A, Building 29B, Yintian Industrial Zone, Yantian Community,
Xixiang Street, Bao'an District, Shenzhen, China

Email: nowd@nowd.com.cn

Web: http://www.nowd.com.cn

Verification of Compliance

Reference : NTS2511016

Report No. : NTS2511016E, NTS2511017E, NTS2511018E, NTS2511019E

Applicant : QingDao ChengKong Electrical-Auto Co., Ltd

No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong

Manufacture : QingDao ChengKong Electrical-Auto Co., Ltd

No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong

Product : LED STRIPT LIGHT

Trade Mark : ROOZMAUSY

Model No. : L-50-30D

Serial Model : L-50-60D, L-50-18D, L-50-120D, L-3528-30D, L-3535-30D

The submitted sample of the above equipment has been tested for CE marking according to the following European Directives:

Radio Equipment Directive: 2014/53/EU

Standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Test Standards

ETSI EN 301 489-1 V2.2.3 (2019-11)

ETSI EN 301 489-17 V3.2.4 (2020-09)

EN IEC 55015:2019+A11:2020

EN IEC 61547-2023

EN IEC 61000-3-2:2019+A1:2021+A2:2025

EN 61000-3-3:2013+A1:2019+A2:2021

EN 62479:2010

ETSI EN 300 328 V2.2.2 (2019-07)

EN IEC 60598-2-1:2021

used in conjunction with

EN IEC 60598-1:2024/A11:2024

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production.

The manufacture should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.



Signed for and on behalf of
NOWD Testing Services Co., Ltd.

Somnus

Technical Manager

Date: November 8, 2025



NOWD Testing Services Co., Ltd.

TEL: +86-755-2783 0065 **FAX:** +86-755-2783 0095

ADD: 5A, Building 29B, Yintian Industrial Zone, Yantian Community,
Xixiang Street, Bao'an District, Shenzhen, China

Email: nowd@nowd.com.cn

Web: http://www.nowd.com.cn

Verification of Compliance

Reference : NTS2511017

Report No. : NTS2511017E

Applicant : QingDao ChengKong Electrical-Auto Co., Ltd

No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong

Manufacture : QingDao ChengKong Electrical-Auto Co., Ltd

No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong

Product : LED STRIPT LIGHT

Trade Mark : ROOZMAUSY

Model No. : L-50-30D

Serial Model : L-50-60D, L-50-18D, L-50-120D, L-3528-30D, L-3535-30D

The submitted sample of the above equipment has been tested for CE marking according to the following European Directives:

The EMC Directive 2014/30/EU has been taken as references for these processes.

Standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Test Standards

ETSI EN 301 489-1 V2.2.3 (2019-11)

EN 62479:2010

ETSI EN 301 489-17 V3.2.4 (2020-09)

ETSI EN 300 328 V2.2.2 (2019-07)

EN IEC 55015:2019+A11:2020

EN IEC 60598-2-1-2021

EN IEC 61547-2023

used in conjunction with

EN IEC 61000-3-2:2019+A1:2021+A2:2025

EN IEC 60598-1:2024/A11:2024

EN 61000-3-3:2013+A1:2019+A2:2021

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production.

The manufacture should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.



Signed for and on behalf of
NOWD Testing Services Co., Ltd.

Somnus

Technical Manager

Date: November 8, 2025



NOWD Testing Services Co., Ltd.

TEL: +86-755-2783 0065 **FAX:** +86-755-2783 0095

ADD: 5A, Building 29B, Yintian Industrial Zone, Yantian Community,
Xixiang Street, Bao'an District, Shenzhen, China

Email: nowd@nowd.com.cn

Web: http://www.nowd.com.cn

Verification of Compliance

Reference : NTS2511019

Report No. : NTS2511019E

Applicant : QingDao ChengKong Electrical-Auto Co., Ltd

No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao,Shandong

Manufacture : QingDao ChengKong Electrical-Auto Co., Ltd

No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao,Shandong

Product : LED STRIPT LIGHT

Trade Mark : ROOZMAUSY

Model No. : L-50-30D

Serial Model L-50-60D, L-50-18D, L-50-120D, L-3528-30D, L-3535-30D

The submitted sample of the above equipment has been tested for CE marking according to the following European Directives:

The Low Voltage Directive 2014/35/EU has been taken as references for these processes
Standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Test Standards

ETSI EN 301 489-1 V2.2.3 (2019-11)

ETSI EN 301 489-17 V3.2.4 (2020-09)

EN IEC 55015:2019+A11:2020

EN IEC 61547-2023

EN IEC 61000-3-2:2019+A1:2021+A2:2025

EN 61000-3-3:2013+A1:2019+A2:2021

EN 62479:2010

ETSI EN 300 328 V2.2.2 (2019-07)

EN IEC 60598-2-1:2021

used in conjunction with

EN IEC 60598-1:2024/A11:2024

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production.

The manufacture should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.



Signed for and on behalf of
NOWD Testing Services Co., Ltd.

Somnus

Technical Manager

Date: November 8, 2025



NOWD Testing Services Co., Ltd.

TEL: +86-755-2783 0065 **FAX:** +86-755-2783 0095

ADD: 5A, Building 29B, Yintian Industrial Zone, Yantian Community,
Xixiang Street, Bao'an District, Shenzhen, China

Email: nowd@nowd.com.cn

Web: http://www.nowd.com.cn

Verification of Compliance

Reference No. : NTS2511070

Report No. : NTS2511070R

Applicant : QingDao ChengKong Electrical-Auto Co., Ltd

No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong

Manufacturer : QingDao ChengKong Electrical-Auto Co., Ltd

No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong

Product : LED STRIPT LIGHT

Model No. : L-50-30D, L-50-60D, L-50-18D, L-50-120D, L-3528-30D, L-3535-30D

Trade Mark : N/A

The submitted sample of the above equipment has been tested for CE marking according to the following European Directives:

RoHS Directive: 2011/65/EU & 2015/863/EU

Standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Test Standards IEC 62321-1: 2013;

IEC 62321-6: 2015;

IEC 62321-3-1: 2013;

IEC 62321-7-1: 2015;

IEC 62321-4: 2013+A1: 2017;

IEC 62321-7-2: 2017;

IEC 62321-5: 2013;

IEC 62321-8: 2017

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production.

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.

RoHS



Signed for and on behalf of
NOWD Testing Services Co., Ltd.

Somnus

Technical Manager

Date: Nov. 08, 2025



This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The Low Voltage Directive 2014/35/EU has been taken as references for these processes.

Certificate's Holder : QingDao ChengKong Electrical-Auto Co., Ltd.
Address : Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong, China
Manufacturer : QingDao ChengKong Electrical-Auto Co., Ltd.
Address : Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong, China
Product Name : Furniture Power Distribution Unit
Product Model (S) : JN02-00-22, JN02-00-22Y, JN02-00-02, JN02-00-21, JN02-00-23, JN02-00-03, JN02-00-04
Trade Mark : Roozmausy
Related Directive : 2014/35/EU
Related Standards : EN IEC 62368-1:2020 + A11:2020
Certificate Number : HK2405271322S
Report No. : HK2405271322-SR
Registration Date : Jun. 04, 2024



Certification Manager



The information of the certificate can be checked through www.cer-mark.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAKE.



Shenzhen HUAKE Testing Technology Co., Ltd.

Add.: 1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel.: +86-755-2302 9901 Http:// www.cer-mark.com Postcode: 518103 E-mail: service@cer-mark.com



This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The EMC Directive 2014/30/EU has been taken as references for these processes.

Certificate's Holder : QingDao ChengKong Electrical-Auto Co., Ltd.

Address : Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong, China

Manufacturer : QingDao ChengKong Electrical-Auto Co., Ltd.

Address : Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong, China

Product Name : Furniture Power Distribution Unit

Product Model (S) : JN02-00-22, JN02-00-22Y, JN02-00-02, JN02-00-21, JN02-00-23, JN02-00-03, JN02-00-04

Trade Mark : Roozmausy

Related Directive : 2014/30/EU

Related Standards : EN 55032:2015 + A1:2020 + A11:2020
EN IEC 61000-3-2:2019 + A1:2021
EN 61000-3-3:2013 + A1:2019 + A2:2021
EN 55035:2017 + A11:2020

Certificate Number : HK2405272729E

Report No. : HK2405272729-1ER

Registration Date : Jun. 04, 2024



Certification Manager



The information of the certificate can be checked through www.cer-mark.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAKE.



Shenzhen HUAKE Testing Technology Co., Ltd.

Add.: 1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel.: +86-755-2302 9901 Http:// www.cer-mark.com Postcode: 518103 E-mail: service@cer-mark.com

Certificate NO.: LBTC230314130R

Certificate of Compliance

EU- Restriction of the use of certain hazardous substances(RoHS)-

Report No. : LBTC230314130R

Applicant : QingDao ChengKong Electrical-Auto Co., Ltd

Address : Zhuhai Community, Huangdao District, Qingdao ,
Shandong ,China

Manufacturer : QingDao ChengKong Electrical-Auto Co., Ltd

Address : Zhuhai Community, Huangdao District, Qingdao ,
Shandong ,China

Product : Power Adapter

Model Model : JN02-00-22 JN02-00-22Y JN02-00-02 JN02-00-21 JN02-00-23 JN02-00-03

Trade Mark : N/A

Test Standards EC 62321-3-1-2013

EC 62321-5-1-2013

EC 62321-4-2013+AMD1:2017

EC 62321-7-1:2015


EC 62321-7-2:2017

EC 62321-6:2015

The test results based on the above specified products comply with the EU RoHS 2 Directive 2011/65 / EU Appendix II Amendment Directive(EU)2015/863 as last amended by Directive (EU)2017/2102 limit requirements.

The test results apply only to the particular sample tested and to the specific tests carried out. Specifically to the sample investigated in our test reference number only.

Other relevant Directives have to be observed.



Date of Issue: Mar.14.2013

This statement is based on a single evaluation of the sample(s) of above mentioned product. It does not imply an assessment of the whole production.

Shenzhen Labtest Technology Laboratory Ltd.

901-12, Block 1, No.9 Jinxiu Middle Road, Laokeng Community, Longtian
Street, Pingshan District, Shenzhen, Guangdong, China. <http://www.clabtest.com>