



Owner Manual



Per Seat Weight Limitation

150 LBS

NOTE:

This brochure contains
IMPORTANT safety info.
Please read and keep it
for future reference.

MAINTENANCE AND WARNING



Before You Start

Please follow the steps below:

-  Check the packaging for any damage, deformation, or water stains. If there is significant damage, please contact us promptly.
-  Open the packaging and confirm that the panels, hardware, screws, etc are complete.
-  Please read the installation instructions carefully to understand the installation steps and precautions to ensure proper installation.
-  Clean the installation area in advance and ensure the ground is level and there is enough space to avoid damaging the furniture or making installation difficult.
-  Lay a protective mat on the ground to prevent scratching the floor during installation.

After-Sales Service

- If you encounter any issues or need technical support during use, please contact our after-sales team. We offer long-term maintenance and warranty services.



Precautions

-  This product for indoor use only. Do not expose it to outdoor elements or high-humidity environments.
-  Keep the product away from high heat or open flames to prevent fire hazards.
-  Do not allow children to climb on the product to prevent personal injury caused by tipping



Safety Warnings


-  If you notice any loose or damaged parts, stop using the product immediately and contact customer service.
-  Do not attempt to disassemble or replace any components yourself, as this may affect the stability and safety of the product.

Daily Maintenance

- Regularly clean the surface of the sofa with a soft cloth to prevent dust accumulation.

Do not use cleaning agents containing acids, alkalis, or corrosive substances, as they may damage the surface. It is recommended to use neutral cleaning agents or specialized furniture cleaners
- Avoid exposing furniture to humid environments for extended periods to prevent swelling or deformation of the boards. Use a dehumidifier or desiccant during humid weather.
- Avoid direct contact of furniture with water. If water is accidentally spilled, wipe it dry immediately.
- Avoid placing excessively heavy objects on the furniture: ensure the weight is within a reasonable load-bearing range.
- Avoid using sharp or rough items on the furniture surface to prevent scratches, Handle items gently when moving them


Explosive view



Two Persons


Parts list

A




x1

B




x1

C




x1

D




x1

E




x2

F




x1

G



x4

H



x2




Installation:
55minutes.



Two Persons


Parts list

I




x2

J




x2

K




x1

L




x1

Q




x1

R




x1

M













x1

N









x4

Hardware List


1  x10+1 Ø6*35mm	2  x10+1 Ø15*11mm	3  x10+1 M7*50mm
4  x20+2 Ø8*30mm	5  x96+1 M3.5*14mm	6  x1 M4
7  x1	8  x4 Ø35mm	9  x4 Ø35mm
10  x10+1 Ø20mm	11  x32+1	12  x24+1




Hardware List

13  x4	14  x4+1 M4*35mm	15  x4
16  x2	17  x4 Ø8*30mm	18  x8+1 M6*40mm
19  x8+1 M6*Ø12*1.5mm	20  x8+1 M6*Ø16*1mm	

Step 1


1.Prepare for part A. Align the holes in part A, insert wooden dowel #4 by hand, tighten with screwdriver #7 tighten #1.






4	x10	1	x10	7	x1
					
Ø8*30mm		Ø6*35mm			

Step 2



1. picture shows. Use bolt #5 to attach rebound device #13 to top panel A, tighten bolts with screwdriver #7.



5	x8	13	x4	7	x1
					
M3.5*14mm					

Step 3


Connect the part A with part C&D&E&F. align the hole in the part C&D&E&F, insert the bolt #1 and wooden dowel #4 in part A into part C&D&E&F. insert cam bolt #2 into the corresponding hole of side panel C&D&E&F, and tighten the nuts #2 with a screwdriver #7. After installation, cover the screw holes with #10. Make sure the groove is in same side as picture show.



10	x10	2	x10	7	x1
Ø20mm		Ø15*11mm			


Step 4



Slide in the part J,I into the groove in part D,E and E,F and F,E,and C,E .
make sure they are also in groove in part A.



Step 5

Insert the wooden dowel #4 into the part C&D&E&F as the picture show. Connect the part B the pre-assembled unit in step 4. Then align the holes in part B, Insert screw #3 and push it down so that it connects to parts C&D&E&F. Next, and tighten the screw #3 with an Allen key #6.




4	x10	3	x10	6	x1
					
Ø8*30mm		M7*50mm		M4	



Step 6

1. Install leg N on of part B , ensure the corresponding holes are aligned and fix with screw #18&19&20, then tighten the screw with an Allen key #6.

Attention:


Before the next step, adjust the feet of the locker to keep it level.



18	x8	19	x8	20	x8	6	x1
							
M6*40mm		M6*Ø12*1.5mm		M6*Ø12*1.5mm		M4	

Step 8


1.install leg M on of part B , ensure the corresponding holes are aligned and fix with screw #21, then tighten the screw with an Allen key #6.



Step 9








Attention:
Before the next step, adjust the feet of
the locker to keep it level.



Step 10


1. Use screw #5 to attach part #11 to top panel (A), tighten screw #5 with screwdriver #7.








5	x32	11	x32	7	x1
					
M3.5*14mm					

Step 11



1. Use screw #5 to attach the hinges #8 and #9 to door panel(L&R&K&G), tighten screws #5 with screwdriver #7. Use bolt #5 to attach rebound device #13 to door panel, tighten bolts with screwdriver #7.






5	x20	8	x4	9	x4	13	x4	7	x1
									
M3.5*14mm		Ø35mm		Ø35mm					

Step 12


1. Use screw #5 to attach left door (K) and right door (R) to pre-assemble unit at step 10, tighten screw #5 with screwdriver #7



5	x16	8	x4	7	x1
					
M3.5*14mm		Ø35mm			


Step 13

1. Use screw #5 to attach middle door (L&Q) to pre-assemble unit at step13 ,tighten screw #5 with screwdriver #7.




Door Hinge Adjustment Instructions


Concealed hinges are three-way adjustable:




Horizontal
by screw adjustment!




Concealed hinges are three-way adjustable:




In-and-out
by loosening the hinge arm
mounting screw or via cam
adjustment!



Concealed hinges are three-way adjustable:




Vertical via slots in
the mounting plate
or via cam adjustment!





Step 14




1. Insert shelf pin #12 into pre-assemble unit at step 14 .attach adjustable shelf G&H to pin #12.



Step 15

1. Use screw #5 to attach part #15 to top panel (A), tighten screw #5 with screwdriver #7.




5	x4	15	x2	7	x1
  					
M3.5*14mm					

Step 16



1. Install the anti-collapse device.

2. Mark the position on the wall, that corresponds to the location of part #15 on the top panel (A); Drill and insert the expandable screw #17 by hammer.

3. Assemble the part #15 to the wall. Align the hole in the part #15 with the expandable screw #17, use screw #14 to attach it and tighten by screwdriver #7.




NOT PROVIDED



15	x2	14	x4	17	x4	7	x1
		M4*35mm		Ø8*30mm			

Step 17

Let the plastic belt #16 pass through the both part #15 and pull tightly.



16	x2

WARRANTY

- We strive to offer quality products, and we also try our best to satisfy every customer who orders from us with products or services as needed.
- We provide 30 days warranty starting from the time you receive the item. Each customer must provide a record of their orders such as the order number, or item receipt for any items that are out of the warranty period you may also still receive.
- Replacement parts by purchasing them from our company if they are available.
- For return, please check the return policy with the retailer or market place you bought from