



Product Installation Instructions







Ax1




A₂x1




Bx1




B₂x1




Cx1




Dx1



Ex1




Fx1




Gx1




Hx1




H₂x1




Ix4




Jx2




Kx2













Lx1




L₂x1










1

1		45pcs	2		45pcs
Two in one screw(6x28mm)			Two in one nut(10x12mm)		
3		18pcs	 5pcs  5pcs		
Wood chipping(6x30mm)					
5	 2pcs	 5pcs	6		5pcs
Handle & screw(4x16mm)			Iron bar		
			1pcs		
AC/DC Adapter (12V==3A)					
 1pcs					
Double-head screwdriver, use as required					
					2

Product structure decomposition




①		25pcs	③		16pcs
②		25pcs	④		4pcs
					4pcs




Use parts ① and ②



Step1




Step2



Step3







Use a screwdriver to lock in the direction of the "+" sign





Disassemble along the direction of "-" sign

Step 1




5


Step 2



Step 3



Step 4




2



x3

Step 5



2



x2


7

Step 6

2




x2




Step 7

1



x2




Step 8

2



x2




Step 9

2





x4





9


Step 10





Step 11




Step 12



Step 13





Cabinet assembly completed




12


Step 14





Step 15





Step 16




Step 17





Step 18



Step 19





Step 20




Kx1

Step 21




Step 22

Push the drawer into the second floor of the nightstand



Step 23

Push the drawer into the bottom of the nightstand




Step 24


6



x4




Step 25



x1

The bedside table supports wireless charging ,
It can be charged by placing a mobile phone
that supports wireless charging





User's Guide

Thank you for purchasing this product.

To use this product, please plug it into a 12VDC power supply.

Please use it if the product works normally after connecting to power.

Introduction

The box is an intelligent controller which integrates the charging function and the lighting control function, coming with 1 USB port and 1 type-C port, 2 touch buttons, a 24-color lighting control button, and a wireless charger.

Operation



This touch button is used to turn on/off lights and adjust brightness.

A. Long touch -> adjust the luminance.




This touch button is used to turn on/off the induction function.

- A. Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller within 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.
- B. Long touch to turn off the induction function.
- C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.



This touch button is used to change 24 colors light. You can rotate the ring to choose colors, or click the ring to choose colors. Click in the middle of the ring, and reset to the white light.



This range is a wireless charging area, and only mobile phones with wireless charging function can be charged.



ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If bubbles appear on the panel, remove the protective film.
3. If you have any questions when installing, please feel free to contact us. Thank you.