





Attention:


Two people are required for assembly and lifting unit.

ASSEMBLY INSTRUCTION




ASSEMBLY PART

1.




LEFT SIDE (1PC)

2.




RIGHT SIDE (1PC)

3.




BACK REST 22.6 inch (4PCS)

4.




SEAT CUSHION (4PCS)

5.




BACK PILLOWS INSIDE
FILLING (4PCS)

6.




PILLOW CASE COVERS
(4PCS)

7.




CHAISE BASE (L) (1PC)

8.




LEG (8PCS)

9.



CENTER LEG (4PCS)


10.



CHAISE BASE (R) (1PC)


ASSEMBLY PART

11.




BACK REST 29.5 inch (1PC)

12.




BACK REST 23.6inch (1PC)

13.




BACK PILLOW
LEFT (1PC)

14.




BACK PILLOW
RIGHT (1PC)

15.




SEAT CUSHION
(CENTER) (1PC)

16.




PILLOW CASE COVERS
LEFT (1PC)

17.



PILLOW CASE COVERS
RIGHT (1PC)


HARDWARE LIST



A

12PCS


5/16 x 80mm



B

28PCS


Spring Washer 5/16



C

28PCS

Flat Washer 5/16 x 22mm



D

20PCS


Hex Nut 5/16 x 12mm



E

1PC


T Spanner



F

8PCS

Plastic Washer



G

1PC


Allen Key M4



H

1PC

Allen Key M5



I


8PCS

Spring Washer 1/4

1 : 1





HARDWARE LIST



J

8PCS


Flat Washer 1/4 x 16mm



K

8PCS

JCBB Bolt 5/16 X 80mm



L

8PCS

JCBC Bolt 1/4 X 40mm

1 : 1



M


2PCS

Connector

ASSEMBLY INSTRUCTION

STEP 1.


Open the cover cloth located behind the Left Side (1) and remove all parts and hardware.



ASSEMBLY INSTRUCTION

STEP 2.


Open the cover cloth located behind the Right Side (2) and remove all parts and hardware.



ASSEMBLY INSTRUCTION

STEP 3.


Open the cover cloth located behind the Chaise Base (R) (10) and remove all parts.



ASSEMBLY INSTRUCTION

STEP 4.


Attach 5/16 x 80mm (A) (12pcs) to Back Rest (3) (4pcs), Back Rest (11) (1pc) and Back Rest (12) (1pc).





ASSEMBLY INSTRUCTION

STEP 5.

Attach the Back Rest (3) to Left Side (1), Back Rest (3), Back Rest (11) and Back Rest (12) to Chaise Base (L) (7). Use Spring Washer 5/16 (B) (8pcs), Flat Washer 5/16 x 22mm (C) (8pcs), Hex Nut 5/16 x 12mm (D) (8pcs) and T Spanner (E) to fix.




B-Spring Washer 5/16	
	8PCS
C-Flat Washer 5/16 x 22mm	
	8PCS
D-Hex Nut 5/16 x 12mm	
	8PCS

E-T Spanner	
	1PC

ASSEMBLY INSTRUCTION

STEP 6.

Attach Left Side (1) to Chaise Base (L) (7). Use JCBB Bolt 5/16 x 80mm (K) (4pcs), Spring Washer 5/16 (B) (8pcs), Flat Washer 5/16 x 22mm (C) (8pcs), Hex Nut 5/16 x 12mm (D) (4pcs), T Spanner (E) and Allen Key M5 (H) to fix.




ASSEMBLY INSTRUCTION

STEP 7.

Closed a cover cloth. Attach Center Legs (9) (2pcs) to the center of the unit.


Legs are to be attached using JCBC Bolt 1/4 x 40mm (L) (4pcs), Spring Washer 1/4 (I) (4pcs), Flat Washer 1/4 x 16mm (J) (4pcs) and Allen Key (G) to fix. Attach Legs (8) (4pcs) and Plastic Washer (F)(4pcs) to the four corners of the unit.



ASSEMBLY INSTRUCTION

STEP 8.


Attach the Back Rest (3) to Right Side (2) and Back Rest (3) to Chaise Base (R) (10). Use 5/ 16 x 80mm (A) (4pcs), Spring Washer 5/16 (B) (4pcs), Flat Washer 5/16 x 22mm (C) (4pcs), Hex Nut 5/16 x 12mm (D) (4pcs) and T Spanner (E) to fix.



ASSEMBLY INSTRUCTION

STEP 9.

Attach Right Side (2) to Chaise Base (R) (10). Use JCBB Bolt 5/16 x 80mm (K) (4pcs), Spring Washer 5/16 (B) (4pcs), Flat Washer 5/16 x 22mm (C) (4pcs), Hex Nut 5/16 x 12mm(D) (4pcs), T Spanner (E) and Allen Key M5 (H) to fix.






ASSEMBLY INSTRUCTION

STEP 10.

Closed a cover cloth. Attach Center Legs (9) (2pcs) to the center of the unit.

Legs are to be attached using JCBC Bolt 1/4 x 40mm (L) (4pcs), Spring Washer 1/4 (I) (4pcs), Flat Washer 1/4 x 16mm (4pcs) and Allen Key (G) to fix. Attach Legs (8) (4pcs) and Plastic Washer (F) (4pcs) to the four corners of the unit.






F-Plastic Washer

4PCS


I-Spring Washer 1/4



4PCS





J-Flat Washer 1/4 x 16mm



4PCS

L-JCBC Bolt 1/4 X 40mm





4PCS

ASSEMBLY INSTRUCTION

STEP 11.


Use Connector (M) (2pcs) to set combinations Chaise Base (L) (7) and Chaise Base (R) (10).



ASSEMBLY INSTRUCTION

STEP 12.

Attach the Seat Cushion (4) (4pcs) and Seat Cushion (Center) (15) (1pc).



ASSEMBLY INSTRUCTION

STEP 13.

Lay Back Pillow (5) (4pcs), Back Pillow Left (13) (1pc) and Back Pillow Right (14) (1pc).

