ASSEMBLY INSTRUCTIONS
30 INCH BATH VANITY (COMBO)



Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts which may have come loose inside the carton during shipment. Separate, identify and count all parts and hardware. Compare with the parts list to be sure all parts are present.
"DO NOT TIGHTEN SCREWS UNTIL COMPLETELY ASSEMBLED"



IMPORTANT:

PLEASE READ INSTRUCTION BEFORE STARTING THE ASSEMBLY

Before Installation

Important - Please read these instructions fully before starting assembly

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment. Identify and count all items according to the PARTS LIST and/or HARDWARE LIST shown below. Check you have all the components and tools listed on the following pages.

. We recommend that you assemble this product with the assistance of another person; this will make the assembly easier, and will help eliminate damage to the product or injury to persons during assembly.

. Please do not over tighten screws or bolts until the assembly is completed.

. Keep children and animal away from the work area, small parts could choke if swallowed.

. Please put all parts on a non-abrasive floor before assembly,and follow the assembly steps to assemble your newly purchased product correctly and efficently.

If you find that you have any trouble with assembly or missing or damaged parts please contact the seller.

Cam Lock Assembly Instructions



Slides Must Be Separated Before Assembly.
After Separated, Set Aside Until Needed for Assembly.

Las diapositivas deben separarse antes del montaje.
Después de la separación,déjelo a un lado hasta que sea necesario.

Les glissières doivent être séparées avant l'assemblage.
Après la séparation,mettez de cŏté jusqu'au moment de l'assemblage.

Pay attention when connecting !
The sliding module must be at the front end.



STEP 1 : Extend Slide
Extender la diapositiva



STEP 2: Push Lever UP
Empujar hacia arriba
Lever le levier



Push lever for the left of drawer ,
press the lever for the right of drawer.



STEP 3: Remove Runner
Quitar el corredor
Enever le coureur

Detail View - CABINET



Identifying the Hardware-Identify the hardware using the illustrations below.

Part List

1  Side Panel (L) - 1pc	2  Side Panel (R) - 1pc
3  Mid Panel - 1pc	4  Top Crossbar - 1pc
5  Top Panel Rear - 1pc	6  Bottom Panel Rear - 1pc
7  Bottom Panel - 1pc	8  Left Panel - 1pc
9  Right Panel - 1pc	10  Bottom Frame - 1pc
11  Foot Cabinet - 4pcs	12  Cabinet Door - 1pc
13  Long Drawer Face - 1pc	14  Long Drawer Rear panel - 1pc

Part List

15  Drawer Side panel (L) - 2pcs	16  Drawer Side panel (R) - 2pcs
17  Long Drawer panel Bottom - 1pc	18  Double Drawer Face - 1pc
19  Double Drawer Panel Rear - 1pc	20  Double Drawer Side (L) - 1pc
21  Double Drawer Side (R) - 1pc	22  Drawer panel Bottom - 2pcs
23  Drawer Face - 1pc	24  Drawer Panel Rear - 1pc
25  Sink - 1pc	

Hardware List

A ø13x1/4"x28mm	B ø1/4"x16x1mm	C  ø6x35mm
Hex-Head bolts (14pcs)	Washer (6pcs)	Three in one bolts (20pcs)
D ø14.5x12mm	E ø8xø4x25mm	F ø8xø4x32mm
Three in one lock (20pcs)	Round head screw (3pcs)	Round head screw (24pcs)
G 	H	I  ø5/32"x15mm
Handle (4pcs)	Handle (1pc)	Handle screw (2pcs)
J  ø5/32"x22mm	K  ø5/32"x25mm	L 
Handle screw (1pc)	Handle screw (6pcs)	Damping hinge (2pcs)
M  ø7xø3.5x15mm	N  ø300x35mm	O  ø298x18mm
Flat head screw (12pcs)	Slide rails (6pcs)	Slide rails (6pcs)
P ø6xø3x12mm	Q  ø8x30mm	R 4mm
Flat head screw (36pcs)	Wood dowel (33pcs)	Allen key (1pc)
S 		
Anti fall hardware (1set)		

STEP: 1



C

20PCS



STEP: 2



N

6PCS

P

18PCS



STEP: 3

E	Q
3PCS	1PC



STEP: 4

A	B	D	Q
2PCS	2PCS	8PCS	8PCS



STEP: 5

A	Q
8PCS	8PCS



STEP: 6

A	B	Q
4PCS	4PCS	4PCS



STEP: 7

D	Q
4PCS	4PCS



STEP: 8

Q
8PCS



Please be careful not to install the front and rear backwards.

STEP: 9



STEP: 10





STEP: 11

H	J	M
		
1PC	1PC	8PCS





STEP: 12

O	P
	
6PCS	18PCS



x2





STEP: 13

F
8PCS



STEP: 14

G	K
	
1PC	2PCS



STEP: 15

G	I	K	F
2PCS	2PCS	2PCS	8PCS



STEP: 16

G	K	F
1PC	2PCS	8PCS



STEP: 17



STEP: 18





STEP: 19

Install the sink on the cabinet with glue.
Let stand for 24 hours



*Silicone glue is not included in the package to comply with safety regulations in certain shipping conditions.

STEP: 20



HINGE ADJUSTMENTS



1 Sideways / Tilt adjustment

Turn the screw
clockwise to move the door further away from the side of the cabinet
anticlockwise to move the door closer to the side of the cabinet



2 4 Height adjustment

While supporting the weight of the door, turn the screws
clockwise to move the door up
anticlockwise to move the door down



3 Forward and back adjustment

If the gap between the back of the door and the cabinet is too small, and the door may not close fully. Turn the screw
clockwise to decrease the gap between the door and the cabinet
anticlockwise to increase the gap between the door and the cabinet